

SOCIETY OF PETROLEUM ENGINEERS

ATCE 2005

Annual Technical Conference and Exhibition

Volume 1 of 8

Held October 9 – 12, 2005
Dallas, Texas, USA

Printed from CD-ROM with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

© 2005 Society of Petroleum Engineers

Copyright and Use Restrictions

Copyright 2005, Society of Petroleum Engineers

Material included in this *Proceedings* is copyright protected. Electronic reproduction, distribution, or storage of any part of an SPE copyrighted paper for commercial purposes without the written consent of the Society of Petroleum Engineers is prohibited. Permission to reproduce in print is restricted to an abstract of not more than 300 words; illustrations may not be copied. The abstract must contain conspicuous acknowledgment of where and by whom the paper was presented. For photocopying beyond the above permissions, libraries and other users dealing with the Copyright Clearance Center (CCC) Transactional Reporting Service must pay a base fee of \$3 per copyrighted article plus \$0.25 per page to CCC, 222 Rosewood Drive, Danvers, Massachusetts 01923 U.S.A. For other permissions, contact Librarian, SPE, 222 Palisades Creek Drive, Richardson, Texas 75080-2040 U.S.A.

Use of SPE member or author contact information included on this CD for commercial purposes or reproduction of that information in whole or in part, in any form or medium, is strictly prohibited and subject to legal action. Contact SPE to inquire about rental of mailing lists.

This CD of the 2005 SPE Annual Technical Conference and Exhibition was produced by SPE. This product contains Adobe® Reader® Software. Permission to print and distribute content from this product must be obtained from SPE. Duplication of replication products is absolutely prohibited without written permission from SPE and Adobe. Adobe and Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Material on the CD was reproduced from original papers and/or electronic files provided by the authors. Some discrepancies are inevitable. Please advise SPE of errors so corrections can be made to the electronic versions of the article. Send corrections by e-mail to pdf@spe.org or mail to the SPE Americas Office, attention Technical Paper Administrator.

USE OF MATERIALS LIMITATIONS

All materials contained in these *Proceedings* are copyrighted to the Society of Petroleum Engineers. Papers on this CD are for your personal non-commercial use and may not be copied, distributed electronically or in print, or reproduced in whole or in part, in any form without the expressed written permission of the Society of Petroleum Engineers.

2005 SPE Annual Technical Conference and Exhibition

9–12 October 2005 • Dallas, Texas, U.S.A.

TABLE OF CONTENTS

Volume 1 of 8

- 1** SPE 99282 Student 1
[New Shape Factor for Vertically Fractured Well Produced at Constant Pressure](#)
E. Haryanto, Inst. Teknologi Bandung (ITB)
- 8** SPE 99283 Student 2
[Fabrication of Synthetic Reservoir Rock Core and Application to NMR Logging](#)
L. Ronan, School of Oil & Gas Engineering, U. of Western Australia
- 15** SPE 99284 Student 3
[Advanced Drilling Using a Spiral Kelly](#)
P. Girde, Maharashtra Inst. of Technology
- 20** SPE 99285 Student 4
[An Integrated Method for Modeling Fluid Saturation Profiles and Characterising Geological Environments Using a Modified FZI Approach: Australian Fields Case Study](#)
S. Biniwale, Australian School of Petroleum, The U. of Adelaide
- 38** SPE 99286 Student 5
[Permeability Prediction Using Artificial Neural Network \(ANN\): A Case Study of Uinta Basin](#)
S. Singh, Maharashtra Inst. of Technology
- 46** IPTC 10308 [Underbalanced Coiled-Tubing Drilling Practices in a Deep, Low-Pressure Gas Reservoir](#)
T. Kavanagh, Schlumberger; R. Pruitt, M. Reynolds, and R. Ortiz, BP Sharjah; M. Shotenski, Schlumberger; R. Coe, Baker Hughes Inteq; and P. Davis and R. Bergum, Halliburton
- 55** SPE 94541 [New Technology for the Delivery of Beaded Lightweight Cements](#)
D. Kulakofsky and R. Vargo, Halliburton
- 61** SPE 94641 [Analysis of the Performance of Hydraulic Fracturing Treatments and Quantum Design Improvements](#)
A.S. Demarchos, MJE Consultants; M.J. Economides, U. of Houston; and I. Diyashev and V.A. Svaykin, Sibneft
- 68** SPE 94671 [Transverse Hydraulic Fractures From a Horizontal Well](#)
Y. Wei and M.J. Economides, U. of Houston

- 80** SPE 94707 [Accurate Measurement of the Hydrogen Sulfide Content in Formation Fluid Samples— Case Studies](#)
H. Elshahawi and M. Hashem, Shell Intl. E&P Inc.
- 92** SPE 94708 [The Power of Real-Time Monitoring and Interpretation in Wireline Formation Testing— Case Studies](#)
H. Elshahawi, M. Hashem, and D. McKinney, Shell Intl. E&P Inc., and M. Ardila and C. Ayan, Schlumberger Oilfield Services
- 104** SPE 94709 [The Missing Link—Identification of Reservoir Compartmentalization Through Downhole Fluid Analysis](#)
H. Elshahawi and M. Hashem, Shell Intl. E&P Inc., and O.C. Mullins and G. Fujisawa, Schlumberger Oilfield Services
- 116** SPE 94848 [Effect of Compositional Grading on Reservoir Fluid Characterization: Case Study](#)
Y. Salehirad, Petroiran Development Co.
- 123** SPE 94859 [Decline-Curve Analysis for Solution-Gas-Drive Reservoirs](#)
J.L. Frederick, Apache Corp., and M. Kelkar, U. of Tulsa
- 134** SPE 94913 [Using Seismic Attributes To Estimate Net Thickness in Pinchout Areas—Marlim Deepwater Turbidite Oilfield, Campos Basin](#)
R.M. Oliveira, N.M. da S. Ribeiro Júnior, P.R.S. Johann, L.F.C. Júnior, D.E. Steagall, P.A. Kerber, and M.R.J. Carvalho, Petrobras S.A.
- 140** SPE 94994 [Determining Relative Permeability From Unsteady-State Radial Fluid Displacements](#)
J. Toth, T. Bodi, and P. Szucs, U. of Miskolc, and F. Civan, U. of Oklahoma
- 149** SPE 95066 [Modeling Deepwater Reservoirs](#)
J.N. Ezekwe and S.L. Filler, Devon Energy Corp.
- 160** SPE 95125 [Improving Water Saturation Prediction With 4D Seismic](#)
J. Wu, T. Mukerji, and A.G. Journel, Stanford U.
- 169** SPE 95162 [New Horizons in Wide-Bore Drilling and Completion Technology](#)
D. Sinha, Maharashtra Inst. of Technology
- 176** SPE 95167 [Permeability Estimation Using a Hybrid Genetic Programming and Fuzzy/Neural Inference Approach](#)
D. Xie, D. Wilkinson, and T. Yu, Chevron ETC
- 183** SPE 95169 [Calculations of Fluid Saturations From Log-Derived J-Functions in Giant Complex Middle-East Carbonate Reservoir](#)
T.A. Obeida, Y.S. Al-Mehairi, and K. Suryanarayana, ADCO

- 188** SPE 95222 [Options and Limitations of Formation Evaluation Through Casing for Casing-While-Drilling Operations in South Texas](#)
D.H. May and S. Caron, Schlumberger
- 200** SPE 95236 [Optimistic Approach To Control Arc Stability in Unconsolidated Sands By Downhole Emulsification](#)
S. Desouky, Egyptian Petroleum Research Inst.
- 208** SPE 95238 [Improving Drilling Performance in the Chalk Reservoir of the Valhall Field](#)
M. Strachan, Halliburton Sperry Drilling Services; S. Kinn and Ø. Eide, BP Norway; C. Mason, BP Exploration; and D.C.-K. Chen, Halliburton Sperry Drilling Services
- 220** SPE 95239 [The Penetration of Coiled Tubing With Residual Bend in Extended-Reach Wells](#)
A. Zheng and S. Adnan, Schlumberger
- 226** SPE 95241 [The Effect of Fracture Relative Permeabilities and Capillary Pressures on the Numerical Simulation of Naturally Fractured Reservoirs](#)
J.J. de la Porte and C.A. Kossack, Schlumberger, and R.W. Zimmerman, Imperial C.
- 235** SPE 95242 [Nonpolymer Surfactant Enhances High-Strength Hydrofluoric Acid Treatments](#)
K.E. Cawiezel and C.S. Devine, BJ Services Co.
- 243** SPE 95248 [A New Breed of Petroleum Engineering Education in the Middle East](#)
T. Aggour, The Petroleum Inst.
- 252** SPE 95272 [Progressing Cavity Pump \(PCP\) Behavior in Multiphase Conditions](#)
C. Bratu, PCM Pompes
- 260** SPE 95273 [Optimization of Synthetic-Based and Oil-Based Mud Displacements With an Emulsion-Based Displacement Spacer System](#)
S.L. Berry, BJ Services Co.
- 271** SPE 95277 [Dynamic Reservoir Data Assimilation With an Efficient, Dimension-Reduced Kalman Filter](#)
D. Zhang, U. of Oklahoma; Z. Lu, Los Alamos Natl. Laboratory; and Y. Chen, U. of Oklahoma
- 281** SPE 95279 [The Perfect Wellbore!](#)
C.J. Mason, BP Exploration, and D.C.-K. Chen, Halliburton Sperry Drilling Services
- 296** SPE 95283 [A Novel Response Surface Methodology Based on “Amplitude Factor” Analysis for Modeling Nonlinear Responses Caused by Both Reservoir and Controllable Factors](#)
B. Li and F. Friedmann, California Inst. of Technology
- 311** SPE 95287 [Measurement of Proppant Transport of Frac Fluids](#)
P.C. Harris, R.G. Morgan, and S.J. Heath, Halliburton

- 323** SPE 95289 [Computer Models Address Drilling Waste Management](#)
J.B. Bloys and C. Fleming, Chevron Corp.; C. Ivan, M-I Swaco; and W.A. Piper, Piper Consulting
- 329** SPE 95292 [Harnessing the Wisdom of Crowds—Case Study](#)
G. Velasquez and P. Odem, Halliburton
- 337** SPE 95294 [The Application of Flux-Based Sand-Control Guidelines to the Na Kika Deepwater Fields](#)
R.G. Keck, J.R. Colbert, and W.D. Hardham, BP America
- 349** SPE 95314 [Managing Drilling Performance: Technical Analysis, Well Challenges, and Field Engagement](#)
W. Iyoho, Anadarko Petroleum Corp., and A. Adeleye and B. Virginillo, Anadarko Canada Corp., and K. Hovland, The REACH Group
- 353** SPE 95322 [A Capacitance Model To Infer Interwell Connectivity From Production and Injection Rate Fluctuations](#)
A.A. Yousef and P. Gentil, U. of Texas at Austin; J.L. Jensen, Texas A&M U.; and L.W. Lake, U. of Texas at Austin
- 372** SPE 95327 [Effects of Ultrasonic Waves on Immiscible and Miscible Displacement in Porous Media](#)
T. Hamida and T. Babadagli, U. of Alberta
- 390** SPE 95331 [Marco Polo Deepwater TLP: Completion Implementation and Performance](#)
J. Burman, Exploitation Technologies LLC, and K. Renfro and M. Conrad, Anadarko Petroleum
- 406** SPE 95332 [Effect of EOS Characterization on Predicted Miscibility Pressure](#)
F. Stalkup and H. Yuan, PetroTel Inc.
- 416** SPE 95337 [Effect of Well Placement on Production and Frac Design in a Mature Tight Gas Field](#)
C. Cipolla, Pinnacle Technologies; F. Peterman, T. Creegan, and D. McCarley, Dominion E&P; and H. Nevels, Pinnacle Technologies
- 426** SPE 95341 [Getting Full Value From Reserves Audits](#)
J.R. Etherington, PRA Intl. Ltd.
- 433** SPE 95344 [High CGR Facilities Optimization Using a TMFS](#)
A.B. Al-Taweel and C.J. Alvarez-Cohecha, Saudi Aramco
- 440** SPE 95345 [Gas-System Safety Evaluation Using a TMFS](#)
A.B. Al-Taweel and R.D. Currie, Saudi Aramco
- 447** SPE 95355 [Pressure Variations Inside the Hydraulic Fracture and Its Impact on Fracture Propagation, Conductivity, and Screenout](#)
A.A. Daneshy, Daneshy Consultants Intl.

- 454** SPE 95360 [Field Pilots of Microbial Flooding in High-Temperature and High-Salt Reservoirs](#)
H. Zhao, Z. Li, P. Zhao, and Y. Wu, Sinopec
- 464** SPE 95365 [Modeling of Initial Saturation Distributions in Oil/Water Reservoirs in Imbibition Equilibrium](#)
N. Bech, P. Frykman, and O.V. Vejbæk, Geological Survey of Denmark and Greenland
- 475** SPE 95397 [Case Study: Detailed Hydraulic Fracture Analysis Leads to a Better Understanding of a Complex Reservoir](#)
A.M. Rovira, ExxonMobil Production, and R.H. Jacot, Meyer & Assocs. Inc.
- 487** SPE 95401 [Understanding Reservoir Performance and Uncertainty Using a Multiple History Matching Process](#)
D.S. Bustamante and D.R. Keller, AAPG, and G.D. Monson, SEG/Pioneer Natural Resources
- 501** SPE 95402 [Revisiting Reservoir Flood-Surveillance Methods Using Streamlines](#)
R.P. Batycky and M.R. Thiele, Streamsim Technologies Inc., and R.O. Baker and S.H. Chung, Epic Consulting Services Ltd.
- 510** SPE 95404 [A Study of Branched Alcohol Propoxylate Sulfate Surfactants for Improved Oil Recovery](#)
Y. Wu, P. Shuler, M. Blanco, Y. Tang, and W.A. Goddard, California Inst. of Technology
- 520** SPE 95406 [Case Study: Cased-Hole Density Application, North Slope, Alaska](#)
D. Hupp, Schlumberger, and L. Bennett and W. Campaign, ConocoPhillips Alaska Inc.
- 528** SPE 95407 [Integrating the Fluid Quality and Rock Description in Sabiriyah Mauddud Limestone in North Kuwait To Rationalize the Waterflood Development Strategy—A Case History](#)
H.B. Chetri, H. Najeh, D. Al-Janaie, M. Al-Mutawa, T.P. Chandran, and E. Al-Anzi, Kuwait Oil Co.; J. Wells, Intl. Reservoir Technologies Inc.; and K. Cig, Schlumberger-Kuwait
- 537** SPE 95413 [Optimized Well Location by Combination of Multiple Realization Approach and Quality Map Methods](#)
A. Cottini-Loureiro and M. Araujo, Imperial C.
- 547** SPE 95418 [Challenges in Drilling in Campos Basin](#)
P. Paes, F. Ajikobi, and D.C.-K. Chen, Halliburton Sperry Drilling Services
- 558** SPE 95419 [Production Monitoring Through Openhole Gravel-Pack Completions Using Permanently Installed Fiber-Optic Distributed Temperature Systems in the BP-Operated Azeri Field in Azerbaijan](#)
G. Brown and D. Field, Schlumberger, and J. Davies, P. Collins, and N. Garayeva, BP
- 564** SPE 95428 [The Application of Cutoffs in Integrated Reservoir Studies](#)
P.F. Worthington, Gaffney, Cline & Assocs.

- 572** SPE 95430 [Effective Torque Management of Wytch Farm Extended-Reach Sidetrack Wells](#)
N. Robertson, BP Exploration; S. Hancock, Rocksolid Engineering; and L. Mota, Halliburton Energy Services

SOCIETY OF PETROLEUM ENGINEERS

ATCE 2005

Annual Technical Conference and Exhibition

Volume 2 of 8

Held October 9 – 12, 2005
Dallas, Texas, USA

Printed from CD-ROM with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

© 2005 Society of Petroleum Engineers

Copyright and Use Restrictions

Copyright 2005, Society of Petroleum Engineers

Material included in this *Proceedings* is copyright protected. Electronic reproduction, distribution, or storage of any part of an SPE copyrighted paper for commercial purposes without the written consent of the Society of Petroleum Engineers is prohibited. Permission to reproduce in print is restricted to an abstract of not more than 300 words; illustrations may not be copied. The abstract must contain conspicuous acknowledgment of where and by whom the paper was presented. For photocopying beyond the above permissions, libraries and other users dealing with the Copyright Clearance Center (CCC) Transactional Reporting Service must pay a base fee of \$3 per copyrighted article plus \$0.25 per page to CCC, 222 Rosewood Drive, Danvers, Massachusetts 01923 U.S.A. For other permissions, contact Librarian, SPE, 222 Palisades Creek Drive, Richardson, Texas 75080-2040 U.S.A.

Use of SPE member or author contact information included on this CD for commercial purposes or reproduction of that information in whole or in part, in any form or medium, is strictly prohibited and subject to legal action. Contact SPE to inquire about rental of mailing lists.

This CD of the 2005 SPE Annual Technical Conference and Exhibition was produced by SPE. This product contains Adobe® Reader® Software. Permission to print and distribute content from this product must be obtained from SPE. Duplication of replication products is absolutely prohibited without written permission from SPE and Adobe. Adobe and Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Material on the CD was reproduced from original papers and/or electronic files provided by the authors. Some discrepancies are inevitable. Please advise SPE of errors so corrections can be made to the electronic versions of the article. Send corrections by e-mail to pdf@spe.org or mail to the SPE Americas Office, attention Technical Paper Administrator.

USE OF MATERIALS LIMITATIONS

All materials contained in these *Proceedings* are copyrighted to the Society of Petroleum Engineers. Papers on this CD are for your personal non-commercial use and may not be copied, distributed electronically or in print, or reproduced in whole or in part, in any form without the expressed written permission of the Society of Petroleum Engineers.

2005 SPE Annual Technical Conference and Exhibition

9–12 October 2005 • Dallas, Texas, U.S.A.

TABLE OF CONTENTS

Volume 2 of 8

- 584** SPE 95442 [Deploying Common Process Across Global Wells Teams—Integrating an Online Project Management Application With Effective Behaviours To Enable High Performance](#)
S. Sawaryn, BP Exploration; D. Dressler and K. Been, Frontline Group; and T. Bailey, BP Exploration
- 595** SPE 95443 [Successful Pinpoint Placement of Multiple Fractures in Highly Deviated Wells in Deepwater Offshore Brazil Fields](#)
J.B. Surjaatmadja and C. Miranda, Halliburton, and V.F. Rodrigues, M. das Graças F.C., M.A. Silveira, L.F. Neumann, and P.D. Fernandes, Petróleo Brasileiro S/A
- 613** SPE 95456 [Efficient Design of Reservoir Simulation Studies for Development and Optimization](#)
S. Kalla and C.D. White, Louisiana State U.
- 627** SPE 95468 [The Impact of Shale Barriers and Injection Strategy on CO₂-Flooding and Sequestration Performance](#)
P.H. Janssen and D. Bossie-Codreanu, Inst. Français du Pétrole
- 644** SPE 95474 [Experimental and Stochastic Modeling of Diffusion-Controlled Matrix-Fracture Transfer in Naturally Fractured Reservoirs](#)
C.U. Hatiboglu and T. Babadagli, U. of Alberta
- 656** SPE 95490 [Limits on Data Communication Along the Drillstring Using Acoustic Waves](#)
L. Gao, W. Gardner, and C. Robbins, Halliburton Energy Services, and M. Memarzadeh and D. Johnson, Rice U.
- 662** SPE 95491 [Investigation of a Smart Steamflood Pattern To Enhance Production From San Ardo Field, California](#)
D.D. Mamora and J.E. Sandoval, Texas A&M U.
- 673** SPE 95498 [History Matching of Naturally Fractured Reservoirs Using Elastic Stress Simulation and Probability Perturbation Method](#)
S. Suzuki, Stanford U.; C. Daly, Roxar Ltd.; J. Caers, Stanford U.; and D. Mueller, Roxar Ltd.
- 693** SPE 95507 [Worldwide First Run in Hole of a Dope-Free 13Cr Production Tubing String](#)
J. Rignol, Total E&P Nederland, and A. Parde, E. Thoreau, and L. Verdillon, Vallourec & Mannesmann Tubes

- 698** SPE 95508 [Integration of Microseismic Fracture Mapping, Fracture and Production Analysis With Well Interference Data To Optimize Fracture Treatments in the Overton Field, East Texas](#)
M.J. Mayerhofer, Pinnacle Technologies; J.L. Bolander and L.I. Williams, Southwestern Energy Production Co.; A. Pavy, BJ Services; and S.L. Wolhart, Pinnacle Technologies
- 708** SPE 95510 [Development of Equations and Procedure for Perforation Inflow Test Analysis \(PITA\)](#)
N.M.A. Rahman, Fekete Assocs. Inc.; M. Pooladi-Darvish, U. of Calgary; and L. Mattar, Fekete Assocs. Inc.
- 727** SPE 95511 [A Rapid and Efficient Method To Identify Underperforming Stripper Gas and Oil Wells](#)
R.J. MacDonald and J.H. Frantz Jr., Schlumberger DCS; G. Covatch, DOE; and W. Zagorski and M. Forgione, Great Lakes Energy Partners LLC
- 734** SPE 95512 [Experimental Studies of Water Wetting in Large-Diameter Horizontal Oil/Water Pipe Flows](#)
J. Cai, S. Nestic, C. Li, X. Tang, and F. Ayello, Ohio U., and C. Ivan, T. Cruz, and J.N. Al-Khamis, Saudi Arabian Oil Co.
- 747** SPE 95513 [Automated Microseismic Event Detection and Location by Continuous Spatial Mapping](#)
J. Drew, D. Leslie, P. Armstrong, and G. Michaud, Schlumberger
- 754** SPE 95514 [Evolution of Frac-Pack Design, Modeling and Execution in the Ceiba Field, Equatorial Guinea](#)
C.L. Cipolla, Pinnacle Technologies, and J.K. Shucart and J.R. Lafitte, Amerada Hess
- 769** SPE 95515 [Asphaltene-Induced Formation Damage: Effect of Asphaltene Particle Size and Core Permeability](#)
S.S.K. Sim, Alberta Research Council; K. Takabayashi and K. Okatsu, Japan Oil, Gas and Metals Natl. Corp.; and D. Fisher, Alberta Research Council
- 781** SPE 95516 [Integrated Sand and Erosion Alarming on Na Kika, Deepwater Gulf of Mexico](#)
M.H. Stein, BP America; A.A. Chitale, Quiline Software Inc.; G. Asher, APA; and H. Vaziri, Y. Sun, J.R. Colbert, and F.A. Gonzalez, BP America
- 790** SPE 95517 [Technologies Trials of Intelligent Field Implementation in Carmopolis Field](#)
M.F. Silva Jr., R.C.M. Portella, R.G. Izetti, and S.R.V. Campos, Petrobras
- 796** SPE 95523 [A Simple Model for Annular Two-Phase Flow in Wellbores](#)
A.R. Hasan, U. of Minnesota-Duluth, and C.S. Kabir, Chevron Energy Technology Co.

- 805** SPE 95528 [Decision Making With Uncertainty While Developing Multiple Gas/Condensate Reservoirs](#)
C.S. Kabir, Chevron ETC; S.B. Gorell, Landmark Graphics; M.E. Portillo, U. of Texas at Austin and Chevron; and A.S. Cullick, Landmark Graphics
- 815** SPE 95529 [Well Deliverability Predictions for a Low-Permeability Gas/Condensate Reservoir](#)
P. Ayyalasomayajula, N. Silpngarmlers, and J. Kamath, Chevron Energy Technology Co.
- 825** SPE 95531 [Assessing Producibility of a Region's Gas/Condensate Reservoirs](#)
C.S. Kabir, Chevron ETC, and O. Badru, V. Eme, and B.S. Carr, Chevron Intl. E&P
- 833** SPE 95544 [Diagnostic Pumping Tests To Optimize Fracturing Designs in the Harsh Environment of Western Siberia](#)
J.F. Manrique, Knowledge Reservoir, and A. Winkler, D. Guglielmo, and R. Pongratz, Halliburton Intl. Inc.
- 851** SPE 95545 [Log-Based Pore Volume Compressibility Prediction—A Deepwater GoM Case Study](#)
C. Wolfe, Baker Atlas; C. Russell and N. Luise, Eni Petroleum; and R. Chhajlani, Chevron
- 861** SPE 95546 [A Fundamental Model for Prediction of Hole Curvature and Build Rates With Steerable Bottomhole Assemblies](#)
P. Pastusek, V. Brackin, and P. Lutes, Hughes Christensen
- 868** SPE 95547 [Relative Permeability Characteristics for Supercritical CO₂ Displacing Water in a Variety of Potential Sequestration Zones in the Western Canada Sedimentary Basin](#)
B. Bennion, Hycal Energy Research Laboratories Ltd., and S. Bachu, Alberta Energy and Utilities Board
- 883** SPE 95557 [Geologically Consistent History Matching of a Deepwater Turbidite Reservoir](#)
B.T. Hoffman, Montana Tech; X.-H. Wen, and S. Strebelle, Chevron; and J. Caers, Stanford U.
- 895** SPE 95561 [Making Economic Decisions To Mitigate Lost Circulation](#)
D. Whitfill and H. Wang, Halliburton Fluid Systems
- 906** SPE 95563 [Service Line Option for Hydrate Management in Single Flowline Tieback](#)
S. Pami and J. Davalath, FMC Technologies
- 913** SPE 95566 [Mapping Preferential Flow in a West Texas Waterflood Using Surface Tiltmeters](#)
R.C. Kramm, L.G. Griffin, J. Apruzzese, and G.R. Stanley, Pinnacle Technologies, and D.W. Flaten, M.K. Bradshaw, and B.C. Lucas, Devon Energy Corp.

- 919** SPE 95568 [Comparison of Single- and Dual-Array Microseismic Mapping Techniques in the Barnett Shale](#)
N.R. Warpinski and R.C. Kramm, Pinnacle Technologies Inc.; J.R. Heinze, Devon Energy Corp.; and C.K. Waltman, Pinnacle Technologies Inc.
- 929** SPE 95571 [Deconvolution of Variable-Rate Reservoir Performance Data Using B-Splines](#)
D. Ilk, P.P. Valko, and T.A. Blasingame, Texas A&M U.
- 945** SPE 95574 [Hierarchical Simulation of Multiple-Facies Reservoirs Using Multiple-Point Geostatistics](#)
A. Maharaja and A. Journel, Stanford U.
- 960** SPE 95575 [A Semianalytical Method To Calculate Relative Permeability From Resistivity Well Logs](#)
K. Li, Stanford U.
- 965** SPE 95584 [Interpreting the Depositional Facies of the Upper Gharif Fluvial System Using Oil-Based Mud Images: A Case Study in Central Oman](#)
A. Amer, Schlumberger, and S. Alexander, Petroleum Development Oman
- 978** SPE 95590 [Learning the Right Lessons—The Key to Delivering a Record ERD Well in the Caspian](#)
G.N. Kidd, A. Tukshaitov, and F. Najafov, BP Exploration Ltd.
- 992** SPE 95598 [Design Considerations for Interventionless, Commingled Multizone Selective Sand Control Deepwater Completions](#)
J.W. Burman, Exploitation Technologies LLC; K.D. Renfro and M. Conrad, Anadarko Petroleum Corp.; and C. Parker, D. Turner, and B. Franklin, BJ Services
- 1003** SPE 95601 [Splines as an Optimization Tool in Petroleum Engineering](#)
R. Archer and G. Zakeri, U. of Auckland, and T. Vaudrey, Cogita
- 1010** SPE 95611 [Quantification of Depth Accuracy](#)
A. Brooks and H. Wilson, Inteq; A. Jamieson, Tech 21; D. McRobbie, Sperry Drilling Services; and S.G. Holehouse, Total S.A.
- 1015** SPE 95612 [3D Geological Modeling in a Turbidite System With Complex Stratigraphic-Structural Framework—An Example From Campos Basin, Brazil](#)
G.A. Albertão and A.P. Grell, Petrobras; D. Badolato, Beicip-Franlab; and L.R. dos Santos, Schlumberger
- 1025** SPE 95620 [ESP Model Implementation and Result Analysis Under Gas/Liquid Flow Conditions](#)
D. Sun, Baker Atlas, and M. Prado, U. of Tulsa
- 1037** SPE 95621 [Geomechanics Considerations for Through- and Near-Salt Well Design](#)
S.M. Willson, BP America Inc., and J.T. Fredrich, Sandia Natl. Laboratories

- 1054** SPE 95637 [Microseismic Fracture Mapping Optimizes Development of Low-Permeability Sands of the Williams Fork Formation in the Piceance Basin](#)
S.L. Wolhart, Pinnacle Technologies; C.E. Odegard, Williams Production; and N.R. Warpinski, C.K. Waltman, and S.R. Machovoe, Pinnacle Technologies
- 1067** SPE 95639 [Results of U.S. Department of Energy Deep Gas Well Stimulation Study](#)
M.J. Mayerhofer and S.L. Wolhart, Pinnacle Technologies, and J.D. Rogers, DOE
- 1081** SPE 95643 [Assessing the Impact of Oil Viscosity Mixing Rules in Cyclic Steam Stimulation of Extra-Heavy Oils](#)
A.L. Mago, M.A. Barrufet, and M.C. Nogueira, Texas A&M U.
- 1088** SPE 95647 [Modeling and Operation of Oil Removal and Desalting Oilfield Brines With Modular Units](#)
M. Barrufet, D. Burnett, and B. Mareth, Texas A&M U.
- 1097** SPE 95652 [Two-Phase Correlation for Multilateral Well Deliverability](#)
R. Kamkom and D. Zhu, Texas A&M U.
- 1108** SPE 95654 [Petrophysical Model of Split Shear Waves in Anisotropic Media](#)
J.R. Fanchi, Colorado School of Mines
- 1116** SPE 95655 [Analysis of Gas-Cycling Performance in Gas/Condensate Reservoirs Using Neuro-Simulation](#)
L.F. Ayala and T. Ertekin, Pennsylvania State U.
- 1126** SPE 95656 [A Comprehensive Model of Temperature Behavior in a Horizontal Well](#)
K. Yoshioka, D. Zhu, and A.D. Hill, Texas A&M U., and P. Dawkrajai and L.W. Lake, U. of Texas at Austin
- 1141** SPE 95674 [A Model To Predict Liquid Holdup and Pressure Gradient of Near-Horizontal Wet-Gas Pipelines](#)
Y. Fan, Q. Wang, H. Zhang, and C. Sarica, U. of Tulsa, and T.J. Danielson, ConocoPhillips Inc.
- 1149** SPE 95675 [The Quest for Improved Proppant Placement: Investigation of the Effects of Proppant Slurry Component Properties on Transport](#)
H. Brannon, B. Wood, and R. Wheeler, BJ Services Co.

SOCIETY OF PETROLEUM ENGINEERS

ATCE 2005

Annual Technical Conference and Exhibition

Volume 3 of 8

Held October 9 – 12, 2005
Dallas, Texas, USA

Printed from CD-ROM with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

© 2005 Society of Petroleum Engineers

Copyright and Use Restrictions

Copyright 2005, Society of Petroleum Engineers

Material included in this *Proceedings* is copyright protected. Electronic reproduction, distribution, or storage of any part of an SPE copyrighted paper for commercial purposes without the written consent of the Society of Petroleum Engineers is prohibited. Permission to reproduce in print is restricted to an abstract of not more than 300 words; illustrations may not be copied. The abstract must contain conspicuous acknowledgment of where and by whom the paper was presented. For photocopying beyond the above permissions, libraries and other users dealing with the Copyright Clearance Center (CCC) Transactional Reporting Service must pay a base fee of \$3 per copyrighted article plus \$0.25 per page to CCC, 222 Rosewood Drive, Danvers, Massachusetts 01923 U.S.A. For other permissions, contact Librarian, SPE, 222 Palisades Creek Drive, Richardson, Texas 75080-2040 U.S.A.

Use of SPE member or author contact information included on this CD for commercial purposes or reproduction of that information in whole or in part, in any form or medium, is strictly prohibited and subject to legal action. Contact SPE to inquire about rental of mailing lists.

This CD of the 2005 SPE Annual Technical Conference and Exhibition was produced by SPE. This product contains Adobe® Reader® Software. Permission to print and distribute content from this product must be obtained from SPE. Duplication of replication products is absolutely prohibited without written permission from SPE and Adobe. Adobe and Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Material on the CD was reproduced from original papers and/or electronic files provided by the authors. Some discrepancies are inevitable. Please advise SPE of errors so corrections can be made to the electronic versions of the article. Send corrections by e-mail to pdf@spe.org or mail to the SPE Americas Office, attention Technical Paper Administrator.

USE OF MATERIALS LIMITATIONS

All materials contained in these *Proceedings* are copyrighted to the Society of Petroleum Engineers. Papers on this CD are for your personal non-commercial use and may not be copied, distributed electronically or in print, or reproduced in whole or in part, in any form without the expressed written permission of the Society of Petroleum Engineers.

2005 SPE Annual Technical Conference and Exhibition

9–12 October 2005 • Dallas, Texas, U.S.A.

TABLE OF CONTENTS

Volume 3 of 8

- 1164** SPE 95680 [Using Molecular Modeling To Understand the Mechanism for Adhesion of Shale-Stabilizing Polymers to Clay Surfaces](#)
S. Bell, Halliburton Energy Services
- 1169** SPE 95682 [Coiled-Tubing Gas Lift Reclaims 2000 BOPD of Lost Crude](#)
A. Tischler and T.A. Woodard, Aera Energy LLC, and B.G. Becker, BST Lift Systems Inc.
- 1177** SPE 95683 [Laboratory and Field Study of the Influence of Simple Carboxylates on Oilfield Corrosion and Inhibition](#)
R.L. Martin and P.D. Logan, BJ Chemical Services
- 1186** SPE 95685 [Waterflood Surveillance and Control: Incorporating Hall Plot and Slope Analysis](#)
D.B. Silin, R. Holtzman, and T.W. Patzek, U. of California-Berkeley, and J.L. Brink and M.L. Minner, Chevron North America E&P Co.
- 1201** SPE 95688 [Technology and Methods Used To Reduce Water Production in the Lower Delaware Sands of Southeastern New Mexico and West Texas](#)
T. Shahan, M. Briney, R. Reyes, P. Creel, and D. Dalrymple, Halliburton
- 1212** SPE 95691 [Collapse Resistance of Tubular Strings Under Geotectonic Load](#)
N. Morita, Y. Kasahara, H. Hikida, and Y. Ito, Waseda U.
- 1228** SPE 95706 [Value-Based Allocation and Value Adjustment on Mixed-Quality Commingled Natural Gas Pipelines](#)
A.L. Telesford, TrinFlow Ltd., and A.L. Telesford, Santos Ltd.
- 1235** SPE 95710 [Correcting Supercharging in Formation-Pressure Measurements Made While Drilling](#)
P.S. Hammond and J.J. Pop, Schlumberger
- 1248** SPE 95713 [The Use of Swell Packers as a Replacement and Alternative to Cementing](#)
G. Kennedy, Easywell; A. Lawless, Shell E&P; K. Shaikh, Shell Malaysia; and T. Alabi, Shell Petroleum Development Co. of Nigeria
- 1252** SPE 95714 [Diluting Acid Gases With Sweet Gases in Gas Lift Systems: Assessment, Challenges, and Recommendations](#)
B.N. Barsoum, Cairo U.; S. Faramaowy, Egyptian Petroleum Research Inst. (EPRI); and M.M. Zekry, Gulf of Suez Petroleum Co.

- 1264** SPE 95715 [Prediction of Sand Production Rate in Oil and Gas Reservoirs: Field Validation and Practical Use](#)
P.J. van den Hoek and M.B. Geilikman, Shell Intl. E&P B.V.
- 1277** SPE 95722 [Applications of Sequence Stratigraphy and Geological Modeling to Mature Field Development: Khalda Ridge, Western Desert Egypt](#)
I.S. Mahgoub, K. Mowafi, and H. Hussien, Khalda Petroleum Co., and F. Wehr, Apache Egypt
- 1287** SPE 95723 [A New Concept of Chemical Sand Consolidation: From Idea and Laboratory Qualification to Field Application](#)
H.K. Kotlar, Statoil ASA; F. Haavind, Norwegian U. of Science and Technology (NTNU); M. Springer and S.S. Bekkelund, Statoil ASA; and O. Torsæter, NTNU
- 1296** SPE 95725 [Geosteering Using New Directional Electromagnetic Measurements and a 3D Rotary Steerable System on the Veslefrikk Field, North Sea](#)
M. Wiig, E. Berg, J.M. Kjærefjord, M. Saltnes, E.A. Stordal, T.O. Sygnabere, and H. Laastad, Statoil, and G. Raeper, E. Gustavsson, J.-M. Denichou, A. Darquin, and D. Omeragic, Schlumberger
- 1311** SPE 95726 [Modeling Water-Injection-Induced Fractures in Reservoir Simulation](#)
B. Hustedt, Y. Qiu, D. Zwarts, and P.J. van den Hoek, Shell Intl. E&P
- 1320** SPE 95729 [New High-Performance Completion Packer Selection and Deployment for Holstein and Mad Dog Deepwater Gulf of Mexico Projects](#)
A. Fitzgerald, G. Harpley, and J. Hupp, BP, and J.G. King, Baker Oil Tools
- 1340** SPE 95732 [Rapid Flash Calculations for Compositional Modeling](#)
Y. Li and R.T. Johns, U. of Texas at Austin
- 1350** SPE 95735 [Treatment of Produced Water With an Ultrafiltration \(UF\) Membrane—A Field Trial](#)
J.M. Lee and T. Frankiewicz, Natco Group Inc.
- 1356** SPE 95746 [Modeling of Laser Spallation Drilling of Rocks for Gas- and Oilwell Drilling](#)
Z. Xu, Y. Yamashita, and C.B. Reed, Argonne Natl. Laboratory
- 1362** SPE 95749 [Unified Modeling of Gas/Oil/Water Pipe Flow—Basic Approaches and Preliminary Validation](#)
H.-Q. Zhang and C. Sarica, U. of Tulsa
- 1371** SPE 95750 [Assessing the Uncertainty in Reservoir Description and Performance Predictions With the Ensemble Kalman Filter](#)
M. Zafari and A.C. Reynolds, U. of Tulsa
- 1389** SPE 95754 [Optimizing the SAGD Process in Three Major Canadian Oil-Sands Areas](#)
H. Shin and M. Polikar, U. of Alberta

- 1400** SPE 95759 [Optimal Coarsening of 3D Reservoir Models for Flow Simulation](#)
M.J. King, K.S. Burn, P. Wang, V. Muralidharan, and F. Alvarado, BP America Inc., and X. Ma and A. Datta-Gupta, Texas A&M U.
- 1415** SPE 95760 [Methodology of Investigating the Compositional Gradient Within the Hydrocarbon Column](#)
H.H. Hanafy and I.S. Mahgoub, Khalda Petroleum Co.
- 1429** SPE 95763 [Tidal Pressure Response and Surveillance of Water Encroachment](#)
K. Langaas, AS Norske Shell; K.I. Nilsen, Norwegian Petroleum Directorate; and S.M. Skjaeveland, U. of Stavanger
- 1440** SPE 95774 [Ultrafine-Scale Validation of Upscaling Techniques](#)
K. Wang, Halliburton Digital and Consulting Service; K. Sepehrnoori, U. of Texas at Austin; and J.E. Killough, Halliburton Digital and Consulting Service
- 1451** SPE 95778 [Advanced Multizone Stimulation Technology](#)
S.B. Lonnes, K.J. Nygaard, and W.A. Sorem, ExxonMobil Upstream Research Co., and T.J. Hall and R.C. Tolman, ExxonMobil Production Co.
- 1458** SPE 95779 [Streamline-Based Production-Data Integration in Fractured-Reservoir Characterization and Its Application](#)
F. Shen and S. Li, EP Tech
- 1466** SPE 95785 [Downhole pH Measurement for WBM Contamination Monitoring and Transition Zone Characterization](#)
B. Raghuraman, C. Xian, A. Carnegie, B. Lecerf, L. Stewart, and G. Gustavson, Schlumberger; M.K. Abdou, A. Hosani, A. Dawoud, and A. Mahdi, ADCO; and S. Ruefer, Schlumberger
- 1477** SPE 95789 [Incorporating 4D Seismic Data in Reservoir Simulation Models Using Ensemble Kalman Filter](#)
J.-A. Skjervheim, CIPR U. of Bergen; G. Evensen, Norsk Hydro; and S.I. Aanonsen, B.O. Ruud, and T.A. Johansen, CIPR U. of Bergen
- 1487** SPE 95792 [Efficient Assessment and Optimization of a Deepwater Asset Development Using Fixed Pattern Approach](#)
U. Ozdogan, A. Sahni, B. Yeten, B. Guyaguler and W.H. Chen, Chevron Corp.
- 1496** SPE 95798 [Installation and Application of Permanent Downhole Optical Pressure/Temperature Gauges and Distributed Temperature Sensing in Producing Deepwater Wells at Marco Polo](#)
M. Weaver, Anadarko Petroleum; T. Kragas, Weatherford Intl. Inc.; J. Burman, Exploitation Technologies; D. Copeland, Anadarko Petroleum; B. Phillips, Weatherford Intl. Inc.; and R. Seagraves, Intl. Lift Systems
- 1506** SPE 95801 [Molecular Structure and Aggregation of Asphaltenes and Petroleomics](#)
O.C. Mullins, Schlumberger-Doll Research

- 1516** SPE 95803 [Platform-Free Fields for Stranded Gas Development: Science or Fiction?](#)
M. Rivero and E. Nakagawa, CSIRO
- 1526** SPE 95804 [Reservoir Initialization in Two-Phase Hydrocarbon Reservoirs From Well PVT Data](#)
H. Nasrabadi, Imperial C. London, and A. Firoozabadi, RERI
- 1541** SPE 95812 [Sand-Arch Strength Under Fluid Flow With and Without Capillary Pressure](#)
H. Arie, N. Morita, Y. Ito, and E. Takano, Waseda U.
- 1556** SPE 95813 [Enhancing Collaboration Between Engineering and Operations—A Case Study of Alaska Work Processes](#)
J. Anders, K. Cooper, and A. Dube, BP Exploration (Alaska) Inc., and P. Green, Computer Task Group
- 1568** SPE 95816 [Long-Term High-Temperature Laboratory Cement Data Aid in the Selection of Optimized Cements](#)
S.S. Jennings, Saudi Aramco
- 1575** SPE 95820 [Simulation of Physical-Chemical Processes During Carbon Dioxide Sequestration in Geological Structures](#)
M. Calabrese and F. Masserano, Eni E&P Div., and M.J. Blunt, Imperial C. London
- 1587** SPE 95825 [Acoustic and Quasistatic Laboratory Measurement and Calibration of the Pore Pressure Prediction Coefficient in the Poroelastic Theory](#)
A.M. Al-Tahini, Y.N. Abohleiman, and J.L. Brumley, U. of Oklahoma
- 1595** SPE 95826 [Achieving True Sandstone Reservoir Stimulation in Deepwater Horizontal Wells](#)
A. Mendez, BJ Services Co.; L.F. Neumann and E. de Almeida Pinto, Petrobras; and R. Torres, R. Farias, and M. Acosta, BJ Services Co.
- 1602** SPE 95827 [Integration of Fracture Data Into 3D Geomechanical Modeling To Enhance Fractured Reservoirs Characterization](#)
L. Macé and P. Muron, ENSG INPL/CRPG Gocad Research Group/ASGA, and J.-L. Mallet, ENSG INPL/CRPG
- 1611** SPE 95835 [Prediction of Well Performance Instability in Thin Layered Reservoirs](#)
S.P.C. Belfroid, W.L. Sturm, G.J.N. Alberts, M.C.A.M. Peters, and W. Schiferli, TNO
- 1618** SPE 95837 [Optimal Well Completions Using Radial Profiling of Formation Shear Slownesses](#)
B. Sinha, B. Vissapragada, S. Kisra, S. Sunaga, H. Yamamoto, T. Endo, and H.P. Valero, Schlumberger; L. Renlie, Statoil; and J. Bang, Norsk Hydro

- 1631** SPE 95838 [4D Monitoring of an Underground Gas Storage Case Using an Integrated History Matching Technique](#)
V. Langlais and M. Mezghani, Saudi Aramco; N. Lucet, Inst. Français du Pétrole; and F. Huguet, Gaz de France
- 1641** SPE 95841 [Near-Wellbore Alteration and Formation Stress Parameters Using Borehole Sonic Data](#)
B. Sinha, T. Bratton, J. Cryer, and S. Nieting, Schlumberger OFS, and G. Ugueto, A. Bakulin, and M. Hauser, Shell E&P Co.
- 1652** SPE 95843 [Improved Reservoir Management With Intelligent Multizone WAG Injectors and Downhole Optical Flow Monitoring](#)
B. Sandøy, T. Tjomsland, D.T. Barton, and G.H. Daae, Statoil, and E.S. Johansen and G. Vold, Weatherford
- 1670** SPE 95849 [The Russian Experience in Reserves Submissions to the SEC](#)
D.T. Gochenour, Shenandoah Oil Consultancy Ltd.
- 1675** SPE 95859 [Perforating for Zero Skin: A Study of Productivity Improvement in Ecuador](#)
J.G. Flores, Schlumberger
- 1682** SPE 95861 [Dynamic Modeling of Invasion Damage and Impact on Production in Horizontal Wells](#)
P.V. Suryanarayana and Z. Wu, Blade Energy Partners; J. Ramalho, Shell Intl. E&P; and R. Himes, Core Laboratories
- 1695** SPE 95869 [Probabilistic Forecasting for Mature Fields With Significant Production History: A Nemba Field Case Study](#)
G.R. King, Cabinda Gulf Oil Co. (Cabgoc); S. Lee, Chevron Energy Technology Co.; P. Alexandre, Soc. Nacional de Combustiveis de Angola (Sonangol); and M. Miguel, M. Blevens, M. Pillow, and G. Christie, Cabgoc
- 1710** SPE 95870 [Bean-up Guidelines for Sand-Control Completions](#)
M.B. Geilikman, D.E. Dria, and D.R. Stewart, Shell Intl. E&P Inc., and G.K. Wong, Shell E&P Co.
- 1718** SPE 95872 [The Dry Coal Anomaly—The Horseshoe Canyon Formation of Alberta, Canada](#)
O. Hoch, Halliburton
- 1732** SPE 95876 [How To Estimate the Value of the Information \(VOI\) of a 4D Seismic Survey in One Offshore Giant Field](#)
D.S. Steagall, J.A.T. Gomes, R.M. Oliveira, N.M.S.J. Ribeiro, R.Q. Queiroz, M.R.J. Carvalho, and C.Z. Souza, Petrobras
- 1737** SPE 95882 [Dynamic Petrophysics—Applications of Time-Lapse Reservoir Monitoring in Saudi Arabia](#)
S.M. Ma, A.A. Al-Hajari, O. Kelder, and A.S. Al-Muthana, Saudi Aramco, and A. Srivastava and R. Ramamoorthy, Schlumberger

SOCIETY OF PETROLEUM ENGINEERS

ATCE 2005

Annual Technical Conference and Exhibition

Volume 4 of 8

Held October 9 – 12, 2005
Dallas, Texas, USA

Printed from CD-ROM with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

© 2005 Society of Petroleum Engineers

Copyright and Use Restrictions

Copyright 2005, Society of Petroleum Engineers

Material included in this *Proceedings* is copyright protected. Electronic reproduction, distribution, or storage of any part of an SPE copyrighted paper for commercial purposes without the written consent of the Society of Petroleum Engineers is prohibited. Permission to reproduce in print is restricted to an abstract of not more than 300 words; illustrations may not be copied. The abstract must contain conspicuous acknowledgment of where and by whom the paper was presented. For photocopying beyond the above permissions, libraries and other users dealing with the Copyright Clearance Center (CCC) Transactional Reporting Service must pay a base fee of \$3 per copyrighted article plus \$0.25 per page to CCC, 222 Rosewood Drive, Danvers, Massachusetts 01923 U.S.A. For other permissions, contact Librarian, SPE, 222 Palisades Creek Drive, Richardson, Texas 75080-2040 U.S.A.

Use of SPE member or author contact information included on this CD for commercial purposes or reproduction of that information in whole or in part, in any form or medium, is strictly prohibited and subject to legal action. Contact SPE to inquire about rental of mailing lists.

This CD of the 2005 SPE Annual Technical Conference and Exhibition was produced by SPE. This product contains Adobe® Reader® Software. Permission to print and distribute content from this product must be obtained from SPE. Duplication of replication products is absolutely prohibited without written permission from SPE and Adobe. Adobe and Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Material on the CD was reproduced from original papers and/or electronic files provided by the authors. Some discrepancies are inevitable. Please advise SPE of errors so corrections can be made to the electronic versions of the article. Send corrections by e-mail to pdf@spe.org or mail to the SPE Americas Office, attention Technical Paper Administrator.

USE OF MATERIALS LIMITATIONS

All materials contained in these *Proceedings* are copyrighted to the Society of Petroleum Engineers. Papers on this CD are for your personal non-commercial use and may not be copied, distributed electronically or in print, or reproduced in whole or in part, in any form without the expressed written permission of the Society of Petroleum Engineers.

2005 SPE Annual Technical Conference and Exhibition

9–12 October 2005 • Dallas, Texas, U.S.A.

TABLE OF CONTENTS

Volume 4 of 8

- 1744** SPE 95885 [Predicting Pump-Out Volume and Time Based on Sensitivity Analysis for an Efficient Sampling Operation: Prejob Modeling Through a Near-Wellbore Simulator](#)
S. McCalmont and C. Onu, Total, and J. Wu, P. Kiome, J.J. Sheng, F. Adegbola, R. Rajasingham, and J. Lee, Baker Hughes
- 1755** SPE 95886 [Influx of Advanced Drilling Technologies Maximizing Productivity of Mature Region](#)
S. Simonton and L. Seigrist, Robert Huizenga Cimarex Energy Co; S. Janwadkar, Baker Hughes Inteq; and M. Isbell, Hughes Christensen
- 1779** SPE 95887 [Application of a New Grain-Based Reconstruction Algorithm to Microtomography Images for Quantitative Characterization and Flow Modeling](#)
K.E. Thompson, C.S. Willson, and C.D. White, Louisiana State U.; S. Nyman, U. of Waikato; J. Bhattacharya, U. of Texas at Dallas; and A.H. Reed, Naval Research Laboratory—Stennis Space Center
- 1791** SPE 95888 [Benchmarking Deep Drilling Technologies](#)
S.W. Lambert, Schlumberger Consulting Services; J.D. Rogers, U.S. DOE, NETL; and J.R. Williamson, C.M. Boyer, and J.H. Frantz, Schlumberger Consulting Services
- 1805** SPE 95894 [Analysis of LWD Propagation Resistivity Data in Anisotropic, Thinly-Bedded Formations Identifies Significantly More Hydrocarbons](#)
P. Boonen, S.M. Haugland, and D.G. Laughlin, PathFinder Energy Services
- 1813** SPE 95895 [The Key to Successfully Applying Today's Lost-Circulation Solutions](#)
H. Wang, R. Sweatman, and B. Engelman, Halliburton; W. Deeg (formerly Halliburton); and D. Whitfill, Halliburton
- 1828** SPE 95896 [Slimhole Drilling With Expandable Sand Screens for Low-Cost, High-Deliverability Wells at Bhit Gas Field in Pakistan](#)
A. Mehmood, R. Mazzoni, and J. Ahmed, Eni Pakistan Ltd., and A. Arshad, G. Egge, and J. Montagna, Baker Oil Tools
- 1843** SPE 95897 [Efficient and Accurate Estimation of Permeability and Permeability Anisotropy From Straddle-Packer Formation Tester Measurements Using the Physics of Two-Phase Immiscible Flow and Invasion](#)
R. Angeles, H.J. Lee, F.O. Alpak, and C. Torres-Verdín, U. of Texas at Austin, and J. Sheng, Baker Atlas

- 1862** SPE 95902 [Network Modeling of Drainage and Imbibition in Microfractured Porous Media](#)
R.V. Wilson, UNAM, and F. Rodríguez, Pemex-UNAM
- 1869** SPE 95905 [Numerical Well Testing—A Method To Use Transient Testing Results in Reservoir Simulation](#)
M.M. Kamal, Y. Pan, and J.L. Landa, Chevron Corp., and O.O. Thomas, Stanford U.
- 1882** SPE 95909 [Logging Tool Enables Fracture Characterization for Enhanced Field Recovery](#)
J.R. Bailey and W.A. Sorem, ExxonMobil Upstream Research Co.
- 1893** SPE 95910 [Critical Parameters in Static and Dynamic Modeling of Tight Fluvial Sandstones](#)
O.G. Apaydin, F.O. Iwere, B. Luneau, and Y. Ma, Schlumberger Data & Consulting Services
- 1902** SPE 95913 [Semianalytical Stream-Function Solutions on Unstructured Grids for Flow in Heterogeneous Media](#)
R.D. Hazlett and D.K. Babu, Potential Research Solutions, and L.W. Lake, U. of Texas at Austin
- 1912** SPE 95920 [Adsorption Kinetics of Surfactant Used in CO₂-Foam Flooding Onto Berea Sandstone](#)
B. Bai, R.B. Grigg, Y. Liu, and Z. Zeng, New Mexico Petroleum Recovery Research Center, New Mexico Inst. of Mining and Technology
- 1919** SPE 95921 [Cement Mechanical Property Measurements Under Wellbore Conditions](#)
B.R. Reddy, A. Santra, D. McMechan, D. Gray, C. Brenneis, and R. Dunn, Halliburton
- 1927** SPE 95928 [Implementation and Application of a Hybrid Multipoint Flux Approximation for Reservoir Simulation on Corner-Point Grids](#)
R. Juanes, J. Kim, and S.F. Matringe, Stanford U., and L.K. Thomas, ConocoPhillips
- 1939** SPE 95930 [Integration of Geologic and Dynamic Models for History Matching, Medusa Field](#)
J. Lach, K. McMillen, and R. Archer, Knowledge Reservoir L.P.; J. Holland and R. DePauw, Murphy E&P Co.; and B.E. Ludvigsen, Scandpower P.T.
- 1950** SPE 95940 [Reconciling Prior Geologic Information With Production Data Using Streamlines: Application to a Giant Middle-Eastern Oil Field](#)
D. Fenwick and M. Thiele, Streamsim Technologies Inc.; M. Agil, A. Hussain, and F. Humam, Saudi Aramco; and J. Caers, Stanford U.
- 1963** SPE 95941 [Pseudosteady-State Analysis of Finite-Conductivity Vertical Fractures](#)
B.R. Meyer and R.H. Jacot, Meyer & Assocs. Inc.

- 1987** SPE 95942 [Analysis of Best Hydraulic Fracturing Practices in the Golden Trend Fields of Oklahoma](#)
S.D. Mohaghegh and R. Gaskari, West Virginia U.; A. Popa, Chevron; I. Salehi, Gas Technology Inst.; and S. Ameri, West Virginia U.
- 2004** SPE 95947 [Laboratory and Simulation Investigation of Enhanced Coalbed Methane Recovery by Gas Injection](#)
G.-Q. Tang, K. Jessen, and A.R. Kavscek, Stanford U.
- 2018** SPE 95949 [A New Approach for Continuous Gas Lift Simulation and Optimization](#)
R. Vázquez-Román and P. Palafox-Hernández, Inst. Tecnológico de Celaya, Mexico
- 2025** SPE 95950 [What is the Characteristic Length Scale for Permeability? Direct Analysis From Microtomographic Data](#)
F. Bauget, C.H. Arns, M. Saadatfar, A.P. Sheppard, R.M. Sok, and M.L. Turner, Australian Natl. U.; W.V. Pinczewski, U. of New South Wales; and M.A. Knackstedt, Australian Natl. U. and U. of New South Wales
- 2036** SPE 95952 [Deepwater Reservoir Modeling Using Sequence-Stratigraphic and Geomorphic Constraints](#)
M.J. Pranter, Z.A. Reza, and P. Weimer, U. of Colorado
- 2047** SPE 95953 [The Effects of Displacement Rate and Wettability on Imbibition Relative Permeabilities](#)
V.H. Nguyen, U. of New South Wales; A.P. Sheppard, Australian Natl. U.; M.A. Knackstedt, Australian Natl. U. and U. of New South Wales; and W.V. Pinczewski, U. of New South Wales
- 2059** SPE 95974 [Practical Application of a Probabilistic Approach To Estimate Reserves Using Production Decline Data](#)
Y. Cheng, Y. Wang, D.A. McVay, and W.J. Lee, Texas A&M U.
- 2071** SPE 95975 [Experimental Investigation of Miscible Secondary Gas Injection](#)
M.M. Kulkarni and D.N. Rao, Louisiana State U.
- 2079** SPE 95976 [Effects of Pour-Point Depressants on Indian Crude Oils](#)
M.M. Kulkarni, Louisiana State U. and K. Iyer, Thermax India
- 2086** SPE 95981 [Analytical Methods Used To Evaluate and Model Physiochemical Properties on Rocks Altered by High-Power Laser Energy](#)
R.M. Graves and El Tahir Bailo, Colorado School of Mines
- 2091** SPE 95987 [Insights Into Deepwater Frac-Pack Completions Using Radioactive Tracers](#)
R.D. Pourciau, Chevron Corp., and R. Waltman, Halliburton
- 2100** SPE 95988 [Analysis of Long-Term Production Performance in Acid-Fractured Carbonate Wells](#)
Z. Rahim and M. Ahmed, Saudi Aramco

- 2106** SPE 95989 [Can Large Domain of Uncertainty be Reduced for Two One-Well Fault Blocks?](#)
S. Macary and B. Ball, IPR Group of Companies, and M. Baramawy, Fanpetco
- 2114** SPE 96002 [Decline Curves From Deconvolution of Pressure and Flow-Rate Measurements for Production Optimization and Prediction](#)
F.J. Kuchuk, F. Hollaender, and I.M. Gok, Schlumberger, and M. Onur, Istanbul Technical U.
- 2128** SPE 96013 [Viscosity of Formation Water: Measurement, Prediction, and Reservoir Implications](#)
H. Alboudwarej and M. Muhammad, Schlumberger; C. Barrere, Murphy E&P Co.; R. Archer, Knowledge Reservoir L.P.; R. Hannan, Dominion E&P Co.; and T. Jones, Spinnaker Exploration
- 2136** SPE 96018 [A Parametric Study on the Benefits of Drilling Horizontal and Multilateral Wells in Coalbed Methane Reservoirs](#)
N. Maricic, Chevron Corp., and S.D. Mohaghegh and E. Artun, West Virginia U.
- 2144** SPE 96021 [Measurement of Surfactant-Induced Interfacial Interactions at Reservoir Conditions](#)
W. Xu, S.C. Ayirala, and D.N. Rao, Louisiana State U.
- 2158** SPE 96026 [Determination of Optimal Window Size in Pressure-Derivative Computation Using Frequency-Domain Constraints](#)
Y. Cheng, W.J. Lee, and D.A. McVay, Texas A&M U.
- 2170** SPE 96027 [Models and Methods for Determining Transport Properties of Touching-Vug Carbonates](#)
L. Zhang, N. Nair, J.W. Jennings, and S.L. Bryant, U. of Texas at Austin
- 2179** SPE 96031 [Automated Process Control System for Steam-Injection Processes](#)
H. Shin, I. Alleyne, and M. Polikar, U. of Alberta
- 2185** SPE 96032 [Application of Fast Fourier Transforms to Deconvolution of Multirate Well Test Data](#)
Y. Cheng, W.J. Lee, and D.A. McVay, Texas A&M U.
- 2195** SPE 96037 [Downhole Pressure Boosting in Natural Gas Wells: Well Candidate Selection and Project Progress](#)
J.E.N. Liley, Corac Group plc
- 2204** SPE 96064 [Integrated Full-Field Review of Betty Field for Building Predictive Models To Reduce Uncertainty in Reserves and Identifying Future Potential](#)
E. Kasap, Schlumberger; G. Sanza and M.W. Kario, PCSB; and T. Basu, K. Fathy, M. Claverie, A. Waheed, B. Layh, A. Boitel, and A. Gajraj, Schlumberger
- 2228** SPE 96080 [Developing Calibrated Fracture Growth Models for Various Formations and Regions Across the United States](#)
L. Weijers, C. Wright, M. Mayerhofer, and C. Cipolla, Pinnacle Technologies Inc.

- 2237** SPE 96081 [A Method To Normalize Log Data by Calibration to Large-Scale Data Trends](#)
J.A. Kane and J.W. Jennings Jr., U. of Texas at Austin
- 2249** SPE 96093 [Case History: Designing and Implementing Wireline Tractoring Applications for Deepwater, Extended-Reach, Sand-Control Completions and Interventions](#)
D. Whiteley, Halliburton Logging Services; R. Pourciau, Chevron Corp.; and B. Schwanitz, Welltec Inc.
- 2255** SPE 96098 [A Rapid, Rigsite-Deployable Electrochemical Test for Evaluating the Membrane Potential of Shales](#)
T.M. AL-Bazali, U. of Kuwait, and J. Zhang, M.E. Chenevert, and M.M. Sharma, U. of Texas at Austin
- 2269** SPE 96100 [Measurement of the Sealing Capacity of Shale Caprocks](#)
T.M. AL-Bazali, U. of Kuwait, and J. Zhang, M.E. Chenevert, and M.M. Sharma, U. of Texas at Austin
- 2282** SPE 96104 [Optimal Stimulation Treatments in Tight Gas Sands](#)
S.A. Holdich and N.R. Tschirhart, Texas A&M U.
- 2294** SPE 96107 [Development and Use of a Cost-Effective, Low-Density Cementing System for Reducing Equivalent Circulating Densities \(ECDs\) and Obtaining Improved Pipe/Cement/Formation Bonding](#)
G. Fyten, K. Luke, C. Quinton, and J.E. Griffith, Halliburton
- 2302** SPE 96108 [Foamed Conventional Lightweight Cement Slurry for Ultralow Density and Low ECDs Solves Lost-Circulation Problem Across Coal Formations: A Case History](#)
T. Marriott and J. Griffith, Halliburton, and G. Szutiak, Anadarko Canada Corp.
- 2308** SPE 96112 [Pressure Effects on Porosity-Log Responses Using Rock Physics Modeling: Implications on Geophysical and Engineering Models as Reservoir Pressure Decreases](#)
M. Holmes, A.M. Holmes, and D.I. Holmes, Digital Formation Inc.

SOCIETY OF PETROLEUM ENGINEERS

ATCE 2005

Annual Technical Conference and Exhibition

Volume 5 of 8

Held October 9 – 12, 2005
Dallas, Texas, USA

Printed from CD-ROM with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

© 2005 Society of Petroleum Engineers

Copyright and Use Restrictions

Copyright 2005, Society of Petroleum Engineers

Material included in this *Proceedings* is copyright protected. Electronic reproduction, distribution, or storage of any part of an SPE copyrighted paper for commercial purposes without the written consent of the Society of Petroleum Engineers is prohibited. Permission to reproduce in print is restricted to an abstract of not more than 300 words; illustrations may not be copied. The abstract must contain conspicuous acknowledgment of where and by whom the paper was presented. For photocopying beyond the above permissions, libraries and other users dealing with the Copyright Clearance Center (CCC) Transactional Reporting Service must pay a base fee of \$3 per copyrighted article plus \$0.25 per page to CCC, 222 Rosewood Drive, Danvers, Massachusetts 01923 U.S.A. For other permissions, contact Librarian, SPE, 222 Palisades Creek Drive, Richardson, Texas 75080-2040 U.S.A.

Use of SPE member or author contact information included on this CD for commercial purposes or reproduction of that information in whole or in part, in any form or medium, is strictly prohibited and subject to legal action. Contact SPE to inquire about rental of mailing lists.

This CD of the 2005 SPE Annual Technical Conference and Exhibition was produced by SPE. This product contains Adobe® Reader® Software. Permission to print and distribute content from this product must be obtained from SPE. Duplication of replication products is absolutely prohibited without written permission from SPE and Adobe. Adobe and Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Material on the CD was reproduced from original papers and/or electronic files provided by the authors. Some discrepancies are inevitable. Please advise SPE of errors so corrections can be made to the electronic versions of the article. Send corrections by e-mail to pdf@spe.org or mail to the SPE Americas Office, attention Technical Paper Administrator.

USE OF MATERIALS LIMITATIONS

All materials contained in these *Proceedings* are copyrighted to the Society of Petroleum Engineers. Papers on this CD are for your personal non-commercial use and may not be copied, distributed electronically or in print, or reproduced in whole or in part, in any form without the expressed written permission of the Society of Petroleum Engineers.

2005 SPE Annual Technical Conference and Exhibition

9–12 October 2005 • Dallas, Texas, U.S.A.

TABLE OF CONTENTS

Volume 5 of 8

- 2332** SPE 96116 [Injection Strategies for Foam Generation in Homogeneous and Layered Porous Media](#)
Q. Li and W.R. Rossen, U. of Texas at Austin
- 2350** SPE 96123 [Managing Deepwater Flow Assurance: Unique Riser Design Allows Dual-Annuli Thermal Insulating Fluid Installation](#)
P.H. Javora and X. Wang, BJ Services Co.; J.W. Burman, Exploitation Technologies LLC; K.D. Renfro and M. Weaver, Anadarko Petroleum Corp.; and R. Pearcy and Q. Qu, BJ Services Co.
- 2356** SPE 96131 [Tubing Buckling—The Rest of the Story](#)
R.F. Mitchell, Halliburton Digital & Consulting Services
- 2368** SPE 96144 [Precommissioning to Startup: Getting Chemical Injection Right](#)
J.G. Willmon and M.A. Edwards, Champion Technologies
- 2380** SPE 96145 [How Aphron Drilling Fluids Work](#)
A. Belkin, M. Irving, R. O'Connor, M. Fosdick, T. Hoff, and F.B. Growcock, MASI Technologies and M-I Swaco
- 2387** SPE 96151 [A Laboratory Study of the Effect of Installation of Reticulated Expandable Liners on Sand Production in Weakly Consolidated Sandstone Formations](#)
A. Nouri, U. of Alberta; H. Vaziri, BP America Inc.; E. Kuru, U. of Alberta; and R. Islam, Dalhousie U.
- 2397** SPE 96152 [Simultaneous Drilling-Production-Construction Operations: Managing Safety vs. Deliverability on the Peciko Gas Field, Indonesia](#)
S. Saintpère, J.-B. Faget, N. Payer, D. Vergnot, and C. Baranthol, Total E&P Indonésie
- 2412** SPE 96154 [10K Dual Splitter Wellheads: First Worldwide Application on the Development of an Offshore Gas Field](#)
J.B. Faget, J.C. Monneyron, A. Bourgeois, and N. Payer, Total E&P Indonésie, and L.H. Cherng, Cooper Cameron Singapore
- 2419** SPE 96169 [Suggested Modifications to the Reporting Requirements for a Company's Oil and Gas Reserves](#)
G.E.H. Verbeek, Verbeek Management Services
- 2423** SPE 96171 [Value of Information for Appraisal of Multiple Dependent Prospects](#)
R. Kumar, Shell E&P Co. and S.K. Hara, Shell Oil Co.

- 2429** SPE 96184 [Wettability Alteration to Intermediate Gas-Wetting in Gas/Condensate Reservoirs at High Temperatures](#)
M. Fahes, Imperial C., and A. Firoozabadi, Reservoir Engineering Research Inst.
- 2443** SPE 96202 [Novel CO₂-Emulsified Viscoelastic Surfactant Fracturing Fluid System](#)
R. Hall, Strat Land Exploration Co., and Y. Chen, T.L. Pope, J.C. Lee, and S. Lugibihl, Schlumberger
- 2449** SPE 96208 [Effect of Fracture Width and Fluid Rheology on Proppant Settling and Retardation: An Experimental Study](#)
Y. Liu and M.M. Sharma, U. of Texas at Austin
- 2461** SPE 96222 [High-Tech Tools Improve Petroleum Industry Human Resource Management](#)
S. Rueff and J. Thomas, OilExec Intl. Ltd., and W.J. Lee and D.-J. Weatherford, Texas A&M U.
- 2465** SPE 96239 [Carter Creek Slimhole Well Design Enhances Development Drilling Economics](#)
M.H. Weatherl Sr. and J. Marshall, Chevron North America Upstream
- 2473** SPE 96241 [Improve Facility Project Delivery With Methods for Manufacturing Excellence](#)
R.M. Patty, The Construction Productivity Inst. LLC, and M.A. Denton, KME
- 2483** SPE 96246 [A New Approach to Modeling Hydraulic Fractures in Unconsolidated Sands](#)
Z. Zhai and M.M. Sharma, U. of Texas at Austin
- 2497** SPE 96256 [Predicting Highly Unstable Tight Gas Well Performance](#)
A.L. Ballard, D. Adeyeye, and M. Litvak, BP; C.H. Wang, Consultant; and M.H. Stein, C. Cecil, and B.D. Dotson, BP
- 2504** SPE 96257 [New Solutions To Extend the Application Window of Horizontal Openhole Gravel Packing](#)
C. Pedroso, E. Sanches, N. Oliveira, and L. Fernandes, Petrobras, and I.J. Mickelburgh and G.S. Coelho, Schlumberger
- 2514** SPE 96258 [Improving the Petrophysical Assessment of Rock-Fluid Systems With Wide-Band Electromagnetic Measurements](#)
E. Toumelin and C. Torres-Verdín, U. of Texas at Austin, and N. Bona, Eni E&P
- 2525** SPE 96260 [Interpretation of Distributed Temperature Data During Injection Period in Horizontal Wells](#)
G. Gao, U. of Tulsa, and Y. Jalali, Schlumberger

- 2533** SPE 96289 [Fracturing for Sand Control: Screenless Completions in the Yegua Formation](#)
V.R. Ellis and G. Cormier, Halliburton; G. Adams, Noble Energy Inc.; and F. Santos, Sanchez Oil & Gas
- 2545** SPE 96301 [Multiproduct Pipe Transport Conversion of Abandoned Single Product Pipelines](#)
C. Davis and J. Fagan, SPE, U. of Oklahoma
- 2552** SPE 96307 [Understanding the Effects of Reservoir Changes in Sand-Control Completion Performance](#)
W.D. Norman and R.D. Pourciau, Chevron Corp.; R. Dusterhoft, Halliburton; and S. Schubarth, Schubarth Inc.
- 2562** SPE 96308 [3D Porosity Modeling of a Carbonate Reservoir Using Continuous Multiple-Point Statistics Simulation](#)
T. Zhang, Stanford U., and S. Bombarde, S. Strebelle, and E. Oatney, Chevron ETC
- 2568** SPE 96309 [Successful Stimulation of Sandstones in the Dulang Field, Malaysia, Using Surfactant-Based Diverter: A Novel Solution for Mature Fields](#)
A. Ali and A.H. Hashim, Petronas Carigali, and F. Hashim, R. Said, D.S. Nair, K.S. Chan, and M. Samuel, Schlumberger
- 2579** SPE 96335 [Risk Minimization by the Use of Failure Mode Analysis in the Qualification of New Technology—Recent Project Experience in Completions and Sand Control](#)
J. Hother, Proneta (U.K.), and B. Hebert, BP
- 2586** SPE 96338 [Case Study: Aconcagua and Camden Hills Fields Utilize Intelligent Completions To Optimize Production and Reservoir Performance](#)
V.B.J. Nielsen, WellDynamics Inc.; J. Illeman, Total U.S.A. E&P Inc.; and T.L. Guillory, Marathon Oil Co.
- 2597** SPE 96339 [An Integrated Transport Model for Ball-Sealer Diversion in Vertical and Horizontal Wells](#)
X. Li, Z. Chen, S. Chaudhary, and R.J. Novotony, BJ Services Co.
- 2606** SPE 96342 [Selection and Evaluation Criteria for High-Performance Drilling Fluids](#)
K. Morton, Chevron Energy Technology Co.; B. Bomar, M. Schiller, J. Gallet, and S. Azar, Chevron Exploration Production Co.; and W. Dye, K. Daugereau, N. Hansen, M. Otto, R. Leaper, and L. Shoults, Baker Hughes Drilling Fluids
- 2619** SPE 96343 [Constructing and Completing the World's First Offshore Reformable CRA Multilateral Junction Well](#)
I. Kjosnes, S.O. Syrstad, R.A.J. Flormoelen, and H. Førdedal, Statoil, and K. Nygårdsvoll, C. Hogg, and D. Westgard, Baker Oil Tools

- 2629** SPE 96375 [Analysis of the Ensemble Kalman Filter for Estimation of Permeability and Porosity in Reservoir Models](#)
R.J. Lorentzen, G. Nævdal, B. Vallès, A.M. Berg, and A.-A. Grimstad, RF-Rogaland Research
- 2639** SPE 96382 [The Material Issues Involved in the Discussion Surrounding the Virtues of the SPE/WPC Definition of Proved Oil and Gas Reserves vs. the Corresponding Definition Set Out by the United States Securities and Exchange Commission \(SEC\)](#)
W.B. Cline, B.C. Rhodes, and S.K. Hattingh, Gaffney, Cline & Assocs.
- 2642** SPE 96389 [Non-Darcy Flow in Hydraulic Fractures: Does It Really Matter?](#)
J.L. Miskimins and H.D. Lopez-Hernandez, Colorado School of Mines, and R.D. Barree, Barree and Assocs. LLC
- 2650** SPE 96390 [Real-Time Asset Management: From Vision to Engagement—An Operator’s Experience](#)
T. Unneland, Chevron Intl. E&P, and M. Hauser, Chevron Energy Technology Co.
- 2660** SPE 96395 [Numerical Investigation of Horizontal Well Performance With Selective Completion](#)
R. Kalita and Y. Jalali, Schlumberger
- 2668** SPE 96396 [The Dynamic Bottomhole Pressure Management: A Necessity to Gravel Packing Long Horizontal Wells With Low Fracture Gradients](#)
Z. Chen and R.J. Novotny, BJ Services Co.
- 2680** SPE 96400 [Improved Reservoir Management Through Integration of 4D Seismic Interpretation, Draugen Field, Norway](#)
P.L. Mikkelsen, K. Guderian, and G. du Plessis, A/S Norske Shell
- 2692** SPE 96409 [Simple, Robust NMR-Based Indicators for Detection of Hydrocarbon Gas or Oil, Borehole Contamination, and Vugs](#)
S. Chen, M. Munkholm, G. Hursan, D. Georgi, and M. Gillen, Baker Atlas
- 2701** SPE 96410 [Reservoir Simulation and Reserves Classifications—Guidelines for Reviewing Model History Matches To Help Bridge the Gap Between Evaluators and Simulation Specialists](#)
D. Rietz and A. Usmani, Ryder Scott Co.
- 2711** SPE 96411 [Streamline Tracing on General Triangular or Quadrilateral Grids](#)
S.F. Matringe, R. Juanes, and H.A. Tchelepi, Stanford U.
- 2720** SPE 96414 [A Well Test for In-Situ Determination of Relative Permeability Curves](#)
S. Chen and G. Li, U. of Tulsa; A. Peres, Petrobras; and A.C. Reynolds, U. of Tulsa
- 2736** SPE 96415 [Applications of the Coefficient of Isothermal Compressibility to Various Reservoir Situations With New Correlations for Each Situation](#)
J.P. Spivey, Phoenix Reservoir Engineering, and P.P. Valko and W.D. McCain, Texas A&M U.

- 2743** SPE 96416 [Tuning an Equation of State—The Critical Importance of Correctly Grouping Composition Into Pseudocomponents](#)
A.A. Al-Meshari, Saudi Aramco; R.A.A. Zurita, Schlumberger; and W.D. McCain Jr., Texas A&M U.
- 2751** SPE 96418 [Chemical Compromise: A Thermodynamic and Low-Dose Hydrate-Inhibitor Solution for Hydrate Control in the Gulf of Mexico](#)
S. Szymczak, BJ Chemical Services; K. Sanders, Seneca Resources; and M. Pakulski and T. Higgins, BJ Chemical Services
- 2757** SPE 96420 [WPCI Treatments in a Deep HP/HT Production Hole Increase LOT Pressures To Drill Ahead to TD in a Gulf of Mexico Shelf Well](#)
D. Traugott, formerly Halliburton; R. Sweatman, Halliburton; and R. Vincent, Chevron
- 2769** SPE 96423 [Cognitive Biases in the Petroleum Industry: Impact and Remediation](#)
M.B. Welsh, R.B. Bratvold, and S.H. Begg, U. of Adelaide
- 2779** SPE 96429 [Gas Management, Reservoir Surveillance, and Smart Wells—An Integrated Solution for the Bagan Field](#)
N. Dolle, Shell U.K. Ltd.; P. Singh, Shell Intl. E&P; and R. Turner, M. Woodward, and W.-F. Paino, Brunei Shell Petroleum Co.
- 2784** SPE 96432 [Use of Pressure-Activated Sealant To Cure Leaks in Subsea Wells—A Case Study in Campos Basin](#)
V.F. Rodrigues and G.G. Gonçalves, Petroleos Brasileiro S.A, and D.W. Rusch and J.L. Videira, Seal-Tite Intl.
- 2789** SPE 96440 [Removal of Debris From Deepwater Wellbores Using Vectored Annulus Cleaning System Reduces Problems and Saves Rig Time](#)
P. Connell and D.B. Haughton, Baker Oil Tools
- 2795** SPE 96441 [A Common Approach to Accessing Real-Time Operations Data: Introducing Service-Oriented Architecture to E&P](#)
R.M. Gregovic and R. Foreman, BP, and D. Forrester and J. Carroll, SAIC
- 2803** SPE 96448 [Relative Permeability Hysteresis: Trapping Models and Application to Geological CO₂ Sequestration](#)
E.J. Spiteri and R. Juanes, Stanford U.; M.J. Blunt, Imperial College; and F.M. Orr Jr., Stanford U.
- 2823** SPE 96469 [The Use of Dimensionless Scaling Methods To Predict Field-Scale Tertiary EOR Project Performance](#)
J.F. Simmons and A.H. Falls, Occidental Oil and Gas Corp.
- 2835** SPE 96530 [An Evaluation of Well Completion Impacts on the Performance of Horizontal and Multilateral Wells](#)
L.-B. Ouyang and B. Huang, Chevron Energy Technology Co.

- 2845** SPE 96531 [Acid Fracturing in Lake Maracaibo: How Continuous Improvements Kept on Raising the Expectation Bar](#)
G. Burgos, Shell Venezuela S.A.; M. Buijse, Shell Intl. E&P; E. Fonseca, Shell Venezuela S.A.; and A. Milne, M. Brady, and R. Olvera, Schlumberger
- 2854** SPE 96553 [Automatic Filtering and Monitoring of Real-Time Reservoir and Production Data](#)
S. Oisen and J.-E. Nordtvedt, Epsis AS
- 2866** SPE 96557 [High-Pressure Jet Kerf Drilling Shows Significant Potential To Increase ROP](#)
J.H. Cohen and G. Deskins, Maurer Technology Inc., and J. Rogers, U.S. DOE
- 2874** SPE 96559 [Field Results: Effect of Proppant Strength and Sieve Distribution Upon Well Productivity](#)
P. Huckabee, Shell E&P Co.; M.C. Vincent, Carbo Ceramics Inc.; J. Foreman, formerly Halliburton Energy Services; and J.P. Spivey, Phoenix Reservoir Engineering
- 2886** SPE 96560 [Some Insights Into the Tube Blocking Test Method To Evaluate the Efficiency of Mineral Scale Inhibitors](#)
B. Bazin, N. Kohler, and A. Zaitoun, Inst. Français du Pétrole
- 2898** SPE 96571 [Black Oil Delumping](#)
K. Ghorayeb and J. Holmes, Schlumberger

SOCIETY OF PETROLEUM ENGINEERS

ATCE 2005

Annual Technical Conference and Exhibition

Volume 6 of 8

Held October 9 – 12, 2005
Dallas, Texas, USA

Printed from CD-ROM with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

© 2005 Society of Petroleum Engineers

Copyright and Use Restrictions

Copyright 2005, Society of Petroleum Engineers

Material included in this *Proceedings* is copyright protected. Electronic reproduction, distribution, or storage of any part of an SPE copyrighted paper for commercial purposes without the written consent of the Society of Petroleum Engineers is prohibited. Permission to reproduce in print is restricted to an abstract of not more than 300 words; illustrations may not be copied. The abstract must contain conspicuous acknowledgment of where and by whom the paper was presented. For photocopying beyond the above permissions, libraries and other users dealing with the Copyright Clearance Center (CCC) Transactional Reporting Service must pay a base fee of \$3 per copyrighted article plus \$0.25 per page to CCC, 222 Rosewood Drive, Danvers, Massachusetts 01923 U.S.A. For other permissions, contact Librarian, SPE, 222 Palisades Creek Drive, Richardson, Texas 75080-2040 U.S.A.

Use of SPE member or author contact information included on this CD for commercial purposes or reproduction of that information in whole or in part, in any form or medium, is strictly prohibited and subject to legal action. Contact SPE to inquire about rental of mailing lists.

This CD of the 2005 SPE Annual Technical Conference and Exhibition was produced by SPE. This product contains Adobe® Reader® Software. Permission to print and distribute content from this product must be obtained from SPE. Duplication of replication products is absolutely prohibited without written permission from SPE and Adobe. Adobe and Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Material on the CD was reproduced from original papers and/or electronic files provided by the authors. Some discrepancies are inevitable. Please advise SPE of errors so corrections can be made to the electronic versions of the article. Send corrections by e-mail to pdf@spe.org or mail to the SPE Americas Office, attention Technical Paper Administrator.

USE OF MATERIALS LIMITATIONS

All materials contained in these *Proceedings* are copyrighted to the Society of Petroleum Engineers. Papers on this CD are for your personal non-commercial use and may not be copied, distributed electronically or in print, or reproduced in whole or in part, in any form without the expressed written permission of the Society of Petroleum Engineers.

2005 SPE Annual Technical Conference and Exhibition

9–12 October 2005 • Dallas, Texas, U.S.A.

TABLE OF CONTENTS

Volume 6 of 8

- 2911** SPE 96577 [Seismic Facies Identification and Classification Using Simple Statistics](#)
A. John, L.W. Lake, C. Torres-Verdin, and S. Srinivasan, U. of Texas at Austin
- 2920** SPE 96587 [Experimental Investigation of Wellbore Phase Redistribution Effects on Pressure-Transient Data](#)
A.M. Ali, Imperial College; G. Falcone, Total E&P U.K. plc and Imperial College; and G.F. Hewitt, M. Bozorgzadeh, and A.C. Gringarten, Imperial College
- 2926** SPE 96596 [Frequency Dispersion Effects on LWD Propagation Resistivity Measurements](#)
S.M. Haugland, PathFinder Energy Services
- 2940** SPE 96598 [Permeability Estimation From Stoneley Amplitude, Corrected for Borehole Geometry and Rugosity](#)
W. Canady, P. Spooner, and R. Vasquez, Halliburton Energy Services
- 2946** SPE 96609 [NMR and Capture Spectroscopy Help Resolve Producibility and Fluid Distribution in the North Alwyn Triassic](#)
C. Longis and S. Vignau, Total E&P U.K. plc, and J. White, Schlumberger
- 2956** SPE 96613 [A Methodology To Quantify the Impact of Uncertainties in the History Matching Process and in the Production Forecast](#)
C. Maschio, D.J. Schiozer, and M.A.B. Moura Filho, Unicamp
- 2966** SPE 96618 [S_w and Hydrocarbon Pore Volume Estimates in Shaly Sands—Routine Oil-Based-Mud Core Measurements Compared With Several Log Analysis Models](#)
R. Woodhouse and H.R. Warner Jr., Independent Consultants
- 2983** SPE 96619 [A Laboratory Study With Field Data of Downhole Gas Separators](#)
J.N. McCoy, Echometer Co.; A.L. Podio, U. of Texas at Austin; O. Lisigurski, Oxy U.S.A.; J. Patterson, ConocoPhillips; and L. Rowlan, Echometer Co.
- 3016** SPE 96633 [Profiling the Wall-Cake Characteristic of the Wellbore for Optimal Comparison of Logging-While-Drilling and Wireline-Bulk-Density Measurements](#)
B. Terry, BP Trinidad; G. Lindsay, Inteq; R. Elliot, BP; and S. Jebutu, Inteq

- 3023** SPE 96660 [New One-Trip Sand-Control Completion System That Eliminates Formation Damage Resulting From Conventional Perforating and Gravel-Packing Operations](#)
G. Garfield, Baker Oil Tools
- 3028** SPE 96685 [Pioneering “Gate Valve Milling” Operation Performed With Coiled Tubing Recovers an Important Oil Producer Offshore Brunei](#)
N.M. Al-Araimi, Brunei Shell Petroleum; B. Gedge and K. Burns, Weatherford; and M. Mahajan, BJ Services
- 3035** SPE 96697 [Modeling Permeability Reduction Caused by Asphaltene Deposition](#)
A.A. Garrouch, Kuwait U., and F.A. Al-Ruhaimani, Kuwait Oil Co.
- 3049** SPE 96716 [Moving From Wireline Logging to Logging-While-Drilling in an Aggressive North Sea Drilling and Formation Evaluation Program—A Case Study of the Brenda Accumulation](#)
M. Dawber and E. Mitchell, PathFinder Energy Services, and D. Barson, Oilexco Inc.
- 3059** SPE 96718 [An Electrical Analog Facility for Hydrocarbon Reservoirs](#)
P.F. Worthington, Gaffney, Cline & Assocs.
- 3076** SPE 96719 [Formation-Tester-While-Drilling Experience in Caspian Development Projects](#)
J.M. Finneran and C. Green, BP, and H. Roed, B.J. Burinda, I.D.C. Mitchell, and M.A. Proett, Halliburton
- 3087** SPE 96722 [Survival Analysis: The Statistically Rigorous Method for Analyzing Electrical Submersible Pump System Performance](#)
W.J. Bailey, Schlumberger-Doll Research; I.S. Weir, U. West of England; B. Couët, Schlumberger-Doll Research; and J. Hogan, Schlumberger
- 3100** SPE 96724 [The Logistics of International Technical Training](#)
J.A. Hughes, BJ Services Co.
- 3106** SPE 96731 [Competency-Based Training and Development](#)
M.R. Fassihi, BP America
- 3111** SPE 96732 [Packerless Multistage Fracture-Stimulation Method Using CT Perforating and Annular Path Pumping](#)
L. East, J. Rosato, M. Farabee, and B.W. McDaniel, Halliburton
- 3122** SPE 96735 [Successful Revival of Long-Time Closed-In Gas Wells by Right Matrix Stimulation Treatments](#)
N.M. Al-Araimi, Brunei Shell Petroleum, and M. Mahajan, BJ Services
- 3131** SPE 96759 [Field Test Results of the New Combinable Magnetic Resonance Autotune Logging Tool](#)
C.C. Minh, E. Bordon, M. Hürlimann, T. Smithson, J. Kovats, R. Badry, M. Claverie, and Q. Haiyan, Schlumberger; M. Davenport and H. Rose, BP; and G. Womack, ExxonMobil

- 3146** SPE 96771 [A New Approach to Information Discovery—Geography Really Does Matter](#)
B. Palkowsky, MetaCarta Inc.
- 3150** SPE 96773 [Valhall Field: Microfracture Acquisition Using Wireline-Formation-Tester Tools To Validate Fracture Confinement](#)
K.E. Olson, BP; M. O'Keefe, Schlumberger; A. Nicholyasen, BP; and D. Cameron, Schlumberger
- 3159** SPE 96774 [Pressure Transient Model Characterization of Sealing and Partially Communicating Strike-Slip Faults](#)
D.D. Charles, Superior Energy Services LLC; H.H. Rieke, U. of Louisiana at Lafayette; and S. Pal, Superior Energy Services LLC
- 3177** SPE 96775 [Drilling Waste Management: Case Histories Demonstrate That Effective Drilling Waste Management Can Reduce Overall Well-Construction Costs](#)
K. Browning and S. Seaton, Halliburton Fluid Systems
- 3184** SPE 96776 [You Cannot be Ethical if You Do Not Know the Rules](#)
A. Merryman, The Frost Natl. Bank
- 3191** SPE 96785 [A New Refracture-Candidate Diagnostic Test Determines Reservoir Properties and Identifies Existing Conductive or Damaged Fractures](#)
D.P. Craig, Halliburton, and T.A. Blasingame, Texas A&M U.
- 3207** SPE 96807 [Restoring Investor Confidence Through Improved Reserves Estimation and Reporting](#)
J.E. Hodgins and D.R. Harrell, Ryder Scott Co.
- 3215** SPE 96808 [Using Shear-Wave Anisotropy To Optimize Reservoir Drainage and Improve Production in Low-Permeability Formations in the North of Mexico](#)
J.L.A. Franco, H.G. de la Torre, and M.A.M. Ortiz, Pemex, and E. Wielemaker, T.J. Plona, P. Saldungaray, and I. Mikhaltseva, Schlumberger
- 3230** SPE 96809 [Parallel Scalable Unstructured CPR-Type Linear Solver for Reservoir Simulation](#)
H. Cao, Schlumberger; H.A. Tchelepi, Stanford U.; J. Wallis, Wallis Consulting Inc.; and H. Yardumian, Chevron
- 3238** SPE 96810 [Casing Drilling vs. Liner Drilling: Critical Analysis of an Operation in the Gulf of Mexico](#)
R.J. Steppe III, El Paso Corp.; L. Clark, Hughes Christensen; and R. Johns, Tesco
- 3248** SPE 96812 [Spontaneous Imbibition With Matched Liquid Viscosities](#)
H. Fischer and N.R. Morrow, U. of Wyoming
- 3257** SPE 96813 [Accounting for Earth Curvature in Directional Drilling](#)
N.D. Zinn, ExxonMobil Exploration Co.

- 3261** SPE 96818 [Comparison of Fracture Geometries Utilizing Ultralightweight Proppants Provide Evidence That Partial Monolayers Can Be Created: A Case History](#)
R. Chambers, BJ Services Co., and K. Meise, Parallel Petroleum
- 3270** SPE 96828 [Reservoir Drilling Fluids—Designing for Challenging Wells in a Remote Location](#)
R. Bradshaw, R. Hodge, and N.O. Wolf, ConocoPhillips, and D. Knox, C. Hudson, and C. Svoboda, M-I Swaco
- 3281** SPE 96829 [A Strategic Gasfield Development Case in Sandstones Using Seismic Amplitudes and Dynamic Reservoir Characterization](#)
J.A. Arévalo-Villagrán and H. Cinco-Ley, Pemex E&P; F. Samaniego-Verduzco, UNAM; and N. Martínez-Romero, Pemex E&P
- 3290** SPE 96830 [Laboratory Testing and Well Productivity Assessment of Drill-in-Fluid Systems in Order To Determine the Optimum Mud System for Alaskan Heavy-Oil Multilateral Field Developments](#)
E.R. Davis, D. Beardmore, R. Burton, J. Hedges, and R. Hodge, ConocoPhillips, and H. Martens and C. Svoboda, M-I Swaco
- 3308** SPE 96836 [A Flow Assurance Study for a Satellite Crude-Oil System With Severe Emulsion](#)
Y. Tang, Scandpower Petroleum Technology Inc., and S. Wong, TSF Inc.
- 3320** SPE 96837 [Deepwater Subsea Valve Flow Assurance—Compatibility Between Hydraulic Control Line Fluids and Completion Brines](#)
S.L. Berry, M. Ke, and G. Baccigalopi, BJ Services Co.
- 3334** SPE 96838 [Benchmarking Heterogeneity of Simulation Models](#)
A. Sahni, K. Deghani, and J. Prieditis, Chevron Corp.
- 3339** SPE 96844 [Light-Oil Air-Injection Performance: Sensitivity to Critical Parameters](#)
L.A. Adetunji, NTNU and Total E&P Norge; R. Teigland, Total E&P Norge; and J. Kleppe, NTNU
- 3350** SPE 96848 [High-Porosity Fractures Yield High Conductivity](#)
M. Parker, G. Glasbergen, D. van Batenburg, J. Weaver, and B. Slabaugh
- 3360** SPE 96864 [The Production Success of Proppant Stimulation on Horseshoe Canyon Coalbed Methane and Sandstone Commingled Wells](#)
B.A. Rieb and T.T. Leshchyshyn, BJ Services Co. Canada
- 3367** SPE 96866 [A Rigorous Compressible Streamline Formulation for Two- and Three-Phase Black-Oil Simulation](#)
H. Cheng, I. Osako, and A. Datta-Gupta, Texas A&M U., and M.J. King, BP America Inc.

- 3381** SPE 96869 [Fracture Skin: A Primary Cause of Stimulation Ineffectiveness in Gas Wells](#)
D.D. Cramer, BJ Services Co.
- 3401** SPE 96870 [Strength Analyses of Liners for Horizontal Wells](#)
J.C.R. Plácido and C.E. Fonseca, Petrobras, and I.P. Pasqualino, COPPE/UFRJ
- 3409** SPE 96872 [Coal Failure and Consequences for Coalbed Methane Wells](#)
I. Palmer, Higgs Technologies, and Z. Moschovidis and J. Cameron, PCM Technical
- 3420** SPE 96879 [Evaluation of Unconventional Resource Plays](#)
W.J. Haskett and J. Brown, Decision Strategies
- 3431** SPE 96891 [Dynamic Flow Analysis of Probe-Type Formation Tests](#)
J.J. Sheng, D. Georgi, and J. Lee, Baker Hughes Inc.
- 3440** SPE 96892 [A Semiempirical Model To Calculate Wormhole Growth in Carbonate Acidizing](#)
M. Buijse, Shell Intl. E&P B.V., and G. Glasbergen, Halliburton
- 3454** SPE 96895 [A New Approach for Capitalizing on Continuous Downhole Pressure Data](#)
D. Viberti, F. Verga, and P. Delbosco, Politecnico di Torino
- 3462** SPE 96896 [A New Experimental Method To Determine Interval of Confidence for Capillary Pressure and Relative-Permeability Curves](#)
P. Egermann, J.-M. Lombard, C. Fichen, E. Rosenberg, E. Tachet, and R. Lenormand, Inst. Français du Pétrole
- 3471** SPE 96897 [Mapping Fluid Flow in a Reservoir Using Tiltmeter-Based Surface-Deformation Measurements](#)
J. Du, Pinnacle Technologies Inc.; S.J. Brissenden and P. McGillivray, Shell Canada Ltd.; S. Bourne and P. Hofstra, Shell Intl. E&P; and E.J. Davis, W.H. Roadarmel, S.L. Wolhart, and C.A. Wright, Pinnacle Technologies Inc.
- 3479** SPE 96898 [The Conundrum of Formation Evaluation in High-Angle/Horizontal Wells: Observations and Recommendations](#)
C. Rendeiro, Q. Passey, and H. Yin, ExxonMobil Upstream Research Co.

SOCIETY OF PETROLEUM ENGINEERS

ATCE 2005

Annual Technical Conference and Exhibition

Volume 7 of 8

Held October 9 – 12, 2005
Dallas, Texas, USA

Printed from CD-ROM with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

© 2005 Society of Petroleum Engineers

Copyright and Use Restrictions

Copyright 2005, Society of Petroleum Engineers

Material included in this *Proceedings* is copyright protected. Electronic reproduction, distribution, or storage of any part of an SPE copyrighted paper for commercial purposes without the written consent of the Society of Petroleum Engineers is prohibited. Permission to reproduce in print is restricted to an abstract of not more than 300 words; illustrations may not be copied. The abstract must contain conspicuous acknowledgment of where and by whom the paper was presented. For photocopying beyond the above permissions, libraries and other users dealing with the Copyright Clearance Center (CCC) Transactional Reporting Service must pay a base fee of \$3 per copyrighted article plus \$0.25 per page to CCC, 222 Rosewood Drive, Danvers, Massachusetts 01923 U.S.A. For other permissions, contact Librarian, SPE, 222 Palisades Creek Drive, Richardson, Texas 75080-2040 U.S.A.

Use of SPE member or author contact information included on this CD for commercial purposes or reproduction of that information in whole or in part, in any form or medium, is strictly prohibited and subject to legal action. Contact SPE to inquire about rental of mailing lists.

This CD of the 2005 SPE Annual Technical Conference and Exhibition was produced by SPE. This product contains Adobe® Reader® Software. Permission to print and distribute content from this product must be obtained from SPE. Duplication of replication products is absolutely prohibited without written permission from SPE and Adobe. Adobe and Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Material on the CD was reproduced from original papers and/or electronic files provided by the authors. Some discrepancies are inevitable. Please advise SPE of errors so corrections can be made to the electronic versions of the article. Send corrections by e-mail to pdf@spe.org or mail to the SPE Americas Office, attention Technical Paper Administrator.

USE OF MATERIALS LIMITATIONS

All materials contained in these *Proceedings* are copyrighted to the Society of Petroleum Engineers. Papers on this CD are for your personal non-commercial use and may not be copied, distributed electronically or in print, or reproduced in whole or in part, in any form without the expressed written permission of the Society of Petroleum Engineers.

2005 SPE Annual Technical Conference and Exhibition

9–12 October 2005 • Dallas, Texas, U.S.A.

TABLE OF CONTENTS

Volume 7 of 8

- 3488** SPE 96899 [Assessment and Development of the Dry Horseshoe Canyon CBM Play in Canada](#)
P.A. Bastian, Quicksilver Resources Inc., and O.F.R. Wirth, L. Wang, and G.W. Voneiff, MGV Energy Inc.
- 3501** SPE 96900 [An Innovative Geoscience and Reservoir Training Passport for New Recruited Engineers Worldwide as per Sustainable Development](#)
J.F. Coste, J. Estival, and H. Lecanu, Total France, and M. Beauchamp, Total E&P Nigeria Ltd.
- 3507** SPE 96910 [Deepwater Horizontal Openhole Gravel Packing in Marlim Sul Field, Campos Basin, Brazil— Completion Project Learning Curve and Optimization](#)
M. Acosta, R. Farias, Á. Vilela, A. Mendez, F. Pineda, and R. Montanha, BJ Services, and E. Garcia, A. Calderon, C. Magno, and M. Germino, Petrobras
- 3517** SPE 96914 [A Rheological Model for pH-Sensitive Ionic Polymer Solutions for Optimal Mobility- Control Applications](#)
C. Huh, S.K. Choi, and M.M. Sharma, U. of Texas at Austin
- 3530** SPE 96917 [Evaluating Barnett Shale Production Performance Using an Integrated Approach](#)
J.H. Frantz Jr., J.R. Williamson, W.K. Sawyer, D. Johnston, G. Waters, L.P. Moore, R.J. MacDonald, M. Percy, S.V. Ganpule, and K.S. March, Schlumberger
- 3548** SPE 96918 [Techniques for Extracting Reliable Density and Porosity Data From Cuttings](#)
S. Siddiqui, Saudi Aramco; A.S. Grader, Pennsylvania State U.; and M. Touati, A.M. Loermans, and J.J. Fun, Saudi Aramco
- 3561** SPE 96924 [Limitations of Using Urea as a Nitrogen Source in Biodegradation of Petroleum Wastes](#)
S. Jin, P.H. Fallgren, and M. Li, Western Research Inst.
- 3568** SPE 96927 [Why Don't We Pump More Type I/II Lightweight Slurries?](#)
R.R. Myers, BJ Services Co.
- 3581** SPE 96929 [Comprehensive Performance Design Criteria for Hydraulic Fracturing](#)
J.F. Manrique, Knowledge Reservoir, and B.D. Poe, Schlumberger
- 3595** SPE 96933 [Are Slick-Water Fracturing Applications Effective in the J-Sand Formation?](#)
M. Shaefer, BJ Services

- 3608** SPE 96937 [Fracturing-Fluid Crosslinking at Low Polymer Concentration](#)
C. Lie and P.E. Clark, U. of Alabama
- 3614** SPE 96938 [Liquid Lifting From Natural Gas Wells: Tubing-Casing Junction](#)
R.L. Christiansen, E. Girija, L. Riggins, and G. Elsener, Colorado School of Mines; R.P. Sutton, Marathon Oil Co.; and R. Smeenk, Shell
- 3620** SPE 96940 [Streamline Simulation of Four-Phase WAG Processes](#)
P. Bhambri and K.K. Mohanty, U. of Houston
- 3633** SPE 96944 [Optimizing the Subsurface Work Environment of the Future](#)
C.A. Reece, ExxonMobil Production Co.; R.E. Catron and R.D. Hammond, ExxonMobil Exploration Co.; and E.A. Schmidtke, ExxonMobil Upstream Research Co.
- 3637** SPE 96945 [Relative Permeability Modifier Treatments on Gulf of Mexico Frac-Packed and Gravel-Packed Oil and Gas Wells](#)
M.J. Pietrak, BP America Production Co., and F.O. Stanley, B.J. Weber, and J.S. Fontenot, BJ Services Co.
- 3646** SPE 96947 [Streamline Tracing on Unstructured Grids](#)
S. Sun, X. Gai, and M.F. Wheeler, U. of Texas at Austin
- 3655** SPE 96955 [Reservoir Characterization of Fractured Cambrian Reservoirs, Algeria](#)
F.M. Guehria and S. Yawanarajah, Schlumberger, and M.Touami, Sonatrach
- 3663** SPE 96962 [The Effects of Proppant Selection Upon Well Productivity—A Review of Over 650 Treatments in the Cardium Formation](#)
C.M. Righmire, Pinnacle Technologies; T.T. Leshchyshyn, BJ Services Co. Canada; and M.C. Vincent, Carbo Ceramics Inc.
- 3674** SPE 96963 [Continuous Model Update of Natural Fractures Characterization in Sinan Field To Optimize Production](#)
R. Solís, C. Cabrera, R. Liévano, F. Monroy, and G. Cruz, Pemex E&P, and L. Saputelli, Halliburton Digital and Consulting Solutions
- 3685** SPE 96965 [Laboratory Studies of In-Situ Generated Acid To Remove Filter Cake in Gas Wells](#)
H.A. Nasr-El-Din, M.B. Al-Otaibi, and A.A. Al-Qahtani, Saudi Aramco, and I.D. McKay, Cleansorb Ltd. Co.
- 3700** SPE 96968 [A Numerical Technique for Simulating Nonplanar Evolution of Hydraulic Fractures](#)
J. Rungamornrat, M.F. Wheeler, and M.E. Mear, U. of Texas at Austin
- 3709** SPE 96972 [Matrix Selection for Conventional and Nonconventional Testing and Sampling in Gas Reservoirs](#)
O.S. Adeyemi and M.D. Edwards, Chevron

- 3717** SPE 96979 [PS Reflections in Seismic Data](#)
J.A. de Bruin and A.A. Chahine, Al Furat Petroleum Co., and F.M. Wijnands, Schlumberger
- 3723** SPE 96980 [Advances in Integrated Horizontal Production Logging in Openhole Completions](#)
M.S. Al-Ismail, Saudi Aramco; M. Zeybek, Schlumberger; and O. Kelder, A.S. Al-Muthana, S. Mubarak, and A. Abdulrahman, Saudi Aramco
- 3732** SPE 96983 [Creating Value by Improving the Operator/Nonoperator Partner Relationship](#)
J.P. van Driel, SDG, and T. Pederson, Petoro
- 3737** SPE 96986 [Optimal Field Development Planning of Well Locations With Reservoir Uncertainty](#)
A.S. Cullick, K. Narayanan, and S. Gorell, Halliburton Digital and Consulting Solutions
- 3749** SPE 96988 [A New Method for the Determination of Foam Capillary Pressures in Porous Media](#)
A. van der Net and P.L.J. Zitha, Delft U. of Technology
- 3769** SPE 96990 [First-Time Application in Mexico's Burgos Basin of a New Technology Multistage Completion Process: A Successful Case History](#)
S. Centurion, BJ Services Co., and A. Valenzuela, Petroleos Mexicanos
- 3778** SPE 96991 [Case Study: Successful Implementation of ESPs in a High-GOR, Poorly Consolidated, Corrosive Field](#)
L.A. Guevara, P.R. Rincón, J.P. McKee, H. Marin, M. Sanmiguel, G. Rincon, and L. Vera, Harvest Vinccler CA
- 3787** SPE 96992 [Feasibility of Supercritical Carbon Dioxide as a Drilling Fluid for Deep Underbalanced Drilling Operations](#)
A.P. Gupta, A. Gupta, and J. Langlinais, Louisiana State U.
- 3797** SPE 97004 [Applications of Pinpoint Fracturing in the Cooper Basin, Australia](#)
J. Gilbert and C. Greenstreet, Santos Ltd.
- 3807** SPE 97005 [Numerical Simulation of Steam Displacement of Oil in Naturally Fractured Reservoirs Using Fully Implicit Compositional Formulation: A Comparative Analysis of the Effects of Capillary and Gravitational Forces in Matrix/Fracture Exchange Term](#)
O. Cicek, U. College London
- 3815** SPE 97011 [A Critical Comparison of Real Option Valuation Methods: Assumptions, Applicability, Mechanics, and Recommendations](#)
R.B. Bratvold, U. of Stavanger and RF-Rogaland Research; D. Laughton, David Laughton Consulting; T. Enloe, Unocal; A. Borison, Stratelytics; and S. Begg, U. of Adelaide
- 3825** SPE 97013 [Core-to-Log Comparison—What's a Good Match?](#)
S.J. Adams, WellEval.com Ltd.

- 3832** SPE 97015 [After-Closure Analysis for Naturally Fractured Reservoirs: A Field Validation Study](#)
S. Chipperfield, Santos Ltd.
- 3844** SPE 97018 [Evaluation of Equivalent Circulating Density of Drilling Fluids Under High-Pressure/ High-Temperature Conditions](#)
O.O. Harris and S.O. Osisanya, U. of Oklahoma
- 3854** SPE 97022 [Taming Complexities of Coupled Geomechanics in Rock Testing: From Assessing Reservoir Compaction to Analyzing Stability of Expandable Sand Screens and Solid Tubulars](#)
M.Y. Kanj, Saudi Aramco, and Y.N. Aboisleiman, U. of Oklahoma
- 3870** SPE 97023 [Injectivity Profiling in Horizontal Wells Through Distributed Temperature Monitoring](#)
V. Pimenov, Moscow State Geological Prospecting U.; G. Brown, V. Tertychnyi, and A. Shandrygin, Schlumberger; and Y. Popov, Moscow State Geological Prospecting U.
- 3878** SPE 97027 [Condensate Skin Evaluation of Gas/Condensate Wells by Pressure-Transient Analysis](#)
A. Shandrygin and D. Rudenko, Schlumberger
- 3887** SPE 97028 [Tuning of Computer Model Parameters in Managed-Pressure Drilling Applications Using an Unscented Kalman Filter Technique](#)
J.E. Gravdal, R.J. Lorentzen, K.K. Fjelde, and E.H. Vefring, RF-Rogaland Research
- 3896** SPE 97032 [Three-Dimensional Modeling of the Evaporation of Volatile Hydrocarbons From Heterogeneous Porous Media](#)
A.G. Yiotis, Natl. Center for Scientific Research "Demokritos", Greece; I.N. Tsimpanogiannis, Los Alamos Natl. Laboratory; A.K. Stubos, Natl. Center for Scientific Research "Demokritos", Greece; and Y.C. Yortsos, U. of Southern California
- 3903** SPE 97033 [Rock Typing as an Effective Tool for Permeability and Water-Saturation Modeling: A Case Study in a Clastic Reservoir in the Oriente Basin](#)
G. Guo, M.A. Diaz, F. Paz, J. Smalley, and E.A. Waninger, Occidental Exploration & Production Co.
- 3918** SPE 97034 [Life-Cycle Profile Control in Subhydrostatic Wells of South Oman](#)
K.I. Ojukwu, K. Mueller, A. Murshidi, and M. Masroori, Petroleum Development Oman, and J. Edwards and D. Tramaille, Schlumberger Oilfield Services
- 3930** SPE 97035 [Aluminum Alloy Tubulars for Oil And Gas Industry](#)
M.Y. Gelfgat and V.S. Basovich, Aquatic Co., and A. Adelman, Drilling Research and Development Corp.
- 3941** SPE 97041 [Young Resources in the E&P Industry: Key Issues to a Successful Start](#)
T. Bruni and L. Tealdi, Agip KCO

- 3947** SPE 97045 [Deep Directional Electromagnetic Measurements for Optimal Well Placement](#)
D. Omeragic, SPE, Schlumberger-Doll Research, and Q. Li, L. Chou, L. Yang, K. Duong, J. Smits, T. Lau, C.B. Liu, R. Dworak, V. Dreuillault, J. Yang, and H. Ye, Schlumberger Sugar Land Technology Center
- 3959** SPE 97054 [A Timestepping Scheme for Coupled Reservoir Flow and Geomechanics on Nonmatching Grids](#)
X. Gai, S. Sun, M.F. Wheeler, and H. Klie, U. of Texas at Austin
- 3970** SPE 97059 [Evolution of Real-Time Operations Monitoring: From Concept to Global Implementation](#)
E. van Oort, Shell E&P Americas; R. Rosso, Halliburton Energy Services; and J. Cabello-Montero, Shell E&P Technology
- 3981** SPE 97063 [Development and Application of New Downhole Technology To Detect Water Encroachment Toward Intelligent Wells](#)
M.D. Jackson, J.H. Saunders, and E.A. Addiego-Guevara, Imperial College
- 3993** SPE 97065 [Alternative Approaches to Real Option Valuation: A Critical Appraisal](#)
D. Wilkinson, Efficient Solutions Inc., and W.J. Bailey and B. Couët, Schlumberger-Doll Research
- 4007** SPE 97068 [Modeling Permeability in Coal Using Sorption-Induced Strain Data](#)
E.P. Robertson, Idaho Natl. Laboratory, and R.L. Christiansen, Colorado School of Mines
- 4017** SPE 97070 [Identifying the Timing and Sources of Damage in Gas Storage Wells Using Smart Storage Technology](#)
J.P. Spivey, Phoenix Reservoir Engineering; K.G. Brown and W.K. Sawyer, Schlumberger; and R.G. Gilmore Jr., Columbia Gas Transmission Corp.
- 4027** SPE 97073 [Commingled Production Experiences of Multilayered Gas-Carbonate Reservoir in Saudi Arabia](#)
D.A. Al-Shehri, A.S. Rabaa, and J.J. Duenas, Saudi Aramco, and V. Ramanathan, Schlumberger
- 4038** SPE 97075 [Permanent Microseismic Monitoring System in a Long Horizontal Well](#)
M.H. Rod, M. Zyweck, D.W. Dorn-Lopez, and C.H. Frederiksen, Mærsk Olie og Gas A/S, and E. Gaucher, Magnitude
- 4048** SPE 97079 [Torque and Drag Modeling for Horizontal Openhole Completions](#)
R. Rezvani, Halliburton/Sperry Sun, and B. Techentien, Halliburton Energy Services Inc.
- 4060** SPE 97080 [Software, Fluids, and Downhole Tools for Successful Sand Cleanouts in Any Wellbore Geometry Using Small Coiled Tubing](#)
T. Gilmore, R. Leonard, and S. Steinback, BJ Services Co.

SOCIETY OF PETROLEUM ENGINEERS

ATCE 2005

Annual Technical Conference and Exhibition

Volume 8 of 8

Held October 9 – 12, 2005
Dallas, Texas, USA

Printed from CD-ROM with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

© 2005 Society of Petroleum Engineers

Copyright and Use Restrictions

Copyright 2005, Society of Petroleum Engineers

Material included in this *Proceedings* is copyright protected. Electronic reproduction, distribution, or storage of any part of an SPE copyrighted paper for commercial purposes without the written consent of the Society of Petroleum Engineers is prohibited. Permission to reproduce in print is restricted to an abstract of not more than 300 words; illustrations may not be copied. The abstract must contain conspicuous acknowledgment of where and by whom the paper was presented. For photocopying beyond the above permissions, libraries and other users dealing with the Copyright Clearance Center (CCC) Transactional Reporting Service must pay a base fee of \$3 per copyrighted article plus \$0.25 per page to CCC, 222 Rosewood Drive, Danvers, Massachusetts 01923 U.S.A. For other permissions, contact Librarian, SPE, 222 Palisades Creek Drive, Richardson, Texas 75080-2040 U.S.A.

Use of SPE member or author contact information included on this CD for commercial purposes or reproduction of that information in whole or in part, in any form or medium, is strictly prohibited and subject to legal action. Contact SPE to inquire about rental of mailing lists.

This CD of the 2005 SPE Annual Technical Conference and Exhibition was produced by SPE. This product contains Adobe® Reader® Software. Permission to print and distribute content from this product must be obtained from SPE. Duplication of replication products is absolutely prohibited without written permission from SPE and Adobe. Adobe and Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Material on the CD was reproduced from original papers and/or electronic files provided by the authors. Some discrepancies are inevitable. Please advise SPE of errors so corrections can be made to the electronic versions of the article. Send corrections by e-mail to pdf@spe.org or mail to the SPE Americas Office, attention Technical Paper Administrator.

USE OF MATERIALS LIMITATIONS

All materials contained in these *Proceedings* are copyrighted to the Society of Petroleum Engineers. Papers on this CD are for your personal non-commercial use and may not be copied, distributed electronically or in print, or reproduced in whole or in part, in any form without the expressed written permission of the Society of Petroleum Engineers.

2005 SPE Annual Technical Conference and Exhibition

9–12 October 2005 • Dallas, Texas, U.S.A.

TABLE OF CONTENTS

Volume 8 of 8

- 4068** SPE 97093 [Effect of Downhole Pressure Conditions on High-Power Laser Perforation](#)
B.C. Gahan and S. Batareseh, Gas Technology Inst., and R. Watson and W. Deeg, Halliburton Energy Services
- 4075** SPE 97099 [Fundamental PVT Calculations for Associated and Gas/Condensate Natural Gas Systems](#)
R.P. Sutton, Marathon Oil Co.
- 4095** SPE 97100 [Combined Seismic and Production History Matching](#)
J. Khazanehdari and T. Curtis, Reservoir Services WesternGeco, and T. Yi, Schlumberger GeoQuest
- 4100** SPE 97106 [The Impact of Proppant Retardation on Propped Fracture Lengths](#)
P.B. Gadde and M.M. Sharma, U. of Texas at Austin
- 4112** SPE 97113 [Use of DST for Effective Dynamic Appraisal: Case Studies From Deep Offshore West Africa and Associated Methodology](#)
J.L.B. de la Combe, O. Akinwunmi, C. Dumay, and M. Tachon, Total S.A.
- 4135** SPE 97116 [Efficient Delivery of Bolivian Exploration Well Despite Geological Uncertainty Using an Expert Bit-Selection System](#)
C. Balda, Repsol YPF S.A., and M. Pacione and H. Evans, Hughes Christensen
- 4154** SPE 97121 [Predicting Openhole Horizontal Completion Success on the North Slope of Alaska](#)
M.D. Erwin, ConocoPhillips Alaska Inc., and D.O. Ogbe, U. of Alaska Fairbanks
- 4170** SPE 97126 [Evaluation of Inflow Profiles Behind Tubing Using Pulsed Neutron Logs](#)
B.D. Poe Jr. and R.J. Butsch, Schlumberger
- 4185** SPE 97140 [Production Management Information Challenges in the Digital Oilfield](#)
S. DeVries, Invensys Process Systems
- 4191** SPE 97142 [Fluid Flow and Particle Transport Analyses Show Minimal Effect of Annulus Between Horizontal Wellbore and Expandable Screen](#)
J. Li, S. Hamid, T. Hailey, and R. Simonds, Halliburton Energy Services Inc.

- 4206** SPE 97144 [Medusa Project: Integrated Planning for Successful Deepwater Gulf of Mexico Completions](#)
K. Soter and J. Malbrough, Halliburton Energy Services Inc., and D. Mayfield and J. Holland, Murphy Expro-U.S.A.
- 4222** SPE 97147 [The Viability of Single-Trip Sand-Control Completions in Deep Water—A Case History](#)
B. Cole and B.M. Franklin, BJ Services U.S.A., and R. Cody and R. Littleton, Pioneer Natural Resources
- 4230** SPE 97149 [Optimization of Borehole Stability Using 3D Stress Optimization](#)
E. Kårstad and B.S. Aadnoy, U. of Stavanger
- 4237** SPE 97155 [How To Approximate Effects of Geomechanics in Conventional Reservoir Simulation](#)
A.T. Settari, U. of Calgary, and R.C. Bachman and D.A. Walters, Taurus Reservoir Solutions Ltd.
- 4244** SPE 97158 [Calculation of Drillpipe Rotation Effects on Fluids in Axial Flow: An Engineering Approach](#)
T. Hemphill and K. Ravi, Halliburton
- 4248** SPE 97161 [Proppant Flowback Prevention—A New Technology for Low BHST Applications](#)
D.E. Johnson and J.L. McWilliams, Hexion Specialty Chemicals Inc.; S.G. Nelson, BJ Services Co.; and J.S. Blount, Devon Energy Corp.
- 4254** SPE 97164 [A Neurosimulation Tool for Predicting Performance in Enhanced Coalbed Methane and CO₂ Sequestration Projects](#)
F.B. Gorucu and T. Ertekin, Pennsylvania State U.; G.S. Bromhal and D.H. Smith, U.S. DOE; W.N. Sams, EG&G; and S.A. Jikich, Parsons
- 4268** SPE 97168 [New API Practices for Isolating Potential Flow Zones During Drilling and Cementing Operations](#)
M. Bannerman, Chevron; J. Calvert, Consultant; T. Griffin, Griffin Cement Consulting LLC; J. Levine and J. McCarroll, MMS; D. Postler, Devon Energy; A. Radford, API; and R. Sweatman, Halliburton
- 4280** SPE 97169 [Multidimensional Velocity-Based Model of Formation Permeability Damage: Validation, Damage Characterization, and Field Application](#)
R.S. Mojarad and A. Settari, U. of Calgary
- 4288** SPE 97172 [Openhole vs. Cased-Hole Hydraulic Fracturing](#)
J.C. Gottschling, BJ Services Co.
- 4298** SPE 97173 [Single Cutter Impact Tests Investigate Deep-Well Hammer-Drilling Performance](#)
S. Green and A. Judzis, TerraTek; D. Curry, Hughes Christensen; A. Black, TerraTek; U. Prasad, Hughes Christensen; and J. Rogers, U.S. DOE

- 4309** SPE 97175 [External Casing Perforating Provides Optimal Treatment Coverage in Horizontal Pay](#)
J.L. Rodgerson and M.L. Ruegamer, BJ Services Co., and P. Snider, Marathon Oil Co.
- 4315** SPE 97177 [From Geological Knowledge to Good Decisions Using Simple Stochastic Models: A North Sea Case Study](#)
K. Hollund, R. Hauge, and A.R. Syversveen, Norwegian Computing Center, and A. Jørstad, T. Lie, and H.C. Rønnevik, Lundin Norway A/S
- 4320** SPE 97186 [Advances in Cement Evaluation Tools and Processing Methods Allow Improved Interpretation of Complex Cements](#)
G. Frisch and P. Fox, Halliburton Energy Services; D. Hunt, Shell E&P Co.; and D. Kaspereit, CalEnergy
- 4333** SPE 97190 [Horizontal-Well Productivity Equations With Both Uniform-Flux and Uniform-Pressure Wellbore Modes](#)
H.-Y. Chen, New Mexico Tech, and N. Asaad, Burlington Resources
- 4349** SPE 97192 [Fluid Characterization for Miscible EOR Projects and CO₂ Sequestration](#)
K. Jessen, Stanford U., and E.H. Stenby, Technical U. of Denmark
- 4357** SPE 97198 [Multicontact Miscible Flooding in a High-Pressure Quarter Five-Spot Model](#)
E.K. Dao, E. Lewis, and K.K. Mohanty, U. of Houston
- 4364** SPE 97211 [Surfactant Gel Foam/Emulsions: History and Field Application in the Western Canadian Sedimentary Basin](#)
D.V.S. Gupta, T.T. Leshchyn, and B.T. Hlidek, BJ Services Co.
- 4371** SPE 97215 [Integrating Intelligent-Well Systems Into Sandface Completions for Reservoir Control in Brazilian Subsea Well](#)
O.M. Moreira, A. Stacey, and A. Anderson, Baker Oil Tools
- 4375** SPE 97217 [A Fully Implicit, Parallel, Compositional Chemical Flooding Simulator](#)
C. Han, M. Delshad, K. Sepehrnoori, and G.A. Pope, U. of Texas at Austin
- 4388** SPE 97218 [Atlantis Batch Setting: Operational Performance Close to Perfection](#)
H. Valdez, Transocean, and T. Fleece, BP
- 4397** SPE 97224 [Integrated Interpretation of a Rich Data Set From a New-Generation LWD Tool](#)
T.J. Neville, O. Faivre, and H.T. Sun, Schlumberger Beijing Geoscience Center, and G. Weller, Schlumberger Riboud Product Center
- 4405** SPE 97238 [Unconventional RPM Applications in Hydraulic Fracturing](#)
J. Leal and M.A. Gonzalez, Hocol S.A., and G. Villa, R. Garay, and A. Castro, BJ Services

- 4414** SPE 97247 [Integration of Artificial Intelligence and Lean Sigma for Large-Field Production Optimization: Application to Kern River Field](#)
A. Popa, R. Ramos, A. Cover, and C. Popa, Chevron
- 4425** SPE 97249 [Fracture-Optimized Production Efficiently Stimulates Sandstone Formations With Dunvegan Formation: Case Study](#)
T.T. Leshchyshyn and J.D. Thomson, BJ Services Co. Canada
- 4433** SPE 97250 [An Integration of Multilevel Local-Global Upscaling With Grid Adaptivity](#)
J. Lambers and M. Gerritsen, Stanford U.
- 4439** SPE 97255 [Numerical Simulation of the Storage of Pure CO₂ and CO₂-H₂S Gas Mixtures in Deep Saline Aquifers](#)
R.C. Ozah, S. Lakshminarasimhan, G.A. Pope, K. Sepehrnoori, and S.L. Bryant, U. of Texas at Austin
- 4451** SPE 97258 [Tougher Concrete Structures To Service and Protect Oil and Gas Operations](#)
P.D. Moncarz, Exponent, and N. Krstulovic-Opara, Arup Energy
- 4457** SPE 97262 [Effect of Oil and Flue-Gas Compositions on Oil Recovery in the Flue-Gas/Light-Oil Injection Process](#)
O.S. Shokoya, Shell Canada, and S.A. Mehta, R.G. Moore, and B. Maini, U. of Calgary
- 4471** SPE 97266 [Depressurization-Induced Gas Production From Class-1 Hydrate Deposits](#)
G.J. Moridis and M.B. Kowalsky, Lawrence Berkeley Natl. Laboratory, U. of California
- 4494** SPE 97267 [Optimizing Maintenance and Inspection for New Offshore Installations](#)
H. Brandt, Det Norske Veritas (U.S.A.) Inc.
- 4498** SPE 97269 [Risk and Uncertainty Management—Best Practices and Misapplications for Cost and Schedule Estimates](#)
S.K. Peterson, J Murtha & Assocs.; J. De Wardt, De Wardt and Co. Inc.; and J.A. Murtha, J Murtha & Assocs.
- 4504** SPE 97270 [A Fully Adaptive Streamline Framework for the Challenging Simulation of Gas-Injection Processes](#)
M.G. Gerritsen, K. Jessen, B.T. Mallison, and J. Lambers, Stanford U.
- 4518** SPE 97271 [Stochastic Modeling of Fluvial Reservoirs: The YACS Approach](#)
J. Alapetite, Earth Decision Sciences; B. Leflon, ENSG; E. Gringarten, Earth Decision Sciences; and J.-L. Mallet, ENSG
- 4523** SPE 97273 [Context-Adaptive Project Management: A Scoring Model for Assessing Project Complexity and Uncertainty](#)
A. Rahi, Schlumberger

- 4531** SPE 97275 [Effect of Operating Valve Performance on Stability of Gas Lift Wells](#)
Y.V. Fairuzov and I. Guerrero-Sarabia, Natl. Autonomous U. of Mexico
- 4538** SPE 97279 [North Slope Heavy-Oil Sand-Control Strategy: Detailed Case Study of Sand Production Predictions and Field Measurements for Alaskan Heavy-Oil Multilateral Field Developments](#)
R.C. Burton, L.Y. Chin, E.R. Davis, M. Enderlin, G. Fuh, R. Hodge, G.G. Ramos, P. VanDeVerg, and M. Werner, ConocoPhillips, and W.L. Mathews and S. Petersen, BP
- 4555** SPE 97288 [Continuing Education Needs for the Digital Oil Fields of the Future](#)
I. Ershaghi, U. of Southern California, and Z. Omoregie, Chevron
- 4560** SPE 97291 [Troika Field: A Well Failure, and Then a Successful Workover](#)
G. Gillespie, Weatherford Intl.; K. Angel, BP E&P; J. Cameron, Weatherford Intl.; and M. Mullen, Mullen Energy
- 4570** SPE 97299 [Horizontal Screen Failures in Unconsolidated, High-Permeability Sandstone Reservoirs: Reversing the Trend](#)
J. Arukhe, Shell Canada Ltd., and C. Uchendu and L. Nwoke, BJ Services Co. Nigeria Ltd.
- 4581** SPE 97300 [Gulf of Mexico Shelf Deep Ultra-HP/HT Completions—Current Technology Gaps](#)
D. Hahn, APA Petroleum Engineering Inc.; M. Atkins and J. Russell, BHP Billiton Petroleum (Americas) Inc.; and B. Pearson, APA Petroleum Engineering Inc.
- 4590** SPE 97311 [Simplifying Hydraulic Fracturing—Theory and Practice](#)
J. Hibbeler and P. Rae, BJ Services Co.
- 4595** SPE 98511 [Accelerating Technology Acceptance: Hypotheses and Remedies for Risk-Averse Behavior in Technology Acceptance](#)
V. Rao, Halliburton Co., and R. Rodriguez, Shell Technology Ventures
- 4600** SPE 98513 [Accelerating Technology Acceptance: Nucleating and Funding E&P Technology](#)
T. Bates, Lime Rock Partners, and G. Coyle, Chevron Technology Ventures
- 4610** SPE 98514 [Accelerating Technology Acceptance: Prioritization and Assessment of Technology](#)
S. Jacobs, RMI, and B. Dirks, Tecton Energy
- 4615** SPE 98515 [Accelerating Technology Acceptance: The Role of Culture of the Oil and Gas Industry in Technology Acceptance](#)
J.M. Hirsch, Shell Intl. E&P; J.C. Luppens, Schlumberger IPM; and M.T. Shook, Dapish Oil & Gas Strategy Consultants
- 4621** SPE 98517 [Accelerating Technology Acceptance: Blurring the Lines](#)
S.E. Ferguson, Weatherford Intl., and E.J.E. Vollebregt, Shell Technology Ventures

- 4626** SPE 98518 [Accelerating Technology Acceptance: Is the Industry “Backbone” Strong Enough for Acceptance of New Technology?](#)
K.E. Arnold, AMEC Paragon Inc., and D. Dunlap, BJ Services
- 4633** SPE 98553 [Accelerating Technology Acceptance: Overview](#)
A.A. Daneshy, U. of Houston, and M. Bahorich, Apache Corp.