

University of Arizona

14<sup>th</sup> International Symposium  
on Space Terahertz Technology  
2003

April 22-24, 2003  
Tucson, Arizona, USA

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571  
[www.proceedings.com](http://www.proceedings.com)

ISBN: 978-1-60423-187-8

**Some format issues inherent in the e-media version may also appear in this print version.**



## 14<sup>th</sup> International Symposium on Space Terahertz Technology

### Session 1: HEB MIXERS I

Chair: Sigfrid Yngvesson

University of Massachusetts at Amherst

---

#### 1.1. Review of HEB Heterodyne Detectors and Receiver Systems for the THz Range: Present and Future

1

*Sigfrid Yngvesson*

University of Massachusetts at Amherst

#### 1.2. Noise performance of NbN Hot Electron Bolometer mixers at 2.5 THz and its dependence on the contact resistance

11

*J. J. A. Baselmans<sup>1</sup>, M. Hajenius<sup>1,2</sup>, J. R. Gao<sup>1,2</sup>, T. M. Klapwijk<sup>2</sup>, P. A. J. de Korte<sup>1</sup>, B. Voronov<sup>3</sup>, G. Gol'tsman<sup>3</sup>*

<sup>1</sup>Space Research Organisation of the Netherlands (SRON), Groningen, The Netherlands

<sup>2</sup>Faculty of Applied Sciences, Delft University of Technology, The Netherlands

<sup>3</sup>Moscow State Pedagogical University, Russia

#### 1.3. Fabrication and Noise Measurement of NbTiN Hot Electron Bolometer Heterodyne Mixers at THz Frequencies

20

*Pourya Khosropah<sup>1</sup>, Sven Bedorf<sup>2</sup>, Sergey Cherednichenko<sup>1</sup>, V. Drakinskiy<sup>1</sup>, Karl Jacobs<sup>2</sup>, Harald Merkel<sup>1</sup>, Erik Kollberg<sup>1</sup>*

<sup>1</sup>Department of Microtechnology and Nanoscience, Microwave Electronics Laboratory, Chalmers University of Technology, Sweden

<sup>2</sup>KOSMA, I. Physikalischs Institut, University of Cologne, Germany

#### 1.4. Comparison of the Noise Performance of NbTiN and NbN Hot Electron Bolometer Heterodyne Mixers at THz Frequencies

31

*Harald F. Merkel, Pourya Khosropah, Sergey Cherednichenko, Erik Kollberg*

Microelectronics Department, Microwave Electronics Laboratory, Chalmers University of Technology, Sweden

### Session 2: SIS MIXERS I

Chair: Tony Kerr

National Radio Astronomy Observatory

---

#### 2.1. Superconducting Hot-Electron Bolometer Mixer for Terahertz Heterodyne Receivers

33

*Alexei D. Semenov<sup>1</sup>, Heinz-Wilhelm Hübers<sup>1</sup>, Heiko Richter<sup>1</sup>, Konstantin Smirnov<sup>2</sup>, Gregory N. Gol'tsman<sup>2</sup>, Natalia Kaurova<sup>2</sup>, Boris M. Voronov<sup>2</sup>*

<sup>1</sup>DLR Institute of Space Sensor Technology and Planetary Exploration, Germany

<sup>2</sup>Moscow State Pedagogical University, Russia

#### 2.2. Sideband-Separating SIS Mixer For ALMA Band 7, 275-370 GHz

41

*Stéphane Claude*

Institut de Radio Astronomie Millimetrique, France

#### 2.3. Design Accuracy of the Resonance Frequency for the PCTJ SIS Mixer

52

*Yasunori Fujii<sup>1,2</sup>, Ken'ichi Kikuchi<sup>1</sup>, Junji Inatani<sup>1</sup>*

<sup>1</sup>National Space Development Agency of Japan, Japan

<sup>2</sup>Nihon Tsushinki Co., Ltd., Japan

<b>2.4. Low noise SIS mixer for the band 1.1-1.25 THz of the Herschel space radio telescope</b>	54
<i>A. Karpov<sup>1</sup>, D. Miller<sup>1</sup>, F. Rice<sup>1</sup>, J. Zmuidzinis<sup>1</sup>, J. A. Stern<sup>2</sup>, B. Bumble<sup>2</sup>, H. G. LeDuc<sup>2</sup></i>	
<sup>1</sup> California Institute of Technology	
<sup>2</sup> Jet Propulsion Laboratory	
<b>2.5. Influence of Junction-Quality and Current Density on HIFI Band 2 Mixer Performance</b>	55
<i>R. Teipen<sup>1</sup>, M. Justen<sup>1</sup>, T. Tils<sup>1</sup>, S. Glenz<sup>1</sup>, C. E. Honingh<sup>1</sup>, K. Jacobs<sup>1</sup>, B. D. Jackson<sup>2</sup>, T. Zijlstra<sup>3</sup>, M. Kroog<sup>3</sup></i>	
<sup>1</sup> KOSMA, I. Physikalisches Institut, Universität zu Köln, Germany	
<sup>2</sup> National Institute for Space Research (SRON), The Netherlands	
<sup>3</sup> Dept. of Nanoscience, Faculty of Applied Sciences, Delft Univ. of Technology, The Netherlands	
<b>2.6. All-NbN SIS Mixers Using a Tuning Circuit with Two Half-Wavelength Distributed Junctions</b>	63
<i>Y. Uzawa, A. Kawakami, M. Takeda, Z. Wang</i>	
Kansai Advanced Research Center, Communications Research Laboratory, Japan	
<hr/>	
<b>Session 3: SOURCES I</b>	
<b>Chair: John Payne</b>	
National Radio Astronomy Observatory	
<b>3.1. A 1600-1900 GHz Tunable Source</b>	64
<i>Neal Erickson, Ron Grosslein, John Wielgus, Vern Fath, I. Mehdi, J. Gill</i>	
<sup>1</sup> Department of Astronomy, University of Massachusetts	
<sup>2</sup> Jet Propulsion Laboratory	
<b>3.2. W Band MMIC Power Amplifiers for the Herschel HIFI Instrument</b>	73
<i>Robert R. Ferber<sup>1</sup>, Todd C. Gaier<sup>1</sup>, John C. Pearson<sup>1</sup>, Lorene A. Samoska<sup>1</sup>, Mary Wells<sup>1</sup>, April Campbell<sup>1</sup>, Gerald Swift<sup>2</sup>, Paul Yocom<sup>2</sup>, K. T. Liao<sup>2</sup></i>	
<sup>1</sup> Jet Propulsion Laboratory, California Institute of Technology	
<sup>2</sup> Northrop Grumman Space Technology (NGST)	
<b>3.3. Broadband Submillimeter Receiver and Source Development</b>	83
<i>J. L. Hesler, D. W. Porterfield, W. L. Bishop, D. S. Kurtz, T. W. Crowe</i>	
Virginia Diodes Inc.	
<b>3.4. Design and Analysis of 500 GHz Hetero-structure Barrier Varactor Quintuplers</b>	84
<i>Mattias Ingvarson, Arne Øistein Olsen, Jan Stake</i>	
Microwave Electronics Laboratory, Chalmers University of Technology, Sweden	
<b>3.5. 1400–1900 GHz Local Oscillators for the Herschel Space Observatory</b>	94
<i>John Ward, Frank Maiwald, Goutam Chattopadhyay, Erich Schlecht, Alain Maestrini*, John Gill, Imran Mehdi</i>	
California Institute of Technology, Jet Propulsion Laboratory	
*Now at the Observatoire de Paris	

**Session 4: DEVICES**

**Chair:** Art Lichtenberger

University of Virginia

---

- 4.1. HgCdTe Photoconductive Mixers for 3- 15 Terahertz** 102

*Albert Betz<sup>1</sup>, Rita Boreiko<sup>1</sup>, Yongdong Zhou<sup>2</sup>, Jun Zhao<sup>2</sup>, Yusuf Selamer<sup>2</sup>, Yong Chang<sup>2</sup>, Renganathan Ashokan<sup>2</sup>, Charlie Bucker<sup>2,3</sup>, Sivalingam Sivananthan<sup>2</sup>*

<sup>1</sup>Center for Astrophysics & Space Astronomy, University of Colorado

<sup>2</sup>Microphysics Laboratory and Department of Physics, The University of Illinois at Chicago

<sup>3</sup>Physics Institute of Wuerzburg, Germany

- 4.2. Transferred Substrated Heterojunction Bipolar Transistors for Submillimeter Wave Applications** 112

*Andy Fung<sup>1</sup>, Lorene Samoska<sup>1</sup>, Peter Siegel<sup>1</sup>, M. Rodwell<sup>2</sup>, M. Urteaga<sup>2</sup>, V. Paidi<sup>2</sup>, Roger Malik<sup>3</sup>*

<sup>1</sup>California Institute of Technology, Jet Propulsion Laboratory

<sup>2</sup>Department of Electrical and Computer Engineering, Univeristy of California at Santa Barbara

<sup>3</sup>RJM Semiconductor

- 4.3. Novel Designs for Submillimeter Subharmonic and Fundamental Schottky Mixers** 118

*Erich Schlecht, John Gill, Peter Siegel, John Oswald, Imran Mehdi*

Jet Propulsion Laboratory

- 4.4. Design, Fabrication and Testing of Semi-conductor Tunable Antenna-coupled Intersubband Terahertz (TACIT) Detectors** 119

*M. S. Sherwin<sup>1,3</sup>, G. B. Serapiglia<sup>1</sup>, Y. Dora<sup>1,2</sup>, M. Hanson<sup>4</sup>, A. C. Gossard<sup>2,4</sup>, W. R. McGrath<sup>5</sup>*

<sup>1</sup>Institute for Quantum Engineering Science and Technology (iQUEST),

University of California at Santa Barbara (UCSB)

<sup>2</sup>Department of Electrical and Computer Engineering, USCB

<sup>3</sup>Department of Physics, USCB

<sup>4</sup>Department of Materials, UCSB

<sup>5</sup>Submillimeter-wave superconductive sensors group, Jet Propulsion Laboratory

- 4.5. SIR Chip for TELIS** 121

*S. V. Shitov<sup>1,2</sup>, V.P. Koshelets<sup>1,2</sup>, P.A. Yagoubov, L. V. Filippenko<sup>1</sup>, P.N. Dmitriev<sup>1</sup>, O.V. Koryukin<sup>1</sup>, An. B. Ermakov<sup>1,2</sup>, R. W. M. Hoogeveen<sup>2</sup>.*

<sup>1</sup>Institute of Radio Engineering and Electronics (IREE), Russian Academy of Sciences, Russia

<sup>2</sup>National Institute for Space Research (SRON), The Netherlands

- 4.6. Large RF Bandwidth Waveguide to Thinfilm Microstrip Transitions on Suspended Membrane for Use in Silicon Micromachined Mixer Blocks at THz Frequencies** 127

*J. W. Kooi<sup>1</sup>, Christian Drouet d'Aubigny<sup>2</sup>, Chris Walker<sup>2</sup>, Arthur W. Lichtenberger<sup>3</sup>*

<sup>1</sup>California Institute of Technology

<sup>2</sup>Department of Astronomy and Steward Observatory, University of Arizona

<sup>3</sup>University of Virginia

**Session 5: INCOHERENT/BOLOMETRIC DETECTORS**

**Chair:** Harvey Moseley

NASA - Goddard Space Flight Center

---

**5.1. Photon Counting vs Photon Integration at SubMM Waves**

128

*Boris S. Karasik<sup>1</sup>, Andrew V. Sergeev<sup>2</sup>*

<sup>1</sup>Jet Propulsion Laboratory, California Institute of Technology

<sup>2</sup>Wayne State University

**Session 6: WAVEGUIDE**

**Chair:** John Papapolymerou

Georgia Institute of Technology

---

**6.1. Single Chip, Beam Combining, Interferometric Detector for Submillimetre-wave Astronomy**

129

*E. Campbell<sup>1</sup>, S. Withington<sup>1</sup>, G. Yassin<sup>1</sup>, C. Y. Tham<sup>1</sup>, S. Wolfe<sup>2</sup>, K. Jacobs<sup>2</sup>*

<sup>1</sup>Department of Physics, University of Cambridge, UK

<sup>2</sup>Department of Physics, University of Cologne, Germany

**6.2. Measurements and Simulations of Overmoded Waveguide Components at 70-118 GHz, 220-330 GHz, and 610-720 GHz**

138

*G. A. Ediss*

National Radio Astronomy Observatory

**6.3. A Broadband Waveguide Thermal Isolator**

148

*J. L. Hesler<sup>1</sup>, A. R. Kerr<sup>2</sup>, N. Horner<sup>2</sup>*

<sup>1</sup>University of Virginia, Department of ECE

<sup>2</sup>National Radio Astronomy Observatory

**6.4. Silicon Laser Micromachining for the Development of Planar Waveguide-Based THz Structures**

155

*Peter Kirby<sup>1</sup>, John Papapolymerou<sup>1</sup>, Christian D'Aubigny<sup>2</sup>, Chris Walker<sup>2</sup>*

<sup>1</sup>School of Electrical & Computer Engineering, Georgia Institute of Technology

<sup>2</sup>Department of Astronomy, University of Arizona

**6.5. Design of a Dual Polarization SIS Sideband Separating Receiver Based on Waveguide OMT for the 275-370 GHz Frequency Band**

159

*A. Navarrini, M. Carter*

Institut de Radioastronomie Millimétrique (IRAM), France

**6.6. Symmetric Waveguide Orthomode Junctions**

169

*E. J. Wollack<sup>1</sup>, W. Grammer<sup>2</sup>*

<sup>1</sup>Laboratory for Astronomy and Astrophysics, NASA/Goddard Space Flight Center

<sup>2</sup>National Radio Astronomy Observatory

## Session 7: SPECTROMETERS

Chair: Rudolf Schieder

Physics Institute, University of Cologne

---

### 7.1. Optical Methods for Spectral Analysis of Future Heterodyne Instruments

177

R. Schieder

Physics Institute, University of Cologne, Germany

### 7.2. A Correlator Chip for Spaceborne Radiometry

178

Constantin Timoc

Spaceborne Inc., La Canada, California

## Session 8: SYSTEMS

Chair: Chris Walker

University of Arizona

---

### 8.1. Deployment of TREND – A Low Noise Receiver User Instrument at 1.25 THz

179

to 1.5 THz for AST/RO at the South Pole

Eyal Gerecht<sup>1</sup>, Sigfrid Yngvesson<sup>1</sup>, John Nicholson<sup>1</sup>, Yan Zhuang<sup>1</sup>,

Fernando Rodriguez Morales<sup>1</sup>, Xin Zhao<sup>1</sup>, Dazhen Gu<sup>1</sup>, Richard Zannoni<sup>1</sup>,

Michael Coulombe<sup>2</sup>, Jason Dickinson<sup>2</sup>, Thomas Goyette<sup>2</sup>, Bill Gorveatt<sup>2</sup>

Jerry Waldman<sup>2</sup>, Pourya Khosropanah<sup>3</sup>, Christopher Groppi<sup>4</sup>,

Abigail Hedden<sup>4</sup>, Dathon Golish<sup>4</sup>, Christopher Walker<sup>4</sup>, Jacob Kooi<sup>5</sup>,

Richard Chamberlin<sup>5</sup>, Antony Stark<sup>6</sup>, Christopher Martin<sup>6</sup>, Robert Stupak<sup>6</sup>,

Nicholas Tothill<sup>6</sup>, Adair Lane<sup>6</sup>

<sup>1</sup>University of Massachusetts at Amherst

<sup>2</sup>Submillimeter Wave Technology Laboratory, University of Massachusetts at Lowell

<sup>3</sup>Chalmers University of Technology, Sweden

<sup>4</sup>Department of Astronomy and Steward Observatory, University of Arizona

<sup>5</sup>California Institute of Technology

<sup>6</sup>Smithsonian Astrophysical Observatory

### 8.2. Heterodyne Array Development at the University of Arizona

189

C. Groppi<sup>1</sup>, C. Walker<sup>1</sup>, C. Kulesa<sup>1</sup>, G. Narayanan<sup>2</sup>, K. Jacobs<sup>3</sup>, U. Graf<sup>3</sup>, R. Schieder<sup>3</sup>, J. Kooi<sup>4</sup>

<sup>1</sup>SORAL, University of Arizona

<sup>2</sup>University of Massachusetts at Amherst

<sup>3</sup>University of Cologne, Germany

<sup>4</sup>California Institute of Technology

### 8.3. TELIS – Development of a New Balloon-Borne THZ/Submm Heterodyne Limb Sounder

204

R. W. M. Hoogeveen<sup>1</sup>, P. A. Yagoubov<sup>1</sup>, A. M. Maurellis<sup>1</sup>, U. Mair<sup>2</sup>, M. Krocka<sup>2</sup>, G. Wagner<sup>2</sup>,

M. Birk<sup>2</sup>, H.-W. Hübers<sup>3</sup>, H. Richter<sup>3</sup>, A. Semenov<sup>3</sup>, G. Gol'tsman<sup>4</sup>, B. Voronov<sup>4</sup>,

V. Koshelets<sup>5</sup>, S. Shitov<sup>5</sup>, B. Ellison<sup>6</sup>, B. Kerridge<sup>6</sup>, D. Matheson<sup>6</sup>, M. Harman<sup>6</sup>,

R. Siddans<sup>6</sup>, J. Reburn<sup>6</sup>

<sup>1</sup>National Institute for Space Research (SRON), The Netherlands

<sup>2</sup>Remote Sensing Technology Institute, DLR, Germany

<sup>3</sup>Institute for Space Sensor Technology and Planetary Exploration, DLR, Germany

<sup>4</sup>Moscow State Pedagogical University, Russia

<sup>5</sup>Institute of Radio Engineering and Electronics (IREE), Russia

<sup>6</sup>Rutherford Appleton Laboratory (RAL), UK

<b>8.4. Heterodyne Instrumentation Development for the Caltech Submillimeter Observatory</b>	215
<i>Jacob W. Kooi, Attila Kovacs, T. G. Phillips, J. Zmuidzinas</i>	
California Institute of Technology	
<b>8.5. CO(9-8) in Orion</b>	216
<i>Simon J. E. Radford<sup>1</sup>, Ray Blundell<sup>2</sup>, Scott Paine<sup>2</sup>, Hugh Gibson<sup>2</sup>, Dan Marrone<sup>2</sup></i>	
<sup>1</sup> National Radio Astronomy Observatory	
<sup>2</sup> Smithsonian Astrophysical Observatory	
<b>8.6. Quasi-Optics for 640 GHz SIS Receiver of International-Space-Station-Borne Limb-Emission Sounder SMILES</b>	217
<i>Masumichi Seta<sup>1</sup>, Axel Murk<sup>2</sup>, Takeshi Manabe<sup>1</sup>, Junji Inatani<sup>3</sup>, Richard Wyld<sup>4</sup>, Takeshi Miura<sup>3</sup>, Toshiyuki Nishibori<sup>3</sup></i>	
<sup>1</sup> Communications Research Laboratory	
<sup>2</sup> Institute of Applied Physics, University of Bern, Switzerland	
<sup>3</sup> National Space Development Agency, Japan	
<sup>4</sup> Thomas Keating Ltd., UK	
<b>8.7. Meeting the Optical Requirements of Large Focal-Plane Arrays</b>	227
<i>Antony A. Stark</i>	
Smithsonian Astrophysical Observatory	
<hr/>	
<b>Session 9: SIS MIXERS II</b>	
<b>Chair: Karl Jacobs</b>	
University of Cologne	
<b>9.1. Influence of Temperature Variations on the Stability of a Submm Wave Receiver</b>	237
<i>Baryshev, A.<sup>1,2,3</sup>, R. Hesper<sup>1,2,3</sup>, G. Gerlofsma<sup>1,2,3</sup>, M. Kroug<sup>4</sup>, W. Wild<sup>2,3</sup></i>	
<sup>1</sup> Netherlands Research School for Astronomy (NOVA), The Netherlands	
<sup>2</sup> Space Research Organization Netherlands (SRON), The Netherlands	
<sup>3</sup> University of Groningen (RuG), The Netherlands	
<sup>4</sup> DIMES, Delft University of Technology, The Netherlands	
<b>9.2. Quasiparticle Mixing and Josephson Electrodynamics in Non-uniform Parallel Junction Arrays</b>	246
<i>F. Boussaha, M. Salez, Y. Delorme, F. Dauplay, A. Feret, K. Westerberg, B. Lecomte</i>	
LERMA, Observatoire de Paris, France	
<b>9.3. Investigation of the Performance of 700 GHz Finline Mixers</b>	247
<i>P. Grimes<sup>1</sup>, P. Kittara<sup>1</sup>, G. Yassin<sup>1</sup>, S. Withington<sup>1</sup>, K. Jacobs<sup>2</sup></i>	
<sup>1</sup> Cavendish Laboratory, UK	
<sup>2</sup> KOSMA, I. Physikalisches Institut, University of Cologne, Germany	
<b>9.4. Measurement of Gain Compression in SIS Mixer Receivers</b>	257
<i>A. R. Kerr<sup>1</sup>, J. Effland<sup>1</sup>, S.-K. Pan<sup>1</sup>, G. Lauria<sup>1</sup>, A. W. Lichtenberger<sup>2</sup>, and R. Groves<sup>1</sup></i>	
<sup>1</sup> National Radio Astronomy Observatory	
<sup>2</sup> University of Virginia	
<b>9.5. Investigations into the Effect of Reflections at the RF and LO Ports of an SIS Mixer</b>	265
<i>Nicholas D. Whyborn</i>	
National Institute for Space Research (SRON), The Netherlands	

## Session 10: HEB MIXERS II

Chair: Johathan Kawamura  
Jet Propulsion Laboratory

---

- 10.1. Development of NbN Terahertz HEB Mixer Devices and Films** 266

*Eyal Gerecht<sup>1</sup>, Ashok K. Bhupathiraju<sup>1</sup>, John Nicholson<sup>2</sup>, Dazhen Gu<sup>2</sup>, Yan Zhuang<sup>2</sup>, Fernando Rodriguez Morales<sup>2</sup>, Xin Zhao<sup>2</sup>, Richard Zannoni<sup>2</sup>, Sigfrid Yngvesson<sup>2</sup>*

<sup>1</sup>National Institute of Standards and Technology

<sup>2</sup>Department of Electrical and Computer Engineering, University of Massachusetts at Amherst

- 10.2. Gain Bandwidth and Noise Temperature of NbTiN HEB Mixer** 276

*Gregory Gol'tsman, Matvey Finkel, Yuriy Vachtomin, Sergey Antipov,*

*Vladimir Drakinski, Natalia Kaurova, Boris Voronov*

Moscow State Pedagogical University, Russia

- 10.3. A 1.5 THz Hot-Electron Bolometer Mixer Operated by a Planar Diode-Based Local Oscillator** 286

*Jonathan Kawamura<sup>1</sup>, C.-Y. Edward Tong<sup>2</sup>, Denis Meledin<sup>2</sup>, Raymond Blundell<sup>2</sup>, Neal Erickson<sup>3</sup>, Imran Mehdi<sup>1</sup>, Gregory Gol'tsman<sup>4</sup>*

<sup>1</sup>Jet Propulsion Laboratory, California Institute of Technology

<sup>2</sup>Harvard-Smithsonian Center for Astrophysics

<sup>3</sup>Department of Astronomy, University of Massachusetts

<sup>4</sup>Physics Department, Moscow State Pedagogical University, Russia

- 10.4. Broadband Millimeter-Wave Bolometric Mixers Based on Ballistic Cooling in a Two-Dimensional Electron Gas** 287

*Mark Lee, L. N. Pfeifer, K. W. West*

Bell Laboratories, Lucent Technologies

- 10.5. Bistability in NbN HEB Mixer Devices** 289

*Yan Zhuang, Dazhen Gu, Sigfrid Yngvesson*

Department of Electrical and Computer Engineering, University of Massachusetts at Amherst

## Session 11: SOURCES II

Chair: Imran Mehdi  
Jet Propulsion Laboratory

---

- 11.1. Heterostructure Barrier Varactor Frequency Triplers to 220 – 325 GHz** 299

*Yiwei Duan, Qun Xiao, Jeffrey L. Hesler, Thomas W. Crowe*

Department of Electrical and Computer Engineering, University of Virginia

- 11.2. THz-range Unipolar Ballistic Tunnel-Emission Transit-Time Oscillators** 307

*J. East, Z. S. Gribnikov, N. Z. Vagidov, V. V. Mitin, G. I. Haddad*

<sup>1</sup>Department of ECE, Wayne State University

<sup>2</sup>Department of EECS, University of Michigan

<b>11.3. F-Band (90-140 GHz) Uni-Traveling-Carrier Photodiode Module for a Photonic Local Oscillator</b>	318
<i>H. Ito<sup>1</sup>, T. Ito<sup>1</sup>, Y. Muramoto<sup>1</sup>, T. Furuta<sup>1</sup>, T. Ishibashi<sup>2</sup></i>	
<sup>1</sup> NTT Photonics Laboratories, NTT Corporation, Japan	
<sup>2</sup> NTT Electronics Corporation, Japan	
<b>11.4. Optical Far-IR Wave Generation – An ESA Review Study</b>	328
<i>B. Leone<sup>1</sup>, V. Krozer<sup>2</sup>, M. Feiginov<sup>3</sup>, H. Roskos<sup>4</sup>, H. Quast<sup>4</sup>, T. Löffler<sup>4</sup>, G. Loata<sup>4</sup>, G. Döhler<sup>5</sup>, P. Kiesel<sup>5</sup>, M. Eckardt<sup>5</sup>, A. Schwanhäußer<sup>5</sup>, T. O. Klaassen<sup>6</sup>, P. Lugli<sup>7</sup></i>	
<sup>1</sup> ESA Directorate of Technical and Operational Support, ESTEC, The Netherlands	
<sup>2</sup> Denmark Technical University, Denmark	
<sup>3</sup> Technical University of Darmstadt, Germany	
<sup>4</sup> University of Frankfurt, Germany	
<sup>5</sup> University of Erlangen, Germany	
<sup>6</sup> Delft University of Technology, The Netherlands	
<sup>7</sup> University of Rome, Italy	
<b>11.5. Amplitude Noise in a Photomixer Using a UTC-PD in the 100 GHz Band</b>	344
<i>T. Noguchi<sup>1</sup>, A. Ueda<sup>1</sup>, H. Iwashita<sup>1</sup>, S. Takano<sup>1</sup>, Y. Sekimoto<sup>1</sup>, M. Ishiguro<sup>1</sup>, T. Ishibashi<sup>2*</sup>, H. Ito<sup>2</sup>, T. Nagatsuma<sup>3</sup></i>	
<sup>1</sup> Nobeyama Radio Observatory, Japan	
<sup>2</sup> NTT Photonics Laboratory, NTT Corporation, Japan	
<sup>3</sup> NTT Microsystem Integration Laboratories, NTT Corporation, Japan	
*Present Affiliation: NTT Electronics Corporation	
<hr/>	
<b>Session 12: OPTICS</b>	
<b>Chair:</b> Eric Mueller	
Coherent Inc.	
<b>12.1. Propagating Partially Coherent THz Fields Using Non-Orthogonal Over-Complete Basis Sets</b>	353
<i>R. H. Berry, S. Withington, M. P. Hobson, G. Yassin</i>	
Cavendish Laboratory, University of Cambridge, UK	
<b>12.2. Experimental Verification of Electromagnetic Simulations of a HIFI Mixer Sub-Assembly</b>	371
<i>Willem Jellema<sup>1</sup>, Paul Wesselius<sup>1</sup>, Stafford Withington<sup>2</sup>, Ghassan Yassin<sup>2</sup>, J. A. Murphy<sup>3</sup>, C. O'Sullivan<sup>3</sup>, N. Trappe<sup>3</sup>, T. Peacocke<sup>4</sup>, Bruno Leone<sup>5</sup></i>	
<sup>1</sup> National Institute for Space Research (SRON), The Netherlands	
<sup>2</sup> Cavendish Laboratory, University of Cambridge, UK	
<sup>3</sup> National University of Ireland Maynooth (NUIM), Ireland	
<sup>4</sup> UK Astronomy Technology Center (UKATC), UK	
<sup>5</sup> European Space Agency (ESA/ESTEC), The Netherlands	
<b>12.3. A Novel Procedure for Designing Band-pass Filters using FSS Structures</b>	383
<i>Ge Wu<sup>1</sup>, Volkert Hansen<sup>1</sup>, Ernst Kreysa<sup>2</sup>, Hans-Peter Gemuend<sup>2</sup></i>	
<sup>1</sup> Chair of Electromagnetic Theory, University Wuppertal, Germany	
<sup>2</sup> Max Planck Institute for Radioastronomy, Germany	

**Session 13: POSTERS**

Chair: Tom Crowe

University of Virginia

---

**HEB MIXERS**

<b>13.1. A Hot-Spot Model for Membrane-Based HEB Mixer</b>	393
<i>Jean Baubert<sup>1,2</sup>, H. Merkel<sup>2</sup>, M. Salez<sup>1</sup>, P. Khosropanah<sup>2</sup></i>	
<sup>1</sup> LERMA, Observatoire de Paris, France	
<sup>2</sup> MC2, Chalmers University, Sweden	
<b>13.2. Noise Performance of Spiral Antenna Coupled HEB Mixers at 0.7 THz and 2.5 THz</b>	405
<i>K. V. Smirnov<sup>1</sup>, Yu. B. Vachtomin<sup>1</sup>, S. V. Antipov<sup>1</sup>, S. N. Maslennikov<sup>1</sup>, N. S. Kaurova<sup>1</sup>, V. N. Drakinsky<sup>1</sup>, B. M. Voronov<sup>1</sup>, G. N. Gol'tsman<sup>1</sup>, A.D. Semenov<sup>2</sup>, H. Richter<sup>2</sup>, H.-W. Hubers<sup>2</sup></i>	
<sup>1</sup> Moscow State Pedagogical University, Russia	
<sup>2</sup> DLR Institute of Space Sensor Technology, Germany	
<b>13.3. Improved NbN phonon cooled hot electron bolometer mixers</b>	413
<i>M. Hajenius<sup>1,2</sup>, J. J. A. Baselmans<sup>2</sup>, J. R. Gao<sup>1,2</sup>, T. M. Klapwijk<sup>1</sup>, P. A. J. de Korte<sup>2</sup>, B. Voronov<sup>3</sup>, and G. Gol'tsman<sup>3</sup></i>	
<sup>1</sup> Department of Nanoscience, Delft University of Technology, The Netherlands	
<sup>2</sup> Space Research Organization Netherlands, The Netherlands	
<sup>3</sup> Moscow State Pedagogical University, Russia.	
<b>13.4. NbAu Bilayer Diffusion Cooled HEB</b>	424
<i>Harald F. Merkel, P. Khosropanah, S. Cherednichenko, T. Ottoson, J. Baubert, E. Kollberg</i>	
Department of Microtechnology & Nanoscience, Chalmers University of Technology, Sweden	
<b>13.5. Transition-Edge Operation of Tantalum Diffusion-Cooled Hot-Electron Bolometers</b>	427
<i>Anders Skalare, William R. McGrath, Bruce Bumble, Henry G. LeDuc</i>	
Jet Propulsion Laboratory, California Institute of Technology	
<b>13.6. Impedance and Bandwidth Characterization of NbN Hot Electron Bolometric Mixers</b>	431
<i>F. Rodriguez-Morales, Sigfrid Yngvesson</i>	
Department of Electrical and Computer Engineering, University of Massachusetts	

**SIS MIXERS**

<b>13.7. Sideband-Separating SIS Mixer at 110 GHz for the Measurement of Atmospheric Ozone</b>	439
<i>Shin'ichiro Asayama<sup>1</sup>, Takashi Noguchi<sup>2</sup>, and Hideo Ogawa<sup>1</sup></i>	
<sup>1</sup> Department of Earth and Life Sciences, College of Integrated Arts and Sciences, Japan	
<sup>2</sup> Nobeyama Radio Observatory, Japan	

<b>13.8. Repeatability and Reliability of the 640 GHz SIS Mixer for JEM/SMILES</b>	442
<i>K. Kikuchi, Y. Fujii, W.-L. Shan and J. Inatani</i>	
<sup>1</sup> National Space Development Agency of Japan, Japan	
<sup>2</sup> Nihon Tsushinki Co., Ltd., Japan	
<sup>3</sup> Communications Research Laboratory, Japan	
<b>13.9. Observation of an Anomalous IF Peak at High Bias Voltage in 660-GHz SIS Mixers</b>	444
<i>M. J. Wang<sup>1</sup>, W. L. Shan<sup>2</sup>, W. Zhang<sup>2</sup>, H. W. Cheng<sup>1</sup>, T. Noguchi<sup>3</sup>, S. C. Shi<sup>2</sup>, Y. Irimajiri<sup>4</sup>, T. Manabe<sup>4</sup></i>	
<sup>1</sup> Institute of Astronomy and Astrophysics, Academia Sinica, Taiwan	
<sup>2</sup> Purple Mountain Observatory, China	
<sup>3</sup> Nobeyama Radio Observatory, NAOJ, Japan	
<sup>4</sup> Communications Research Laboratory, Japan	
<b>13.10. SuperMix Aided Design of SIS Tunnel Junction Heterodyne Mixer</b>	N/A
<i>Attila Kovács, Jacob W. Kooi, T. G. Phillips, J. Zmuidzinas</i>	
California Institute of Technology	
<b>13.11. Development of the HIFI Band 3 and 4 Mixer Units</b>	447
<i>G. de Lange<sup>1</sup>, B. D. Jackson<sup>1</sup>, M. Eggens<sup>1</sup>, H. Golstein<sup>1</sup>, W. M. Laauwen<sup>1</sup>, L. de Jong<sup>1</sup>, S. Kikken<sup>1</sup>, C. Pieters<sup>1</sup>, H. Smit<sup>1</sup>, and D. Van Nguyen<sup>1</sup>, M. Kroug<sup>2</sup>, T. Zijlstra<sup>2</sup>, and T. M. Klapwijk<sup>2</sup></i>	
<sup>1</sup> SRON National Institute for Space Research, The Netherlands	
<sup>2</sup> Department of Nanoscience, Faculty of Applied Science, Delft University of Technology, The Netherlands	
<b>13.12. Design of 129-174 GHz SSB SIS Mixer for Band 2 of New Generation Receiver of IRAM PdB Interferometer</b>	450
<i>A. Navarrini* and B. Lazareff</i>	
Institut de Radio Astronomie Millimétrique, France	
*Present Address: Radio Astronomy Lab, University of California	
<b>13.13. Scaled Model Measurement of the Embedding Impedance of a 660-GHz Waveguide SIS Mixer with a 3-Standard De-embedding Method</b>	453
<i>W. Zhang<sup>1</sup>, C.-Y. Edward Tong<sup>2</sup> and S.C. Shi<sup>1</sup></i>	
<sup>1</sup> Purple Mountain Observatory, Chinese Academy of Sciences, China	
<sup>2</sup> Harvard-Smithsonian Center for Astrophysics	
<b>13.14. Superconducting Microstrip Line Models at Millimeter and Sub-millimeter Waves and Their Comparison</b>	456
<i>V. Belitsky, C. Risacher, M. Pantaleev, V. Vassilev</i>	
Group for Advanced Receiver Development, Onsala Space Observatory, Chalmers University of Technology, Sweden	

## SOURCES

<b>13.15. Local Oscillator Systems for (Sub)millimeter Spectroscopy</b>	476
<i>A. Emrich, S. Andersson, J. Embretsen</i>	
Omnisys Instruments AB, Sweden	

<b>13.16. Equivalent Circuit for Photomixing in Resonant Laser-Assisted Field Emission</b>	478
<i>M. J. Hagmann<sup>1</sup>, M. S. Mousa<sup>2</sup>, M. Brugat<sup>3</sup>, E. P. Sheshin<sup>4</sup>, A. S. Baturin<sup>4</sup></i>	
<sup>1</sup> Deseret Electronics Research Corporation,	
<sup>2</sup> Department of Physics, Mu'tah University, Jordan	
<sup>3</sup> Image Instrumentation Inc.,	
<sup>4</sup> Moscow Institute of Physics and Technology, Russia	
<b>13.17. Effect of Finite Spectral Width on Photomixing in Resonant Laser-Assisted Field Emission</b>	481
<i>M. J. Hagmann</i>	
Deseret Electronics Research Corporation	
<b>13.18. TeraHertz Quantum Cascade Laser Based on LO-Phonon-Scattering Assisted Depopulation</b>	484
<i>Qing Hu<sup>1</sup>, Benjamin S. Williams<sup>1</sup>, Hans Callebaut<sup>1</sup>, Sushil Kumar<sup>1</sup>, John L. Reno<sup>2</sup></i>	
<sup>1</sup> Department of Electrical Engineering and Computer Science and Research Laboratory of Electronics, Massachusetts Institute of Technology	
<sup>2</sup> Sandia National Laboratories, Dept 1123, MS 0601	
<b>13.19. Terahertz Backward Wave Oscillator Development</b>	486
<i>Lawrence Ives<sup>1</sup>, David Marsden<sup>1</sup>, Malcom Caplan<sup>1</sup>, Carol Kory<sup>1</sup>, Jeff Neilson<sup>1</sup>, S. Schwartzkopf<sup>2</sup></i>	
<sup>1</sup> Calabazas Creek Research, Inc.	
<sup>2</sup> RWI, Inc.	
<b>13.20. Design and Operational Considerations for Robust Planar GaAs Varactors: A Reliability Study</b>	488
<i>Frank Maiwald, Erich Schlecht, John Ward, Robert Lin, Rosa Leon, John Pearson, Imran Mehdi</i>	
Jet Propulsion Laboratory, MS 168-314	
<b>13.21. A Design Theory for a Terahertz-Frequency Quantum Oscillator that Operates in the Positive Differential Resistance Region</b>	492
<i>Dwight Woolard<sup>1</sup>, Peiji Zhao<sup>2</sup>, H. L. Cui<sup>3</sup></i>	
<sup>1</sup> US Army Research Lab., ARO	
<sup>2</sup> Department of Electrical and Computer Engineering, NCSU	
<sup>3</sup> Department of Physics and Engineering Physics, Stevens Institute of Tech	
<b>13.22. A Multi-Subband Design Theory for a Terahertz-Frequency Double Barrier Quantum Well Oscillator</b>	495
<i>Peiji Zhao<sup>1</sup>, D. L. Woolard<sup>2</sup></i>	
<sup>1</sup> North Carolina State University	
<sup>2</sup> Army Research Laboratory, Army Research Office	

## DEVICES

- 13.23. Beam Lead Fabrication for Submillimeter-wave Circuits Using Vacuum Planarization** 499  
*R. B. Bass<sup>1</sup>, J. C. Schultz<sup>1</sup>, A. W. Lichtenberger<sup>1</sup>, J. W. Koot<sup>2</sup>, C. K. Walker<sup>3</sup>*

<sup>1</sup>Department of Electrical and Computer Engineering, University of Virginia

<sup>2</sup>Division of Physics, Mathematics, and Astronomy, California Institute of Technology

<sup>3</sup>Department of Astronomy, University of Arizona

- 13.24. Wide Band Cryogenic IF Amplifiers for ALMA and Herschel Receivers** 502  
*Isaac López-Fernández, Carmen Diez, Juan Daniel Gallego, Alberto Barcia*  
Centro Astronómico de Yebes, OAN-IGN, Spain

## INCOHERENT/BOLOMETER DETECTORS

- 13.25. Investigation of Superconducting Transition in the Molybdenum-Copper Thin Film Structure Showing the Proximity Phenomenon with the Purpose of Constructing TES Bolometer** 505  
*S. A. Kovtonyuk, A. G. Kovalenko, A. A. Chebotarev, A. N. Vystavkin*  
Institute of Radioengineering and Electronics of RAS, Russia

## WAVEGUIDE

- 13.26. Full-Waveguide Band Orthomode Transducer for the 3mm and 1mm Bands** 508  
*Gopal Narayanan, Neal R. Erickson*  
Department of Astronomy, University of Massachusetts

- 13.27. Precision Measurements of the Properties of Thin-film Superconducting Microstrip Lines at 100-500 GHz** 513  
*Anastasios Vayonakis<sup>1</sup>, Alexey Goldin<sup>2</sup>, Henry Leduc<sup>2</sup>, Chiyan Luo<sup>3</sup>, Jonas Zmuidzinas<sup>1</sup>*  
<sup>1</sup>California Institute of Technology  
<sup>2</sup>Jet Propulsion Laboratory  
<sup>3</sup>Massachusetts Institute of Technology

- 13.28. Propagation in Lossy and Superconducting Cylindrical Waveguides** 516  
*Ghassan Yassin, Choy Yoong Tham, Stafford Withington*  
Cavendish Laboratory, University of Cambridge, UK

## SPECTROMETERS

- 13.29. Autocorrelation Spectrometers for (Sub)millimetre Spectroscopy** 520  
*A. Emrich, S. Andersson, J. Embretsen, J. Dahlberg, L. Landén, C. Tegnander*  
Omnisys Instruments AB, Sweden

<b>13.30. Chip Set for Autocorrelation Spectrometer Applications</b>	522
<i>L. Landén<sup>1,2</sup>, J. Dahlberg<sup>1</sup>, A. Emrich<sup>1</sup></i>	
<sup>1</sup> Omnisys Instruments AB, Sweden	
<sup>2</sup> Chalmers University of Technology, MEL, Sweden	
<b>13.31. THIS – A Quantum-Cascade-Laser Pumped Mid-Infrared Heterodyne Receiver</b>	525
<i>Daniel Wirtz<sup>1</sup>, G. Sonnabend<sup>2</sup>, V. Vetterle<sup>1</sup>, M. Olbrich<sup>1</sup>, R. Schieder<sup>1</sup></i>	
<sup>1</sup> I. Physikalisches Institut, Universität zu Köln, Germany	
<sup>2</sup> NASA Goddard Space Flight Center	

## SYSTEMS

<b>13.32. Heterodyne Receiver Requirements for the Single Aperture Far-Infrared (SAFIR) Observatory</b>	529
<i>D. J. Benford<sup>1</sup>, Jacob Kooi<sup>2</sup></i>	
<sup>1</sup> NASA – Goddard Flight Center, Code 685	
<sup>2</sup> Caltech, MC 320-47	
<b>13.33. Cartridge-type receiver system on ASTE</b>	535
<i>Masahiro Sugimoto<sup>1</sup>, Yutaro Sekimoto<sup>1</sup>, Sozo Yokogawa<sup>1</sup>, Takeshi Okuda<sup>1</sup>, Ken'ichi Tatematsu<sup>1</sup>, Takashi Noguchi<sup>1</sup>, Kotaro Kohno<sup>2</sup>, Hideo Ogawa<sup>3</sup>, Kimihiko Kimura<sup>3</sup></i>	
<sup>1</sup> National Astronomical Observatory of Japan, Japan	
<sup>2</sup> Institute of Astronomy, The University of Tokyo, Japan	
<sup>3</sup> Department of Earth and Life Sciences, College of Integrated Arts and Sciences, Japan	
<b>13.34. Current Status of the Antarctic Submillimeter Telescope and Remote Observatory</b>	538
<i>Kecheng Xiao<sup>1</sup>, Antony A. Stark<sup>1</sup>, Adair P. Lane<sup>1</sup>, Christopher L. Martin<sup>1</sup>, Wilfred M. Walsh<sup>1</sup>, Christopher K. Walker<sup>2</sup>, Jacob W. Kooi<sup>3</sup></i>	
<sup>1</sup> Smithsonian Astrophysical Observatory	
<sup>2</sup> University of Arizona	
<sup>3</sup> California Institute of Technology	

## OPTICS

<b>13.35. Efficient Side-band Ratio Measurement of a Submm Wave Mixer Using a Fourier Transform Spectrometer</b>	542
<i>A. Baryshev<sup>1,2,3</sup>, R. Hesper<sup>1,2,3</sup>, G. Gerlofsma<sup>1,2,3</sup>, M. Kroug<sup>4</sup>, W. Wild<sup>2,3</sup></i>	
<sup>1</sup> Netherlands Research School for Astronomy (NOVA), The Netherlands	
<sup>2</sup> Space Research Organization Netherlands (SRON), The Netherlands	
<sup>3</sup> University of Groningen (RuG), The Netherlands	
<sup>4</sup> DIMES, Delft University of Technology, The Netherlands	
<b>13.36. Transmission and Reflection Characteristics of Slightly Irregular Wire-Grids for Arbitrary Angles of Incidence and Grid Rotation</b>	543
<i>Takeshi Manabe<sup>1</sup>, Axel Murk<sup>2</sup></i>	
<sup>1</sup> Communications Research Laboratory, Japan	
<sup>2</sup> Institute of Applied Physics, University of Berne, Switzerland	