

Annual Technical Conference of the North American Society for Trenchless Technology 2008

**Dallas, Texas, USA
27 April - 2 May 2008**

Volume 1 of 2

ISBN: 978-1-60560-979-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2008) by the North American Society for Trenchless Technology
All rights reserved.

Printed by Curran Associates, Inc. (2009)

For permission requests, please contact the North American Society for Trenchless Technology
at the address below.

North American Society for Trenchless Technology
1655 North Fort Myer Drive, Suite 700
Arlington, Virginia 22209

Phone US: (703) 351-5252
Phone Canada: (613) 424-3036
Fax: (613) 424-3037

www.nastt.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

NORTH AMERICAN SOCIETY for TRENCHLESS TECHNOLOGY
No-Dig Conference & Show
April 27 - May 2, 2008
Dallas, Texas

Table of Contents

Track 1 - Liner Designs

Long-term Performance of FRP Rehabilitated Piping Components	1
<i>Luke S. Lee and Michael Baumert, Department of Civil Engineering, Louisiana Tech University, Ruston, LA</i>	
CIPP Liner Thickness Changes Under F1216-07b	11
<i>Ian J. Doherty, P.Eng., Trenchless Design Engineering Ltd, St. Catharines, ON, Canada</i>	
Rehabilitation of a 75-inch Diameter Brick Interceptor in Cleveland	21
<i>Jordan C. McCormack, P.E., Wade Trim Inc., Cleveland, OH; Bob Ericsson, P.E., PS, Northeast Ohio Regional Sewer District, Cleveland, OH; and Darby Neidig, P.E., Metcalf & Eddy, Cleveland, OH</i>	
Liner Long-term Performance Life Prediction Using Critical Buckling Strain	31
<i>Wei (Zack) Zhao Ph.D., Research Director, Ultraliner Inc., Oxford, AL and L. Grant, Whittle, Vice President, Ultraliner Inc. Oxford, AL</i>	
3D Modeling of Pipe Liners with Local Defects	47
<i>Wei (Zack) Zhao Ph.D., Research Director, Ultraliner Inc., Oxford, AL</i>	

Track 2 - Water Line Condition Assessment

PCCP Condition Assessment: Exploring Repair Solutions for Wichita Falls' 54-inch Transmission Line the Rest of the Story...	57
<i>Scott Taylor, P.E., Director of Public Works, Wichita Falls, TX; Doug Varner, P.E. and Katie McCain, Client Service Manager, CDM, Fort Worth TX</i>	
The Planning and Execution of Internal Inspections of Large Diameter PCCP Waterlines - A Case Study	62
<i>Arno I. Leskinen, P.E., Supervising Engineer, Brown and Caldwell, Phoenix, AZ and Brandy A. Kelso, P.E., Civil Engineer III, Team Leader, City of Phoenix Water Services Department, Phoenix, AZ</i>	
Assessment of Pressure Pipelines	72
<i>Roy Herwig, PB-Americas, Atlanta, GA; Richard Thomasson, PB-Americas, Baltimore, MD; and Robert A. McKim, PB-Americas, Cincinnati, OH</i>	
Evaluation into the Condition of the Sandhill-Lamb Transmission Main Pipeline	82
<i>James F. Ciesielski</i>	
Water Mains: An Asset Management Strategy	92
<i>Mike Garaci, Pressure Pipe Inspection Company, Phoenix, Arizona</i>	

Track 3 - HDD Design Issues

Step-by-Step Evaluation of Hydrofracture Risks for HDD Projects	98
<i>David Bennett and Kathryn Wallin, Bennett Trenchless Engineers</i>	
Determination of Safe Pulling Loads on Fusible PVC Pipe During Horizontal Directional Drilling Installations	108
<i>Samuel T. Ariaratnam, Del E. Webb School of Construction, Arizona State University, Tempe, AZ; Tom Marti, Underground Solutions, Inc., Cranberry Township, PA; Richard (Bo) Botteicher, Underground Solutions, Inc., Cranberry Township, PA; Siggie Finnsson, Digital Control, Inc., Kent, WA; and Arnab Ghosh, Del E. Webb School of Construction, Arizona State University, Tempe, AZ</i>	

Track 3 - HDD Design Issues (cont'd)

- Soil Reaction to the HDD Process** 118
Brian Dorwart, P.E., P.G., Vice President, Haley and Aldrich, Inc., Manchester, NH
- HDD Construction Risks and Challenges on the King County Bellevue Pump Station Force Main Project** 125
James Chae, Jacobs Engineering Group, Bellevue, WA; Paul Savard, Jacobs Engineering Group, Boston, MA; Shahrzad Namini, King County Department of Natural Resources & Parks, Seattle, WA; and Marty Noble, King County Department of Natural Resources & Parks, Bellevue, WA
- Alternative Contract Procurement Using HD Solves Regulatory Dilemma** 135
Clay M. Tappan, P.E., BCEE, CDM, Tampa, FL; William Gill, P.E., Pinellas County Utilities Engineering, Clearwater, FL; Elwood G. Herom, P.E., CDM, Tampa, FL; and Aamod Sonawane, P.E., CDM, Tampa, FL

Track 4 - Large Diameter Tunneling

- Design Challenges with New York City's Newest Water Tunnel: The Lesser-Known Trans-Hudson Crossing** 145
James Garin, P.E., Chief – Division of Capital Program Development and Planning, NYCDEP, Corona, NY; Paul J. Paparella, P.E., PP, Senior Vice President, Hatch Mott MacDonald, Millburn, NJ; and David J. Tanzi, P.E., BCEE, Associate, CDM, Edison, NJ
- Successful Design Selection for Underground Boring Equipment** 154
Dave Long, Engineering Operations Manager, The Robbins Company, Kent, WA and John Kocab, Engineering Manager, The Robbins Company, Solon, OH
- Big City Storm Water Management in a Growing Texas University Town – The Methodist Branch Tunnel Project** 166
Betty Chew, Community Development Director, City of Stephenville, TX; Steven Veal, Principal/Vice-President, Jacobs Carter Burgess, Fort Worth, TX; and Josh Hollon, Associate, Jacobs Carter Burgess, Fort Worth, TX
- Fossil Creek Drainage Tunnels - Case History** 175
Tracy J. Lyman, Principal, Lyman Henn, Inc., Denver, CO; David J. Kwietnewski, Project Engineer, Lyman Henn, Inc., Denver, CO; James M. Rose, Project Manager, City of Fort Collins Utilities, Fort Collins, CO; and Tanner Randall, Project Engineer, Stantec Consulting, Fort Collins, CO
- Battery Park Trunk Sewer Emergency Tunnel Project** 185
Mark Rybak, Bradshaw Construction Corporation, Project Manager, Ellicott City, MD, and Todd Brown, Bradshaw Construction Corporation, Project Engineer, Ellicott City, MD

Track 1 - Rehabilitation Case Studies (Part I)

- Rehabilitation of 60-inch Failing Brick Sewer Pipe in Cleveland Ohio** 195
David Mast, P.E., NTH Consultants, Ltd., Cleveland, OH; George Ericsson, P.E., P.S., Northeast Ohio Regional Sewer District (NEORS), Cleveland, OH; and Richard Switalski, P.E., Northeast Ohio Regional Sewer District (NEORS), Cleveland, OH
- King Edward Avenue Renewal Trenchless Sewer CIPP Liner** 206
Alain Grégoire, Delcan Corporation, Water Division, Ottawa, ON, Canada; Phil Kerridge, City of Ottawa, Public Works and Services Department, Ottawa, ON, Canada; and Piero Salvo, WSA Trenchless Consultants Inc., Ottawa, ON, Canada
- Fast Track Assessment and Rehabilitation Design for Sewers in Las Vegas Valley** 215
Robert (Bud) Swensen, PE, Project Engineering Consultants, Ltd. and Steve W. Weber, PE, Clark County Water Reclamation District

Track 1 - Rehabilitation Case Studies (Part I) (cont'd)

- City of Los Angeles' Benchmarking Study of Cured-In-Place (CIPP) Structural Liner Thickness** 216
Richard Pedrozo P.E., City of Los Angeles, Bureau of Engineering; R. Tim Haug, P.E., City of Los Angeles, Bureau of Engineering; Wayne Lawson, P.E., City of Los Angeles, Bureau of Engineering; Harshad Shah, P.E., City of Los Angeles, Bureau of Engineering; Keith Hanks, P.E., City of Los Angeles, Bureau of Engineering; Farid Baher, P.E., City of Los Angeles, Bureau of Engineering; David Ouyang, P.E.; Michael Curran, P.E., LEE and RO, Inc.

Track 2 - Wastewater Condition Assessment

- Automated Decision Tools to Develop Sewer Recommendations from a PACP Database** 220
John P. Schroeder, P.E., Camp Dresser & McKee (CDM), Columbus, OH; Rodney Moeller, P.E., Camp Dresser & McKee (CDM), Columbus, OH; and Timothy Fallara, P.E., City of Columbus, Department of Sewerage and Drainage, Columbus, OH
- Green Applications in the Sewer Rehabilitation Industry** 230
Melissa Allen, Insituform Technologies, Inc.
- Geophysical Tools for Underground Utility and Infrastructure Assessment** 240
Craig R. Johnson, Geological Engineer/Geophysicist, NTH Consultants, Ltd., Lansing, MI; George L. McKenzie II, P.E., Geotechnical Engineer, NTH Consultants, Ltd, Lansing, MI; and Harry R. Price P.E., Geotechnical Engineer, NTH Consultants Ltd., Detroit, MI
- Construction Inspector Training Requirements for Trenchless Pipeline Renewal Projects** 248
Gerhard (Gerry) P. Muenchmeyer, PE, Muenchmeyer Associates, LLC

Track 3 - HDD Innovative Applications

- Horizontal Directional Drills in Telecommunications** 255
William Meister, DMJM Harris, Iselin, NJ
- Determining the Economic Viability of Directional Drilling** 265
Paul Rogers, Trenchless Product Specialist, TT Technologies, Aurora, IL
- Horizontal Directional Drilling Through An Existing Landfill and Coarse Alluvium in Glendale, CO** 270
Tracy J. Lyman, Principal, Lyman Henn, Inc., Denver, CO; David A. Bixler, Senior Engineer, ESP Associates, Charlotte, NC, Rich Henderson, Civil Engineer, Black & Veatch, Centennial, CO; and Jean Hazlett, City Manager, City of Glendale, Glendale, CO
- New Pipeline Construction for Alberta Oil Sand Expansion** 277
James P. Murphy, Colt Worley Parsons, Calgary, AB, Canada; John Fry and Bain McMillan, Cimarron Engineering, Calgary, AB, Canada

Track 4 - Large Diameter Tunneling

- Challenges in the Construction of the City of Edmonton's W12 Inverted Syphon Project** 287
Arbind Mainali, City of Edmonton Drainage Design and Construction, Edmonton, AB; Siri Fernando, City of Edmonton Drainage Design and Construction, Edmonton, AB; and Simaan Abourizk, University of Alberta Civil and Environmental Engineering Department, Edmonton, AB
- Tunneling Under the North Saskatchewan River: A Management Review** 297
Dinu Philip Alex, Design and Construction, Drainage Services, City of Edmonton; Siri Fernando, Design and Construction, Drainage Services, City of Edmonton; Frank Policicchio, Design and Construction, Drainage Services, City of Edmonton; and Simaan M. AbouRizk, Dept. of Civil and Environmental Engineering, University of Alberta, Edmonton, AB
- A Case Study of the Permars Run Relief Sewer Alignment in Steubenville, Ohio** 308
Alan Atalah, College of Technology, Bowling Green State University, Bowling Green, OH

Track 4 - Large Diameter Tunneling (cont'd)

- Case Study of the Hydraulic Analysis of a Corrugated Metal Pipe (CMP) CIPP-Lined Culvert** 316
Mohammad Najafi, Coordinator of Construction Engineering and Management Area and Director of the Center for Underground Infrastructure Research and Education (CUIRE), Department of Civil Engineering, Arlington, TX; Roger Wallace Associate Professor of Civil Engineering, Michigan State University, East Lansing, MI; and Rick Baxter Product Engineer, Insituform Technologies, Chesterfield, MO

Track 1 - New Materials and Methods

- CIPP Using Air and Steam** 327
Kevan C. Taylor, Proline Technologies NA, Del Valle, TX and Wesley Cobb, Proline Technologies NA, Del Valle, TX
- Applications of Geopolymer Concrete in the Rehabilitation of Wastewater Concrete Structures** 337
E.N. Allouche, Trenchless Technology Center, Louisiana Tech University; C. Montes, Trenchless Technology Center, Louisiana Tech University; E.I. Diaz, Trenchless Technology Center, Louisiana Tech University; and G. Vernon, Mill Creek Management Technologies Inc., Mill Creek, WA
- New Developments in Liner Design Due to ATV-M 127-2** 347
Bernard Falter, Dept. of Civil Engineering, University of Applied Sciences Münster, Germany
- Using Automatic Controls in Temporary Bypass Applications** 358
Michael Delzingaro, Godwin Pumps, Bridgeport, NJ
- Root Control: A Study in Planning, Performance and Patience** 364
Roman D. Grijalva, P.E., Project Manager, King Engineering Associates, Inc., Austin, TX and Gopal K. Guthikonda, P.E., Assistant Director, Austin Water Utility, Austin, TX

Track 2 - Wastewater Condition Assessment

- Assessment of Damage to Rigid Sewer Pipes and Erosion Voids in the Soil and Implications for Design of Liners** 370
Ian D. Moore, GeoEngineering Centre at Queen's-RMC, Queen's University, Kingston, ON
- Assessment of CIPP Liner Performance in Contaminated Soils** 380
Derek Potvin, Senior Project Manager, Robinson Consultants Inc, Kanata, ON, Canada; Erika Waite, Project Manager, Subsurface Infrastructure, City of Hamilton, Hamilton, ON, Canada; and Kim Howie, Senior Project Manager, Robinson Consultants Inc, Kanata, ON, Canada
- SSO Abatement Program in the City of Brentwood, Tennessee** 387
Kevin Colvett, P.E., Assistant Director, City of Brentwood, TN, Water Services Department and Sanjiv Gokhale, Ph.D., P.E., Dept. of Civil and Environmental Engineering, Vanderbilt University, Nashville, TN
- An Experimental Study of Soil Erosion Around Leaking Pipes** 394
Sherif Kamel, Civil Engineering & Applied Mech., McGill University and Mohamed Meguid, Civil Engineering & Applied Mech., McGill University
- From Identification to Removal - A Case Study of a Successful I/I Removal Program** 405
Steve Campbell, Hampden Township Sewer Authority, P.A.; Joseph A. Strauch, P.E., Gannett Fleming, Inc., Engineers and Planners, Harrisburg, PA; and Jeremy S. Miller, E.I.T.,

Track 3 - HDD Case Studies and Innovative Technologies

- Operation of Obstacle Detection GPR Designed for Use on HDD Machines** 413
David Hanson, Vermeer Mfg. Co. and Kiran Kothari, Gas Technology Institute
- Granular Soil Response During HDD** 423
Mathew Francis, P.E., URS Corporation, Salt Lake City, UT and Richard M. Stauber, P.E., URS Corporation, Sacramento, CA

Track 3 - HDD Case Studies and Innovative Technologies (cont'd)

- Large Diameter HDD Pipe Installations and HDD Assist Techniques** 430
Collins Orton, TT Technologies, Inc, Trenchless Product Specialist, TT Technologies, Aurora, IL
- HDD Design and Execution - Intersect Drill with Large Elevation Change and Artesian Inflow** 435
George Taylor, President, Entec HDD, Seattle, WA, and Grant Jameson, President and Managing Partner, Entec Inc., Calgary, AB
- Finding Obstacles during Horizontal Directional Drilling (HDD) Operations** 442
Robert Cribbs, Soni-Pulse, Inc., El Dorado Hills, CA; Gerry Pittard, Maurer Technology Inc., Houston, TX; and Kiran Kothari, Gas Technology Institute, Des Plaines, IL

Track 4 - Challenging Ground Conditions for Microtunneling

- Differing Site Condition Claims and Trenchless Projects** 451
David Mathy, DCM Engineering, Walnut Creek, CA; Marc Gelinias, DCM Engineering, Walnut Creek, CA, and Joseph Covello, The Covello Group, Walnut Creek, CA
- Mitigating Microtunnel Launch and Reception Challenges** 461
Steven W. Hunt, CH2M HILL, Milwaukee, WI and Andrew J. Finney, CH2M HILL, Sacramento, CA
- Analysis and Mitigation of Settlement Risks in New Trenchless Installations** 471
Matthew Wallin, Bennett Trenchless Engineers; Kathryn Wallin, Bennett Trenchless Engineers; and David Bennett, Bennett Trenchless Engineers
- Ballard Siphon Replacement Project** 481
Kimberlie Staheli, Ph.D., P.E., Staheli Trenchless Consultants, Seattle, WA and Michelle L. Ramos, P.E., L.E.G., Staheli Trenchless Consultants, Seattle, WA

Track 1 - Water Main Rehabilitation

- Rehabilitation of Water Mains with Polyethylene Pipes and Liners-The Logical Choice** 489
D.B. Downey,, Jason Consultants LLC, Washington D.C.; J.W. Heavens, Jason Consultants LLC, Washington D.C.; T.P. Sangster, Jason Consultants LLC, Washington D.C.
- Trenchless Cured-in-Place Watermain Rehabilitation Meeting NSF 61** 500
Fred Tingberg Jr., Director of Business Development, Lanzo Lining Services, Inc., Deerfield Beach, FL/Roseville, MI and Michael Janicki, Chief Inspector, Clinton Township, MI
- City Chose Trenchless HDPE Plastic Watermain to Solve More than Water Loss** 505
Bruce G. Kuffer, P.E., Manager, Polyethylene Market Development, Plastics Pipe Institute, Irving, TX and Troy Freed, Vice President, Midwest Trenchless Services, Grant, MI
- Fund Allocation Model for Replacement/Rehabilitation of Watermains** 511
Elsayed Mohamed, Graduate Student, Department of Building, Civil, and Env. Eng., Concordia University, Montreal, QC and Tarek Zayed, Associate Professor, Department of Building, Civil, and Env. Eng., Concordia University, Montreal, QC

Track 2 - Wastewater Condition Assessment

- Blending Zoom Technology with Traditional CCTV in a Condition Assessment Program** 523
Paul J. Batman, Malcolm Pirnie Inc., Wilmington, DE and Aditya Ramamurthy, Malcolm Pirnie Inc., Newport News, VA
- Efficient Condition Management of Sewer Systems using both Zoom Camera Technology and Traditional CCTV** 530
Kevin Bainbridge, City of Hamilton and Harry Krinas, City of Hamilton

Track 2 - Wastewater Condition Assessment (cont'd)

Application of Inline Acoustic Leak Detection For Condition Assessment of Large Diameter Force Mains 540

Kevin Laven, The Pressure Pipe Inspection Company, Mississauga, ON; George Varga, The Pressure Pipe Inspection Company, Mississauga, ON; Mark Eisenbarth, Muskegon County Public Works Department, Muskegon, MI; and James Hegarty, Prein & Newhof, Grand Rapids, MI

The New Delhi Experience – Upgrade and Modernization of Sewer Networks in the Megacity 548

Dr. Lalit Agrawal, Tokyo Engineering Consulting Co. Ltd., New Delhi, India; Dr. Dec Downey, Tokyo Engineering Consulting Co. Ltd., New Delhi, India; Raman Kumar, Reliance Industries Limited, Mumbai, India; Lalit Kapur, National Rivers Conservation Directorate, Ministry of Environment and Forests, New Delhi, India; and V.S. Thind Delhi Jal Board, New Delhi, India

Track 3 - Pipe Bursting and HDD with Plastic Pipe

Pipe Bursting – A Case Study of Positive Public Relations 558

William Brown, P.E., Assistant City Engineer, City of Greenville, Greenville SC and Phil Parkins, P.E., Project Manager, Camp Dresser & McKee Inc., Greenville SC

Emergency Pipe Burst on Mercer Island 568

Eric Buer, Staheli Trenchless Consultants and Marty Noble, King County Wastewater Treatment Division

Drilling Instead of Digging – Separating the Scripps Institution of Oceanography's Combined Outfall System 574

Anka Fabian, P.E., Facilities Design and Construction, University of California, San Diego, CA

The Secession Golf Course Effluent Force Main Project: Expanding Thermoplastic HDD Applications 584

Ed Saxon, Beaufort-Jasper Water and Sewer Authority, Okatie, SC; Curt Askeland, Hussey, Gay, Bell & DeYoung, Savannah, GA; Neil Smith, Mears Group, Inc., Houston, TX; and Richard (Bo) Botteicher, Underground Solutions, Inc., Denver, CO

Track 4 -Innovative New Installations

Rainbow Casino's Force Main Replacement Project 594

John M. Langhans, P.E., MSA Professional Services, Inc., Baraboo, WI and Bill Brennan, TT Technologies, Inc., Aurora, IL

Pilot Tube Microtunneling in Alaska 602

Michelle L. Ramos, P.E., L.E.G. Staheli Trenchless Consultants, Seattle, WA and Matt Steph, P.E. Steph Engineering, LLC, Anchorage, AK

Seven Years in the Making: The Challenges, Successes and Lessons Learned of the Fairwood Interceptor Project, King County, WA 611

Lori Jones Brown and Caldwell, Davis, CA; Julie Matteson, Brown and Caldwell, Seattle, WA; Brian Duncan, King County Department of Natural Resources and Parks, Seattle, WA; and Ron Sheadel, Cedar River Water and Sewer District, Renton, WA

Innovative Technique for On-Grade Gravity Sewer Applications 625

Ed Savage, Vermeer Manufacturing Company, Pella, IA; Samuel T. Ariaratnam, Del E. Webb School of Construction, Arizona State University, Tempe, AZ; Jim Rankin, Vermeer Manufacturing Company, Pella, IA; and Stuart Harrison, Bullseye Microtunnelling Pty Limited, Victoria, Australia

Track 1 - Rehabilitation Case Studies (Part II)

Calvert Cliff Nuclear Power Plant Utilizes Trenchless Technologies Under Extreme and Challenging Conditions 631

Mark R. Wallbom, Previously Senior Vice President, Miller Pipeline Corporation – currently CEO of Underground Imaging Technologies and John Huber, System Manager, Engineering, Calvert Cliff Nuclear Power Plant

Track 1 - Rehabilitation Case Studies (Part II) (cont'd)

- Non-Circular Sewer Liner Installation and Future Projects in Los Angeles** 644
Brad Jenson Bureau of Engineering, Department of Public Works, City of Los Angeles; Somsak Sasnakul, Bureau of Engineering, Department of Public Works, City of Los Angeles; and Harshad Shah,
- Using Design-Build to Rehabilitate a Military Base Sewer System** 654
Barbara Melcher, P.E., CDM and Michael Bantz, P.E., CDM
- Flower Street Sewer Project, A Case Study on Relocating a Sewer Away from Active Commuter Train Tracks and Reconnecting its House Connections** 662
Carlos Amaya, Department of Public Works, Bureau of Engineering, City of Los Angeles, CA; Hans Chang¹Department of Public Works, Bureau of Engineering, City of Los Angeles, CA; and Amie McElroy, Black & Veatch, Charleston, SC
- Risks Associated with CIPP Lining of Storm Water Pipes and the Release of Styrene** 672
Robert K. Lee, P.E., Malcolm Pirnie, Inc., King of Prussia, PA

Track 2 - Water Line Rehabilitation

- Field and Laboratory Study on Potable Water Renewal Using Cement Mortar Linings** 682
Mark A. Knight, Department of Civil and Environmental Engineering, University of Waterloo, Waterloo, ON; Keith Moggach, Royal Pipe Systems, Calgary, AB; and Kamran Sarrami, City of Toronto, Toronto, ON
- Epoxy Water Main Rehabilitation** 694
Joanne Hughes, Raven Lining Systems
- Quebec City Uses CIPP to Structurally Rehabilitate a 100 Year Old WaterMain** 702
Manon Gauthier, City of Quebec, Engineering, Quebec, QC, Canada and Joseph Loiacono, Sanexen Environmental Services Inc., Varennes, QC, Canada
- Close-Fit Water Main Renovation in Calgary** 710
Mike Luck, Capital Construction Coordinator Water Services, City of Calgary, Calgary, AB and George Bontus, P.Eng., Manger – Water, Insituform Blue, Insituform Technologies, Ltd., Edmonton, AB
- Developing Process, Procedures and Testing of a CIPP Liner for Rehabilitation of a Large Watermain** 720
Jean-Pierre Bossé, Eng., City of Montreal, QC, Canada and Georges Dorval, Eng., Aqua-Rehab Inc., QC, Canada

Track 3 - New Materials and Methods

- Lateral Pipe Bursting Focus for Inflow and Infiltration in Sanitary Sewer Systems** 726
Collins Orton, TT Technologies, Inc., Trenchless Product Specialist, TT Technologies, Aurora, IL
- The Next Generation of Lining Sewer Laterals** 730
Norman E. (Ed) Kampbell, Rehabilitation Resource Solutions, LLC, Hilliard, OH
- Testing the Influence of Construction Quality on Loading Capacity of Sewers Reconstructed with Unconstrained Linings According to Trolining Technology - Stage I: Laboratory Testing of Lining Test Pieces of Trolining** 735
Prof. Cezary Madryas and Tomasz Abel, M.Sc., Institute of Civil Engineering, Wrocław University of Technology, Wrocław, Poland
- Response of PVC Water Pipe During Concrete Sewer Replacement by Bursting** 744
John Cholewa, Richard Brachman and Ian Moore, GeoEngineering Centre, Queen's University

Track 4 - Challenging Ground Conditions for Microtunneling

- Challenges to microtunneling during the implementation of the WESS Stage W1 project** 752
Junhao Zou, Design and Construction, Drainage Services, AM&PW, The City of Edmonton, AB, Canada; Siri Fernando, Design and Construction, Drainage Services, AM&PW, The City of Edmonton, AB, Canada; and Simaan AbouRizk, Department of Civil and Environmental Engineering

Track 4 - Challenging Ground Conditions for Microtunneling (cont'd)

- Innovative Methods Tame Multi-Diameter Microtunneling Project** 761
Mark Bruce, President, Can Clay Corp., Cannelton, IN
- Emergency Design-Build Microtunneling** 774
James Kwong, Ph.D., P.E., Yogi Kwong Engineers, LLC, Honolulu, HI; Leighton Lum, Ph.D., P.E., R.M. Towill Corporation, Honolulu, HI; Reyn Hashiro, P.E., Yogi Kwong Engineers, LLC, Honolulu, HI; and Kealohi Sandefur, P.E., Yogi Kwong Engineers, LLC, Honolulu, HI
- Geotechnical Aspects of Microtunneling and TBM Tunneling** 784
Elizabeth M. Dwyre, P.E., PB Americas, Inc., Indianapolis, IN; Robert A. McKim, Ph.D., PB Americas, Inc., Indianapolis, IN; John Morgan, City of Indianapolis Department of Public Works, Indianapolis, IN; and Stephen R. Nielsen, P.E., EarthTech, Indianapolis, IN
- New Dimensions in Guidance and Monitoring for Pipe Jacking and Microtunneling** 794
Stefan Trümpi-Althaus, Ph.D. ETH Zürich, Civil Engineer, CEO Jackcontrol AG, Switzerland

Track 1 - Asset Management

- Evaluation of DOT Practices in the United States for Rehabilitation of Transportation Drainage Structures** 804
Syadaruddin Syachrani, Graduate Research Assistant, School of Civil & Environmental Engineering, Oklahoma State University, Stillwater, OK; Vajra Rai, Graduate Research Assistant, School of Civil & Environmental Engineering, Oklahoma State University, Stillwater, OK; and Hyung Seok "David" Jeong, Assistant Professor, School of Civil & Environmental Engineering, Oklahoma State University, Stillwater, OK
- The Role of Preventative Maintenance in Establishing an Asset Management Program** 813
John Fletcher, Mid Atlantic Regional Manager, Duke's Root Control, Inc. and Darryl Macy, Distribution and Conveyance Manager, Macon County Water Authority
- Storm Sewer Rehabilitation Pilot Program: Results of Condition Assessment and Rehabilitation** 821
Seth Finnicum, Malcolm Pirnie Inc, Wilmington, D.E.; Paul J. Batman, Malcolm Pirnie Inc, Wilmington, D.E.; and James W. Shelton, P.E. Malcolm Pirnie Inc, Wilmington, D.E.
- Analyzing Risk and Cost to Society of Tunnel Alternatives** 829
Neal Allen, Carollo Engineers, Sacramento, CA and Dave Ocenosak, Sacramento Regional County Sanitation District, Sacramento, CA
- Enhancing Subsurface Characterization Through the Use of 3D Underground Imaging** 835
Christopher R. Proulx, TBE Group, Inc., Clearwater, FL and Gary N. Young, P.G., Underground Imaging Technologies, Inc., El Paso, TX

Track 2 -Water Line Rehabilitation

- Integrated Leak Detection at Dallas Water Utilities** 843
Randall Payton, Dallas Water Utilities, Dallas, TX and Cliff Jones, Pressure Pipe Inspection Company, Mississauga, Canada
- Case Studies for Free Swimming Acoustic Leak Detection System** 849
David W. Kurtz, P.E., Regional Manager, Pure Technologies, Dallas, TX
- Planning the Rehabilitation of the LVVWD Distribution Network Using CARE-W** 858
James F. Ciesielski, P.E., Maintenance Engineer, P.E., Las Vegas Valley Water District, Las Vegas, NV; Annie Vanrenterghem-Raven, Ph.D., Research Assistant Professor, Polytechnic University, Dept of CE, Brooklyn, NY; and Sigurd Hafskjold, SINTEF Building and Infrastructure, Water and Environment, Trondheim, Norway
- Slip-Lining 42-inch Water Transmission Main City of Huntington Beach** 867
Vern Phillips, P.E., Senior Vice President, Harris & Associates, Seattle, WA and Cindy Preuss, P.E., Project Manager, Harris & Associates, Concord, CA

Track 3 - Innovations in Gas Technologies

- UV Curing for Natural Gas Liners** 876
George Ragula, Public Service Electric & Gas Company (PSE&G), Newark, NJ and Alicia Farag, Gas Technology Institute (GTI), Des Plaines, IL
- Trenchless Pipe Splitting and Keyhole Technologies** 886
Brian A. Mattson, Gas Technology Institute (GTI)
- Development of a “Smart” Impact Mole to Support Keyhole Construction** 893
David Hall, Trenchless Technology Center, Louisiana Tech University, Ruston, LA; Erez Allouche, Trenchless Technology Center, Louisiana Tech University, Ruston, LA; Dennis Jarnecke, Gas Technology Institute, Des Plaines, IL ;Michael Swanbom, Trenchless Technology Center, Louisiana Tech University, Ruston, LA; and Fernando Puno, Trenchless Technology Center, Louisiana Tech University, Ruston, LA
- Working Outside the Right-of-Way: Social, Political and Legal Implications** 903
Paul J. Batman, Malcolm Pirnie, Inc., Wilmington, D.E.; James W. Shelton, P.E., Malcolm Pirnie, Inc., Wilmington, D.E.; and David Hofer, P.E., Department of Special Services, New Castle County, D.E.
- Why Partnerships Among Public Works Agencies, Universities and Industry Make Sense** 911
Raymond L Sterling, Ph.D., P.E., Trenchless Technology Center, Louisiana Tech University, Ruston LA

Track 4 - Auger Boring and Pipe Ramming

- Guaranteed Accuracy and Longer Drives: Using PTMTS with Auger Boring Rigs** 919
Laura Anderson, Akkerman Inc., Brownsdale, MN
- Novel Solutions for Successful Large Diameter Boring Projects** 926
Arvid Veidmark, III, Owner/Senior Estimator, Specialized Services Company, Phoenix, AZ
- Walnut Creek Annexation, Austin, TX** 936
Tracy J. Lyman, Principal, Lyman Henn, Inc., Denver, CO; David A. Bixler, Senior Engineer, ESP Associates, Charlotte, NC; Julia Harrod, Principal, MWM Design Group, Austin, TX; and Tina Van Wie Project Manager, City of Austin, Austin, TX
- Pneumatic Pipe Ramming For Sub Rail Line Drainage Casing Installations** 944
Jim Moore, Trenchless Product Specialist, TT Technologies, Aurora, IL.