

SMTA International Conference 2010

**Orlando, Florida, USA
24-28 October 2010**

Volume 1 of 2

ISBN: 978-1-61782-002-1

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2010) by Surface Mount Technology Association (SMTA)
All rights reserved.

Printed by Curran Associates, Inc. (2010)

For permission requests, please contact Surface Mount Technology Association (SMTA)
at the address below.

Surface Mount Technology Association (SMTA)
5200 Wilson Road
Suite 215
Edina, MN 55424

Phone: (952) 920-4682
Fax: (952) 926-1819

www.smta.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

ET1: MEMS AND IMAGE SENSOR ASSEMBLY PROCESSING AND RELIABILITY

Chair: Steve Greathouse, Co-Chair: Lars Boettcher

| | |
|--------------------------------------------------------------------------------------------------------------------------|----|
| The Encapsulation of MEMS/Sensors on Package Level and Wafer Level With Film Assisted Molding Technology | 1 |
| <i>Ton van Weelden, Lingen Wang</i> | |
| Reliability Testing of Linear Image Sensor Devices | 7 |
| <i>Awni Qasaimeh, Mridula Gosavi, Susan Lu, Bahgat Sammakia, Mike Joyner, Mike Sullivan, Jeff Zarnowski</i> | |
| Biocompatible Polymer Composite Material for Highly Sensitive Point of Care BioMEMS Microcantilever Sensors | 17 |
| <i>Arvind Sai Sarathi Vasani, Ravi Doraiswami, Michael Pecht</i> | |

ET2: ADVANCED PACKAGES AND PROCESSES

Chair: Andrew Perkins, Co-Chair: Brian Roggeman

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| A Cost Effective Process for Edge Protection of Wafers and Fabrication of Through-Silicon Vias Using Wet Etching of Silicon | 27 |
| <i>Ramachandran K. Trichur, Gary J. Brand, Curtis Planje, Xie Shao</i> | |
| Challenges of Packaging Cd-Zn-Te (CZT) Detectors | 33 |
| <i>Charles G. Woychik, Brian D. Yanoff, James E. Simpson, Jay Cao, Ian M. Spinelli, Vincent S. Smetkowski, James Adrance, Lawrence Harvilchuck, Brian Roggeman, George Westby</i> | |
| Overcoming Complex Manufacturing Issues With RF MMIC Products: A Case Study | 40 |
| <i>Steve Greathouse, Jennifer Davisson, Gary Catlin, Jared Stockett, Teri Whipple, Richard Garcia, Steve Abrahamson, Jim Spinuzzi</i> | |
| Development of a Packaging System for Clinical Evaluation of a Nanocomposite-Based Neural Electrode Array Fabricated from a Chemoresponsive Polymer Substrate | 47 |
| <i>Andrew Barnes, Allison Hess, Christian Zorman, Mondhita Diewilai</i> | |

ET KEYNOTE LUNCH

Chair: Reza Ghaffarian

| | |
|-------------------------------------------------------------------------------------|----|
| Reading the Fine Print: Challenges and Outlook for Printed Electronics | 56 |
| <i>Charles E. Bauer, Herbert J. Neuhaus</i> | |

ET3: PRINTED ELECTRONICS: SOLAR, LIGHTING, BATTERIES, ETC.

Chair: Alexander Zeitler, Co-Chair: Jeff Kennedy

| | |
|----------------------------------------------------------------------------------------|----|
| Organic and Printed Electronics - A View From the Traditional Marketplace | 61 |
| <i>David Baron, Frank Bruening, Robin Taylor</i> | |
| Printed Electronics for Flexible Solid State Lighting | 71 |
| <i>Marc Chason</i> | |
| Applications Methods and Material Sets for Printed Electronics | 77 |
| <i>Daniel Fenner</i> | |

HE1: PB-FREE TECHNOLOGY INSERTION

Chair: John Evans, Co-Chair: Heather McCormick

| | |
|---------------------------------------------------------------------------|----|
| The Pb-Free in Electronics Risk Mitigation (PERM) Consortium | 84 |
| <i>Anthony J. Rafanelli</i> | |
| Overview of New DoD Reliability Revitalization Initiatives | 92 |
| <i>James G. McLeish</i> | |

HE2: COMPONENT PACKAGING CHALLENGES IN HARSH ENVIRONMENTS

Chair: Salvatore Rampaul-Pino, Co-Chair: Larry Wang

| | |
|--------------------------------------------------------------------------------------------------------------------|-----|
| High Temperature Electronics Packaging Technology for Signal Conditioning and Processing Circuits | 99 |
| <i>S.T. Riches, C. Johnston, M. Sousa, P. Grant, D. Shepherd</i> | |
| Resistance of Common PWB Surface Finishes Against Corrosion in Harsh Environments | 105 |
| <i>Mustafa Özkök, Mario Gensicke, Guenter Heinz, Hugh Roberts, Joe McGurran</i> | |
| Harsh Environment Impact on Resistor Reliability | 114 |
| <i>Marie Cole, Lenas Hedlund, George Hutt, Tibor Kiraly, Levente Klein, Steve Nickel, Prabjit Singh, Tim Tofil</i> | |

HE3: ORGANIC MATERIALS ADAPTED FOR HARSH ENVIRONMENTS

Chair: Larry Wang, Co-Chair: Salvatore Rampaul-Pino

| | |
|------------------------------------------------------------------------------------------|-----|
| Harsh Environments and Volatiles in Sealed Enclosures | 123 |
| <i>Robert K. Lowry, Richard C. Kullberg, Daniel J. Rossiter</i> | |
| An Evaluation of Sealants Used in Photovoltaic (PV) Module Manufacture | 130 |
| <i>Jasbir Bath, Mike Moreau, Martin Gershenson, Cathy He, Yinbai Li, Miaosheng Zheng</i> | |

HE4: INTERCONNECTION RELIABILITY

Chair: Heather McCormick, Co-Chair: John Evans

| | |
|------------------------------------------------------------------------------------------------------------------------------------|-----|
| Ball Grid Array Component Failure Analysis for High Reliability Electronic Systems | 134 |
| <i>J. Scott Nelson</i> | |
| High Reliability Bond Pads | 142 |
| <i>Terence Collier, Bal Benavidez, Indira Gubeljic</i> | |
| Interrogation of Damage-State in Lead-Free Electronics Under Sequential Exposure to Thermal Aging and Thermal Cycling | 148 |
| <i>Pradeep Lall, Rahul Vaidya, Vikrant More, Kai Goebel</i> | |

LF1: NASA-DOD LEAD-FREE ELECTRONICS PROJECT: OVERVIEW AS WELL AS DROP TEST AND MECHANICAL SHOCK TEST DATA

Chair: Paul Vianco, Co-Chair: Thomas Woodrow

| | |
|-----------------------------------------------------------------------------------------------------------------------------|-----|
| NASA-DoD Lead-Free Electronics Project: Overview | 162 |
| <i>Kurt Kessel</i> | |
| Drop Test Assessment of a Medium Complexity Assembly for High Reliability Applications | 169 |
| <i>P. Snugovsky, J. Bragg, Z. Bagheri, M. Romansky, A. Ganster, W. Russell, J. P. Tucker, C. A. Handwerker, D. D. Fritz</i> | |
| NASA/DoD Lead-Free Electronics Project: Mechanical Shock Test | 185 |
| <i>Thomas A. Woodrow</i> | |

LF2: NASA DOD LEAD-FREE REPORT AND UPDATE (PART 2)

Chair: Matt Kelly, Co-Chair: Paul Vianco

| | |
|----------------------------------------------------------------------------------------|-----|
| NASA-DoD Combined Environments Testing Results | 210 |
| <i>Cynthia Garcia</i> | |
| NASA-DoD Lead-Free Electronics Project: Vibration Test | 223 |
| <i>Thomas A. Woodrow</i> | |
| NASA DoD -55⁰C to +125⁰C Thermal Cycle Test Results | 255 |
| <i>Dave Hillman, Tim Pearson, Ross Wilcoxon</i> | |

LF3: THE IMPACT OF LEAD-FREE MATERIALS AND SOLDERING PROCESSES ON PRINTED WIRING ASSEMBLIES

Chair: Dave Hillman, Co-Chair: Gus Rinella

| | |
|----------------------------------------------------------------------------------------------------------------------------|-----|
| Lead-Free HASL: Balancing Benefits and Risks for High Complexity High Reliability Server and Storage Hardware | 262 |
| <i>Matthew Kelly, Jeffrey Taylor, Brett Krull, Marie Cole, Tom Truman</i> | |

Mechanical Failures in Pb-Free Processing: Selected Mitigation Techniques for Pad Crater Defects 273
Brian Gray, John McMahon

High Complexity Lead-Free Wave and Rework: The Effects of Material, Process and Board Design on Barrel Fill 278
Craig Hamilton, John McMahon, Jose Traya, Wang Yong Kang, Khoo Kok Wei, Matthew Kelly, Marie Cole

LF4: LEAD-FREE SOLDER JOINT RELIABILITY: IMPACT OF ALLOY COMPOSITION, DESIGN AND LOAD PARAMETERS

Chair: Jean-Paul Clech, Co-Chair: Kola Akinade

Solder Joint Reliability of Pb-Free Tin-Silver-Copper Ceramic Ball Grid Array (CBGA) Packages as a Function of Cooling Rate and Silver Content 291
Richard Coyle, Peter Read, Debra Fleming, Richard Popowich, Robert Kinyanjui, Jonathon Shirey, Mulugeta Abtew, Iulia Muntele, John Manock

New Developments in High-Temperature, High-Performance Lead-Free Solder Alloys 302
Anton-Zoran Miric

Combinatorial Effects of Electromigration and Low Cycle Fatigue 308
Christopher Hunt, Davide Di Maio, Charles Murdock, Owen Thomas

EMS1: OUTSOURCING STRATEGIES: NICHE REQUIREMENTS AND EMS BEST PRACTICES

Chair: Mike Buetow, Co-Chair: Sue Mucha

ODM or EMS: Which Choice is Best for Your Project? 313
Jim Chen

How Efficient Is Your High Mix EMS Supplier 316
Dave Cesar, Roy Starks

Outsourcing LED PCB Manufacture 321
Scott Mauldin

EMS2: EMS SEGMENT FOCUS: AEROSPACE/DEFENSE

Chair: Sue Mucha, Co-Chair: Mike Buetow

Understanding Differences Between Defense OEM/CEM and Traditional CEM Business Models 324
Allan B. Day

ITAR Compliance – Challenges and Benefits in an Outsourced Relationship 328
Joe O'Neil

Practical Issues and Solutions for Handling Plastic Encapsulated Microcircuits (PEMs) 330
Rick Iodice

AAT1: PACKAGE ON PACKAGE ASSEMBLY OPTIMIZATION

Chair: Randy Schueller, Co-Chair: Andrew Mawer

An Investigation into the Development of Lead-Free Solder Paste for Package on Package (PoP) Component Manufacturing Applications 333
Jasbir Bath, Manabu Itoh, Gordon Clark, Masatoshi Fuji, Hajime Takahashi, Roberto Garcia

Selection of Dip Transfer Fluxes and Solder Pastes for PoP Assembly 338
Yan Liu, Pamela Fiacco, Derrick Herron, Ning-Cheng Lee

Surface Mount Performance of 0.4mm-Pitch Solder Joints With Focus on Stacking Materials and Processes for Package-on-Package Applications 341
Jason Brand, Myung Jin Yim, Nanette Quevedo, Maria Ospina, Ravikumar Adimula, Cenon Dayawon

Analysis of the Influence of Reflow Profile Parameters on Package on Package (PoP) Component Assembly 347
Rangaraj Dhanasekaran, Harish Gadepalli, S. Manian Ramkumar

AAT2: MECHANICAL AND ELECTRICAL CHARACTERIZATION OF PACKAGE ON PACKAGE SYSTEMS

Chair: Sheldon Schwandt, Co-Chair: Heather McCormick

| | |
|-------------------------------------------------------------------------------------------------------------------------|-----|
| Temperature Cycling of Pb-Free and Mixed Solder Interconnections Used on a Package-on-Package Test Vehicle | 354 |
| <i>P. T. Vianco, J. M. Grazier, J. A. Rejent, A. C. Kilgo, F. Verdi, C. Meola</i> | |
| Characterization of Thermal-Electrical and Mechanical Behaviour of PoP | 367 |
| <i>K. Weide-Zaage, L. Meinshausen, H. Frémont</i> | |
| Thermal Cycling Reliability of Package on Packages Assembled by One-Pass and Two-Pass Techniques | 376 |
| <i>Nicholas Williard, Preeti Chauhan, Vikram Srinivas, Michael Osterman, Michael Pecht, Robert Farrell</i> | |

AAT3: ASSEMBLY CHALLENGES WITH BGA/LGA

Chair: Andrew Mawer, Co-Chair: Ken Gilleo

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Land and Solder Grid Array SMT Assembly Challenges | 384 |
| <i>Dudi Amir</i> | |
| Head-in-Pillow: Alarm Still Ringing? A Continuation Study on Known Chemical and Mechanical Factors in BGA Non-Wet | 392 |
| <i>Masato Shimamura, Tomoko Nonaka, Tetsuya Okuno, Satoru Akita, Derek Daily</i> | |
| A Reliability Comparison of SAC305 and SAC105 Plastic Ball Grid Arrays Assembled with Backward Compatible Soldering Processes | 400 |
| <i>Richard Coyle, Peter Read, Richard Popowich, Debra Fleming, Heather McCormick, John Osenbach</i> | |

AAT4: ASSEMBLY OF BOTTOM TERMINATION COMPONENTS

Chair: Lee Smith, Co-Chair: Hugh Roberts

| | |
|--------------------------------------------------------------------------------------------|-----|
| Quad Flat No Lead (QFN) Package Processing in High Thermal Mass Assembly | 408 |
| <i>Jinda Songnintuck, Theeraphong Kanjanupathum, Teng Hoon Ng</i> | |
| NiPdAu Plating Qualification of RF-IC Packages | 415 |
| <i>Mumtaz Y. Bora</i> | |
| Room Temperature LED and D-Pack Type Component-Attach and Reliability Testing | 422 |
| <i>T. Acchione, M. Scalzo</i> | |

AAT5: EFFECT OF PCB SURFACE FINISH ON LEAD-FREE SOLDER JOINT RELIABILITY

Chair: Pradeep Lall, Co-Chair: Denis Jean

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Process Development and Reliability Study With Anisotropic Conductive Film Bonding with Multiple Types of PCB Surface Finishes | 426 |
| <i>Jenson Lee, David Geiger, Dongkai Shangguan</i> | |
| Effect of PCB Surface Finishes on Lead-Free Solder Joint Reliability | 433 |
| <i>Xu Zheng, Hongfeng Ran, Lei Wang, Hao Kou, Yexiang Ning, Bei Wang, Zuyao Liu</i> | |
| Effect of Multiple Reflow Cycles on Solder Joint Formation and Reliability | 444 |
| <i>Ranjit Pandher, Ashok Pachamuthu</i> | |

AAT6: BGA RELIABILITY ISSUES AND EVALUATION TECHNIQUES

Chair: Marie Cole, Co-Chair: Scott Butars

| | |
|------------------------------------------------------------------------------------------------------------------|-----|
| Residual-Life Estimation of Lead-Free Electronics in Shock and Vibration Using Kalman Filter Models | 450 |
| <i>Pradeep Lall, Ryan Lowe, Kai Goebel</i> | |
| The Influence of Solder Void Location on BGA Thermal Fatigue Life | 464 |
| <i>Richard Coyle, Peter Read, Richard Popowich, Heather McCormick, John Osenbach</i> | |
| Evaluation of Thermal Interface Material Performance in a Cyclic Strain Environment | 473 |
| <i>Joe Doman, Eddie Kobeda, Jim Bielick, Joe Kuczynski, Tim Tofil, Mike Vaughn</i> | |

AAT7: INTERCONNECTION RELIABILITY UNDER DROP/SHOCK AND VIBRATION LOADING

Chair: Richard Coyle, Co-Chair: Brian Roggeman

| | |
|-------------------------------------------------------------------------------------------------|-----|
| Evaluation of Defects in Lead-Free BGA Solder Joints Under Random Vibration Stress | 482 |
| <i>Anurag Bansal, Kuo-Chuan Liu, Jie Xue</i> | |
| Next Generation Board Level Underfill (BLUF) for Fine Pitch BGA and POP | 489 |
| <i>Siang Miang Yeo, Cheng Siew Tay, Ching Ching Chong, Jin Siang Beh</i> | |

VOLUME 2

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Survivability Assessment of Advanced Interconnects and Lead-Free Electronics Subjected to Shock and Vibration with XFEM and CZM | 495 |
| <i>Pradeep Lall, Mandar Kulkarni, Arjun Angral</i> | |

DCA1: NEW APPROACH TO SOLDER BUMPING AND OPTIMIZATION OF SI-ON-SI ASSEMBLY

Chair: Charles Woychik, Co-Chair: Anurag Bansal

| | |
|----------------------------------------------------------------------------------------------------------------------------|-----|
| Polyimide-Over-UBM Process: The Challenges and Solutions on Plating Bump Process | 511 |
| <i>Roden Topacio</i> | |
| Pb-Free Reflow Profile Process Study for High Yield, High Reliability Flip Chip on Silicon Substrate Assembly | 519 |
| <i>Zhaozhi Li, John L. Evans, Sangil Lee, Daniel F. Baldwin, Brian J. Lewis, Paul N. Houston, Gene Stout, Ted Tessier</i> | |

DCA2: NEW APPLICATIONS AND PROCESSES

Chair: Don Banks, Co-Chair: Lars Boettcher

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Packaging High Density Capacitive Micro-Machined Ultrasonic Transducers (cMUT) Sensor Arrays Using HyperBGA® Technology – Part II | 527 |
| <i>Robert Wodnicki, Charles G. Woychik, Kai Thomenius, Glen Thomas, Irv Memis, Ulises Penaherrera, Barry Bonitz, Todd Davies</i> | |
| Next Generation System in a Package Manufacturing | 534 |
| <i>Lars Boettcher, Andreas Ostmann, Dionysios Manassis, Stefan Karaszkievicz, Herbert Reichl</i> | |
| Thermal Warpage of Flip-Chip Plastic Ball Grid Array Component: Experiment and Modeling | 541 |
| <i>A. Shirazi, H. Lu, A. Varvani-Farahani</i> | |

SMT1: ADVANCES IN STENCIL TECHNOLOGIES FOR FINE/ULTRAFINE PITCH PRINTING

Chair: Joseph Belmonte, Co-Chair: Denis Barbini

| | |
|-------------------------------------------------------------------------------------------------------|-----|
| Stencil Enabling Processes for Small Area Ratio's | 550 |
| <i>William E. Coleman</i> | |
| Stencil Performance Comparison | 563 |
| <i>Richard Lieske</i> | |
| Stencil Technologies for Small Aperture Printing | 564 |
| <i>Kevin Liticker</i> | |
| Characteristics and Potentials of Nano-Coated Stencils for Stencil Printing Optimization | 570 |
| <i>Michael Rösch, Jörg Franke, Carmina Lüntzsch, Georg Kleemann</i> | |

SMT2: CLEANING FOR TODAY'S CHALLENGING DESIGNS

Chair: Linda Woody, Co-Chair: Laura Turbini

| | |
|-----------------------------------------------------------------------|-----|
| Benchmark Study: pH-Neutral vs. Alkaline Cleaning Agents | 577 |
| <i>Harald Wack, Umut Tosun, John Neidermann, John Radmann</i> | |

| | |
|----------------------------------------------------------------------------------------------|-----|
| Issues and Concerns in Cleaning Under Low Profile Components | 587 |
| <i>Rich Brooks, Mike Bixenman</i> | |
| Big Cleaning Job vs. Small Cleaners: The Advantages and Pitfalls of Going Small | 595 |
| <i>Eric Camden</i> | |
| Clean "No-Clean" or Use a Water Wash Solder Paste? | 599 |
| <i>Gerjan Diepstraten, Tim Lawrence</i> | |

SMT3: CLEANLINESS MEASUREMENT AND MONITORING ISSUES

Chair: Dale Lee, Co-Chair: Mumtaz Bora

| | |
|-----------------------------------------------------------------------------------------------|-----|
| How Clean is Clean | 605 |
| <i>Graham Naisbitt</i> | |
| Ionic Contamination Extraction Effectiveness and Correlation of Analysis Methods | 609 |
| <i>Pravin Sequeira, Kantesh Doss, Arnold Hogrefe, Minh Nguyen</i> | |
| Validation of a New "R.O.S.E." Cleanliness Test Method | 614 |
| <i>Curtis Hart, Steve Stach, Mike Bixenman</i> | |

SMT4: CONQUERING BROADBAND STENCIL PRINTING CHALLENGES

Chair: Jeff Schake, Co-Chair: Denis Jean

| | |
|------------------------------------------------------------------------------------------|-----|
| New Developments in Broadband Printing Techniques | 621 |
| <i>Mark Whitmore, Clive Ashmore</i> | |
| Evaluation of Nano-Coated Stencil for Ultra Fine Pitch Component Assembly | 627 |
| <i>Rita Mohanty, Rajiv Iyer, Sharan Hoogar, Daryl Santos</i> | |
| Specification Limits Review for Solder Paste Stencil Print Inspection (SPI) | 633 |
| <i>David Sbiroli, Ed Briggs, Chris Anglin</i> | |

SMT5: REFLOW AND SOLDERING TECHNOLOGIES

Chair: Tom Zanatta, Co-Chair: Derek Daily

| | |
|--------------------------------------------------------------------------------------------------------------------------------|-----|
| A Standardized Method to Evaluate Process Material Compatibility With In-Circuit Test in High Complexity Assembly | 640 |
| <i>John McMahon, Simin Bagheri, Lynn Klev</i> | |
| Supporting Component Self-Alignment by Forced Oscillation During Reflow Soldering | 645 |
| <i>Florian Schüßler, Michael Pfeffer, Stefan Härter, Jörg Franke</i> | |
| Experiences in Transferring Recipes from an Eight Zone Reflow Oven to a Ten Zone Oven-Unexpected Savings | 652 |
| <i>Fred Dimock</i> | |

SMT6: SOLVING SOLDER VOIDING AND OTHER SOLDER PROBLEMS

Chair: Laura Turbini, Co-Chair: Dan Baldwin

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Four Ways to Reduce Voids in BGA/CSP Package to Substrate Connections | 655 |
| <i>Michael A. Previti, Mitch Holtzer, Tom Hunsinger</i> | |
| An Investigation Into the Development of Tin-Lead and Lead-Free Solder Pastes to Reduce Voiding in Large Contact Area Power Transistor/QFN Type Components | 663 |
| <i>Jasbir Bath, Manabu Itoh, Gordon Clark, Noriyoshi Uchida, Hajime Takahashi, Roberto Garcia</i> | |
| Applications of Solder Fortification with Preforms | 669 |
| <i>Carol Gowans, Ronald Lasky</i> | |

MFX1: CONFORMAL COATING FOR TODAY'S ELECTRONICS INDUSTRY

Chair: Jason Keeping, Co-Chair: Mike Nadreau

| | |
|-----------------------------------------------------------------------------------------------|-----|
| How to Deal With Problem Areas for Selective Conformal Coating | 673 |
| <i>Arjen Koppens, Ad van Dinter</i> | |
| Moisture-Cure Polyurethanes – Latest Developments in VOC-Free Conformal Coatings | 676 |
| <i>Jade P. Bridges</i> | |
| Ultraviolet Conformal Coating Process Development | 684 |
| <i>Corey Peterson</i> | |

| | |
|-----------------------------------------------------------------------------------------------------------------------|-----|
| Environment-Friendly Vapor Phase Conformal Insulation Options for Reliability Improvement of Electronics | 691 |
| <i>Rakesh Kumar</i> | |

MFX2: ALTERNATE LEAD-FREE ALLOYS: MATERIALS AND PROCESSES

Chair: Ron Lasky, Co-Chair: Phil Zarrow

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Low-Silver BGA Assembly, Phase 2 - Reliability Assessment, Sixth Report: Thermal Cycling Results for Unmixed Joints | 698 |
| <i>Gregory Henshall, Michael Fehrenbach, Chrys Shea, Quyen Chu, Girish Wable, Ranjit Pandher, Ken Hubbard, Gnyaneshwar Ramakrishna, Ahmer Syed</i> | |
| The Development of an Improved Tin-Zinc Solder | 710 |
| <i>Keith Sweatman, Takashi Nozu, Tetsuro Nishimura</i> | |
| The Effect of Silver Content on the Solder Joint Reliability of a Pb-Free PBGA Package | 716 |
| <i>Richard Coyle, Peter Read, Richard Popowich, Debra Fleming, Heather McCormick, John Osenbach, John Manock</i> | |

MFX3: HIGH SPEED CONNECTOR ATTACHMENT TECHNOLOGY

Chair: Jim Zanolli, Co-Chair: Heather McCormick

| | |
|-----------------------------------------------------------------------------------------------------------------|-----|
| Press-Fit Interconnection Assembly Challenges and Solutions | 723 |
| <i>Phil Isaacs, Sven Peng, H.M. Chan, Wai Mun Lee, Alex Chen</i> | |
| Long-Term Reliability Assessment of a New Lead-Free Area Array Connector System | 729 |
| <i>Takeshi Saito, Nobuhiro Tamai, Takashi Kikuchi, Gnyaneshwar Ramakrishna, Chrys Shea, Jean-Paul Clech</i> | |
| New Solder Attach in Area Array Connector: Assessing the Reliability of Solder Charge SMT Assembly | 746 |
| <i>Theeraphong Kanjanupathum, Teng Hoon Ng, Adam Stanczak</i> | |

MFX4: LEAD-FREE WAVE SOLDERING PROCESS FOR TODAY’S CHALLENGES

Chair: Ursula Marquez de Tino, Co-Chair: Chris Nash

| | |
|-------------------------------------------------------------------------------------------------------------------------------|-----|
| Lead-Free Wave Soldering for Process and Product Design Improvement in SnCu Alloys | 754 |
| <i>Juthathip Fangkangwanwong, Mongkhol Phuhattsuan, Teng Hoon Ng</i> | |
| Challenges in Lead-Free Wave Soldering | 761 |
| <i>Sunil Gopakumar, Francois Billaut, Eric Fremd, Chris Chu, K. Y. Tsai, Chu Lin, Toyma Lee, Jasbir Bath</i> | |
| iNEMI Lead-Free Wave Soldering Project: An Investigation of Reliability of Through-Hole Electrical Interconnects | 769 |
| <i>Denis Barbini, Denis Jean, Stuart Longgood, Keith Howell, Jian Miremadi</i> | |

MFX5: HEAD-IN-PILLOW COMPONENT SOLDERING DEFECTS

Chair: Jasbir Bath, Co-Chair: Chrys Shea

| | |
|-------------------------------------------------------------------------------------------------------|-----|
| A Procedure to Determine Head-in-Pillow Defect and Analysis of Contributing Factors | 777 |
| <i>Ranjit Pandher, Rahul Raut, Michael Liberatore, Navendra Jodhan, Karen Tellefsen</i> | |
| Testing and Prevention of Head-In-Pillow | 784 |
| <i>Yan Liu, Pamela Fiacco, Ning-Cheng Lee</i> | |
| Effects of Component Warpage on Board Assembly Defects and Effective Mitigation Measures | 789 |
| <i>Peng Su, Guhan Subbarayan</i> | |

MFX6: SOLAR MODULE MANUFACTURING

Chair: Chrys Shea, Co-Chair: Irene Sterian

| | |
|----------------------------------------------------------------------------------------------------------------|-----|
| SMT Challenges in Alternative Energy | 795 |
| <i>Alan Rae</i> | |
| Fabrication of Low Cost Flexible Solar Cells Using Solution-Based Coating Techniques | 798 |
| <i>Joseph Weiss, Peter Kariuki, Jasper Chiguma, Jessica Gendron, Babak Arfaei, Peter Borgesen, Wayne Jones</i> | |

BUS1: MANAGING THE ESCALATING INDIRECT MATERIAL COSTS FOR HIGH-RELIABILITY APPLICATIONS

Chair: Gary Tanel, Co-Chair: Jim Baker

| | |
|-----------------------------------------------------------------------------------------------------------------------------|-----|
| Bridging Supply Chain Gap for Exempt High-Reliability “OEM’s” Tin Whisker Mitigation and Counterfeit Detection | 805 |
| <i>Nicholas Leonardi</i> | |
| Moisture and Contamination Considerations for Long Term Storage of End of Life Electronic Components | 811 |
| <i>Lee Melatti</i> | |
| Electronic Product Assembly in the Global Marketplace: The Material Piece of the Competitive Puzzle | 814 |
| <i>Tom Borkes</i> | |

SUB1: ENVIRONMENTAL FACTORS INFLUENCING PCB CREEP CORROSION AND MITIGATION STEPS TO PREVENT IT

Chair: Lenora Toscano, Co-Chair: Anil Kurella

| | |
|-------------------------------------------------------------------------------------------------------|-----|
| Mixed Flowing Gas Test Procedures for Creep Corrosion and How To Minimize Its Occurrence | 825 |
| <i>Barry S. Hindin</i> | |
| PCB Creep Corrosion and Board Design Considerations | 832 |
| <i>He Jingqiang, Gao Feng, Tu Yunhua, Liu Sang</i> | |
| Silver Corrosion in High Sulfur Environments | 837 |
| <i>James S. Tonge</i> | |

SUB2: THE RELIABILITY OF HIGH DENSITY INTERCONNECTION (HDI) PCBs FOR COMPLEX ELECTRONICS

Chair: John Davignon, Co-Chair: Matthew Seal

| | |
|---------------------------------------------------------------------------------|-----|
| Reliability Issues Caused by Bending HDI Flexible Circuits | 842 |
| <i>John Dzarnoski, Kexia Sun</i> | |
| Use of Non Etching Adhesion Promoters in Advanced PCB Applications | 848 |
| <i>Roger Massey, Adrian Zee</i> | |
| New Copper Electrolytes for Blind Microvia Filling | 855 |
| <i>Michael Dietterle</i> | |

SUB3: LATEST DEVELOPMENTS IN SURFACE FINISHES

Chair: Jim Kenny, Co-Chair: Steve Vandervoort

| | |
|---------------------------------------------------------------------------------------|-----|
| Considerations for Selecting a Printed Circuit Board Surface Finish | 863 |
| <i>Randy Schueller</i> | |
| A New Surface Finish for the Electronics Industry | 871 |
| <i>Ernest Long, Lenora Toscano</i> | |
| Latest Developments in Surface Finishing of PCBs Using Plasma Deposition | 878 |
| <i>Tim von Werne, Andy Brooks, Siobhan Woollard</i> | |

SUB 4: PALLADIUM CONTAINING SURFACE FINISH

Chair: Raiyo Aspandiar, Co-Chair: Robert Kinyanjui

| | |
|------------------------------------------------------------------------------------|-----|
| Electroless Palladium as a PCB Surface Finish – “The Re-Introduction” | 884 |
| <i>Jim Trainor</i> | |
| The Benefits of ENEPIG with Pure Pd for Gold Wire Bonding | 893 |
| <i>Mustafa Özkök, Gustavo Ramos, Dieter Metzger, Hugh Roberts</i> | |
| A Study of the ENEPIG IMC for Eutectic and LF Solders | 897 |
| <i>G. Milad, D. Gudczauskas, G. O’Brien, A. Gruenwald</i> | |

PRC1: USING AUTOMATED OPTICAL INSPECTION (AOI) AND AUTOMATED X-RAY INSPECTION (AXI) TO REDUCE COST THROUGH PROCESS CAPABILITY AND CONTROL

Chair: Tom Borkes, Co-Chair: Rod Howell

Comparison of Various Metrologies to Measure Voids in X-Ray Images of High Density BGA Package Solder Balls..... 905
Ife Hsu, Raiyo Aspandiar, Sherstin Mortensen, Christine Blair, Dong Ming, Keith Newman, Isabel de Sousa, Patrick Thompson

AOI in an 01005 World..... 915
Galen Alexander, Cathy Combet, Ming-Ming Chang

PRC2: STRATEGIES FOR OPTIMIZING AOI AND X-RAY INSPECTION

Chair: Tim Kruse, Co-Chair: Peter Biocca

Real Life X-Ray Inspection for BGAs, QFNs, Counterfeit Components and 3D Packages..... 923
Evstatin Krastev, David Bernard

Zero-defect Strategies With Combined Optical and X-Ray Inspection (AOI/AXI)..... 930
Carsten Salewski, Jesper Lykke

How to Implement Good Test Coverage and Eliminate Escapes for Printed Circuits Board Assembly Operation..... 933
Gaosen Li, An Qi Zhao, Andrew Ho, Wei Wen, Zhen (Jane) Feng, Murad Kurwa, Haolee Yang, Liang Chen

PRC 3: RISK MITIGATION FOR COUNTERFEIT ELECTRONIC COMPONENTS

Chair: David Steele, Co-Chair: Anne Poncheri

Methods Used in the Detection of Counterfeit Electronic Components..... 942
Harold "Woody" Hewett

Using X-Ray Systems to Detect Counterfeit and Reworked Electronic Components..... 953
Art Ogg

Counterfeit Components – The 800 Pound Gorilla..... 960
Mark Pasdon

REDUCING MANUFACTURING VARIATION

Chair: Rob Rowland

Process Control - Measurement System Analysis..... 967
Herb Robbins

Interactive Paperless Work Instructions Used for Process Management..... 972
John Stimadorakis

SELECTIVE SOLDERING

Chair: Bill Barthel

Selective Soldering Technology Selection..... 977
Francisco Fernandez, Eddie Tang, Feng Lu

Process Control – Basis for a Cost-Effective Selective Soldering Process..... 986
Christian Ott, Heike Schlessmann, Reiner Zoch

PAD SITE DRESS METHODS

Chair: Chrys Shea

PCB Pad Site Dress Methods on BGA and Socket Pad Arrays..... 991
James Wade, Raiyo Aspandiar, Don Naugler, Terry Leahy

Author Index