

XIII International Conference on Durability of Building Materials and Components (XIII DBMC)

RILEM Proceedings Pro 96

Sao Paulo, Brazil
2-5 September 2014

Volume 1 of 2

Editors:

M. Quattrone

V. M. John

ISBN: 978-1-5108-1294-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2014) by RILEM Publications SARL
All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact RILEM Publications SARL
at the address below.

RILEM Publications SARL
157 rue des Blains
F-92220 Bagneux
France

Phone: +33 1 45 36 10 20
Fax: +33 1 45 36 63 20

dg@rilem.net

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

Contents

Preface

Accelerated aging test to study self cleaning properties of photocatalytic post treatments Garcia, G., Werle, A. P., Maranhão, F., Loh, K. and John, V. M.	1
Evaluation of a modular framework for performance-based durability engineering through assessment of a coastal reinforced concrete structure Flint, M. M. and Billington, S. L.	9
Prediction of the sealant modulus change due to outdoor weathering White, C. C., Tan, K. T., Hunston, D. L., Pintar, A. and Filliben, J.	17
Durability of cool and conventional colored coatings after six months exposure at different environments Loh, K., Sato, N. M. N., and Liborio, I. M. S.	23
Impact of different European local climate conditions on the moisture performance of wooden commodities Bornemann, T., Brischke, C., Alfredsen, G., Humar, M. and Larsson-Brelid, P.	30
No concrete is sustainable without being durable! De Schutter, G.	38
Towards performance based durability standards for wood in construction – part 1: delivering customer service life needs Brischke, C., Suttie, E., Englund, F., Heisel, E., Jermer, J., Lorenzo, D., Polášek, M., Thelandersson, S. and Acker, J. V.	45
Towards performance based durability standards for wood in construction – part 2: considering moisture risks in wooden components Brischke, C., Meyer, L. and Suttie, E.	53
Repeated autogenous healing in cementitious composites with microfibres and superabsorbent polymers Snoeck, D., Debaecke, S. and De Belie, N.	61
Structural recycled concrete science and market: a success story Viviani, M., Dorthe, L. and Bugnon, M.	69
Improving the resilience and durability of New Zealand’s buildings Jones, M. S., Marston, N. J., Shaw, P. and Li, Z.	77
Re-assessment of New Zealand’s atmospheric corrosivity Marston, N. J., Li, Z., Jones, M. S. and Shaw, P.	85

Comparing the influence of fly ash on the durability properties of Portland cement-based and alkali activated slag-based concretes	
Provis, J. L., Bernal, S. A., Ismail, I. Nicolas, R. S., Brice, D. G. and van Deventer, J. S. J.	93
Assessment of the hydration constants of post blended blast furnace slag cements	
Visser, J., van Zon, Q., Beijersbergen, H., Hacquebord, A. and van Zwet, R.	101
Hygrothermal consequences of applying exterior air barrier systems in highly insulated wood-frame walls: a parameter analysis	
Langmans, J., Vereecken, E. and Roels, S.	109
The durability of basalt fibres reinforced polymer (BFRP)	
Alaimo, G., Valenza, A., Enea, D., Fiore, V., Cracolici, A., and Spatafora, M.	117
The influence of carbonation on deicer scaling resistance of blast furnace slag concrete (BFSC)	
Egüez, H. E., De Belie, N. and De Schutter, G.	126
Dissolution kinetics experiments as a method to assess the reactivity of Supplementary Cementitious Materials (SCMs): the effect of solution composition and SCM structure	
Snellings, R. and Scrivener, K.	134
Durability of structural steel in transitional framed buildings	
Bentz, S. P., P.E., R.R.C., R.W.C., R.E.W.C., R.B.E.C., A.W.S.-C.W.I. and Guerrero, S. C., P.E.	142
Development of evaluation method by small core specimen for deteriorated fiber cement corrugated sheet and some results of roofs over station platforms	
Ishihara, S. and Tanaka, K.	150
Service life prediction and embody CO₂ of wooden buildings	
Nakajima, S., Yamaguchi, N., Koga, J., Nakajima, M., Momohara, I., Ohmura, W. and Tomura, S.	158
Performance analysis and durability of environmental and energy sustainability interventions on existing buildings	
Basiricò, T. and Cottone, A.	166
Freeze-thaw resistance of ultra-high performance concrete in normal and severe conditions	
Jeroen, D., Boel, V. and De Schutter, G.	174
Gypsum efflorescence on clay brick masonry: field survey and literature study	
Chwast, J., Todorovic, J., Janssen, H. and Elsen, J.	182
Decay susceptibility of rain exposed wood joints – comparison of two decay models	
Fredriksson, M., Wadsö, L. and Johansson, P.	190
The efficiency of autonomous crack healing of mortar in chloride solutions	
Maes, M. and De Belie, N.	198
Degradation of brazilian gypsum exterior walls due to hygrothermal action	
Santos, A., Delgado, J. M. P. Q. and Ramos, N. M. M.	206

A new performance test to assess the potential deleterious effect of sulphide-bearing aggregates for concrete	
Duchesne, J., Rodrigues, A. and Fournier, B.	214
Vacuum insulation technology for buildings – a comparative LCA study of a Swedish multifamily building	
Gudmundsson, K., Karami, P. and Sjöström, C.	222
System model of mould growth on building materials	
Li, Y.	231
Assessment of damage due to alkali-silica reaction through microscopic and mechanical tools	
Sanchez, L. F. M., Fournier, B., Jolin, M. and Bastien, J.	236
An <i>in-situ</i> and laboratory study of the effect of the intrinsic properties of mortars on their potential bioreceptivity	
Tran, T. H., Govin, A., Guyonnet, R., Grosseau, P., Lors, C., Damidot, D., Deves, O. and Ruot, B. ..	244
Influence of material characteristics on electrochemical realkalisation of carbonated concretes	
Ribeiro, P. H. L. C., Meira, G. R. and Ferreira, P. R. R.	252
Environmental impact assessment of fire retardant treated wood used in exterior claddings	
Fufa, S. M. and Bohne, R. A.	260
Performance analysis of wood subjected to treatments modified with titanium dioxide and clay nanoparticles	
Fufa, S. M. and Jelle, B. P.	267
Performance over time of adhesive systems for bonding ceramic tiles on façades – a case study	
Freitas, V. P., Corvacho, H., Quintela, M. and Delgado, J. M. P. Q.	275
Hygrothermal performance of a naturally ventilated gypsum house – the Brazilian climate influence	
Almeida, R. M. S. F., Freitas, V. P., Delgado, J. M. P. Q. and Paula, P.	283
Actual service life prediction of building components	
Niels-Jørgen, A., Brandt, E. and Hansen, E. J. P.	291
Alkaline hydrolysis of polymers in contact with cement based materials	
Wadsö, L. and Karlsson, O. J.	300
The environmental benefits of service life extension of buildings components with transformable design strategies	
Paduart, A., Temmerman, N. De, and Vandenbroucke, M.	304
Experimental study on carbonation and chloride migration coefficients of self-compacting concrete (SCC) with binary and ternary mixtures of fly ash (FA) and limestone filler (LF)	
Silva, P. R. and Brito, J.	312

Resistant-based moisture content measurements on water repellent treated mortar and brick	
Sachse, K. A., Littmann, K., Fege, R. L. and Oremek, X.	320
Durability of roof underlays exposed to long time exposure under in-use conditions	
Brandt, E. and Hansen, E. K. P.	328
Drying rate as a transport index for concrete	
Villagrán-Zaccardi, Y. A., Alderete, N. M., Pittori, A. and Di Maio, A. A.	336
Development of a methodological procedure for the durability evaluation of existing exterior finishings	
Erba, S., Daniotti, B. and Rosina, E.	344
Stochastic, deterministic, statistical and artificial intelligence based models to predict the service life of rendered facades	
Silva, A., Gaspar, P. L. and Brito, J.	351
Influence of limestone powder on the setting and hydration of cement paste in the fresh state	
Villagrán-Zaccardi, Y. A., Falcone, D. D. and Benito, D. E.	359
In-situ measurements of moisture content and temperature in wooden constructions	
Sandberg, K., Dahlquist, S. and Pousette, A.	367
Experimental evaluation of performances of different solutions of finishing for masonry buildings for determining durability	
Nicolella, M. and Iucolano, F.	375
A methodology for evaluating maintainability as a tool for durable and sustainable buildings	
Nicolella, M.	384
Investigation of the effects of leaching on the scaling resistance of concrete	
Rosenqvist, M., Hassanzadeh, M., Long-Wei, P. and Terzi, A.	392
Service life of innovative siloxane coating formulations	
Enea, D. and Alaimo, G.	400
Evaluation of rising damp using infrared thermography	
Barreira, E., Delgado, J. M. P. Q. and Guimarães, A. S.	409
Effect of confinement and concrete strength upon crack behavior induced by corrosion-product expansion	
Shinohara, Y. and Aryanto, A.	417
A new test method to evaluate the resistance of cementitious materials exposed to biogenic attack in sewer networks	
Lavigne, M. P., Bertron, A., Cockx, A., Jean-Noël, F., Escadeillas, G. and Paul, E.	425
Durability of quaternary cements containing calcareous fly ash, slag and limestone	
Durdziński, P. T., Haha, M. B. and Scrivener, K. L.	434

Rating building asset degradation with efficiency indexes	
Re Cecconi, F., Dejaco, M. C. and Maltese, S.....	441
Durability of fibre-cement roofing corrugated sheets	
Fiorelli, J., Savastano Junior, H., Tonoli, G. H. D. and Santos, S. F.....	449
Thermal shock effects on bonding of cement mortar renderings	
Esquivel, J. F. T. and Barros, M.....	458
Effect of carbonation on the chloride diffusion of mortar specimens exposed to cyclic wetting and drying	
Malheiro, R., Camões, A., Ferreira, R. M., Meira, G. and Amorim, T.	467
Accelerated climate ageing of wood surface treatments and their evaluation by Fourier Transform Infrared Spectroscopy	
Jelle, B. P., Fufa, S. M. and Olsen, M. B.....	475
Nanorenders on building facades: technical, economic and environmental performance	
Soares, A., Flores-Colen, I. and Brito, J.	483
An investigation of the effectiveness and durability characteristic of biomass ashes as pozzolanic materials	
Demis, S., Rodrigues, C. S., Santos, L. A. and Papadakis, V. G.....	491
Multi-physics modelling for durability evaluation of ETICS	
Daniotti, B., Re Cecconi, F., Paolini, R., Cocchetti, G., Galliano, R. and Cornaggia, A.....	499
Microstructure development in slag-cement systems	
Berodier, E. and Scrivener, K.....	507
A numerical study of the influence of the hydraulic interface contact on the hygric performance of a multi-layered system	
Vereecken, E. and Roels, S.....	512
Evaluation of damage of building facades in Brasilia	
Bauer, E., Kraus, E., Silva, M. N. B. and Zanoni, V. A. G.....	520
Accelerated ageing and characterization of expanding weather stripping foam	
Jelle, B. P., Jorun-Marie, H., Gao, T., Bugten, A., Rognvik, E. and Kvalvik, M.	527
Development of a 2D numerical model for rainwater runoff on vertical planes	
Bossche, N. van D., Ge, H., Vogelaere, T. D., Pacco, M. and Janssens, A.	535
Airtightness of the window-wall interface in wood-frame walls	
Bracke, W., Devos, L., Maertens, S., Bossche, N. van D., N. and Janssens, A.....	543
A model of carbonation and a technique to determine the degree of carbonation	
Fridh, K. and Lars-Olof, N.....	554
Nondestructive determination of chloride ion using Ag/AgCl electrode prepared by electrochemical anodization	
Pargar, F., Koleva, D. A., Copuroglu, O., Koenders, E. A. B. and Breugel, K. van.....	561

Modification of cellulose-cement composites by admixture of sugar cane bagasse ash Rodrigues, C. S., Zukowski, B., Figueiredo, S. C. and Santos, L. A.	569
Accelerated ageing and durability of double-glazed sealed insulating window panes Asphaug, S. K., Jelle, B. P., Gullbrekken, L. and Uvsløkk, S.....	577
Tortuosity and electrical impedance of contaminated mortars with nitrates of Cr³⁺, Pb²⁺, and Zn²⁺ Venâncio, C., Rocha, J. C. and Cheriaf, M.	585
The influence of wetting prior and addition of fines in produced mortars with recycled aggregate Jochem, L. F., Rocha, J. C. and Cheriaf, M.	593
Mould risk assessment for thermal bridges: what is the impact of the mould prediction model? Vereecken, E. and Roels, S.....	599
A method for blind validation of hygrothermal calculation tools Mundt-Petersen, S. O. and Harderup, L.-E.	607
Methods for compensate lack of climate boundary data Mundt-Petersen, S. O. and Wallentén, P.	616
Fragility curves for thin-walled cold-formed steel wall frames with different sheathing systems affected by ground settlements due to land subsidence Ortiz, J. A., Hernandez, L. A., Hernandez, M., Pacheco, J., Soto, J. J., Ramos, J., Fernandez, R. and Soto, M. A.....	625
Self-healing of self-compacting concretes made with Brazilian blast furnace slag cements activated by crystalline catalyst Takagi, E. M., Lima, M. G. and Helene, P.	633
Durability assessment of innovative building products in Brazil: example of PVC components used as stay-in-place forms and finishing of concrete walls Oliveira, L. A., Rodolfo Junior, A., Fontenelle, J. H. and Mitidieri Filho, C. V.	641
Sulfate ingress and microstructural changes in cement pastes at early age Ragoug, R., Omikrine-Metalssi, O., Divet, L., Deman, A., Barberon, F., Gegout, P., Baroghel-Bouny, V. and Roussel, N.....	650
Determination of criteria for the exploration and for obtaining indicators in evolutionary analysis of degradation in urban facades Gibert, V., Serrat, C. and Casas, J. R.	656
Maintenance and refurbishment; market price and fixed assets value Marteinsson, B.	664
Chemical treatment with oxalic acid to improve the durability of cement-based materials in acid environments Voegel, C., Bertron, A., Erable, B. and Escadeillas, G.....	670

Method development for the particle size analysis of supplementary cementitious materials	
Arvaniti, E. C. and De Belie, N.	679
Synthesis, characterization and durability of self-cleaning antireflection coatings for glazing applications	
Gao, T. and Jelle, B. P.	687
Evaluation of chloride ion penetration methods in concrete with recycled concrete aggregate and rice husk ash	
Kulakowski, M. P., Fedumenti, M. B., Kazmierczak, C. S. and Mancio, M.	695
Performance of the copper treated, and naturally durable wood in laboratory and outdoor conditions	
Humar, M., Lesar, B. and Thaler, N.	703
From lab scale to in situ applications - the ascent of a biogenic carbonate based surface treatment	
Muynck, W. D., Boon, N. and De Belie, N.	711
Microscopy and computed micro-tomography for evaluation of microbial self-healing in concrete	
Wang, J., Tittelboom, K. van and De Belie, N.	719
Microbially influenced degradation of cement-based materials in biogas production environments	
Voegel, C., Bertron, A. and Erable, B.	727
Durability problems with zinc clad roofs due to improper underlays	
Bunch-Nielsen, T. and Brandt, E.	737
The high school “Giustino Fortunato” in Rionero in Vulture (Potenza, Italy): how to refurbish an higher education institute made in brutalist architecture of ‘80, leading it to be a NZEB and preserving its formal features	
Lembo, F. and Marino, F. P. R.	744
Durability and microstructure of mortar with calcined marl as supplementary cementing material	
Justnes, H. and Østnor, T. A.	752
Embodied energy as a tool to sustainable strategic decisions on refurbishment	
Gaspar, P. L. and Santos, A. L.	762
The influence of the substrate characteristics on the behavior of the mortar	
Torres, I., Veiga, R. and Freitas, V. P.	770
Durability of PVC roofing and waterproofing membranes – case studies after 40+ years of exposure	
Beer, H. R. and Bonnet, M.	778
Durability of reinforced concrete made with low clinker, ternary blend cement	
Martirena, J. F., Vizcaíno, L. M., Antoni, M. G., Henocq, P., Alujas, A. and Scrivener, K. L.	786

Pull-out tests of cast-in-place anchor studs with different embedment depths	
Delhomme, F., Roure, T., Arrieta, B., Trunfio, R. and Limam, A.	794b
Service life assessment of concrete structures based on site testing	
Torrent, R. J. and Luco, L. F.	801
Environmental sustainability performance of residential buildings' thermal retrofits	
Cetiner, I. and Ecem Edis, E.	810
Specifications for external renders and internal plasters: a review on durability assessment	
Sá, A. V., Abrantes, V. and Sousa, H.	818
Anisotropic expansion of ASR affected concrete prism specimens	
Gautam, B. P. and Panesar, D. K.	826
The influence of crack width on the durability of reinforced concrete structures	
Blagojević, A., Koleva, D. A. and Walraven, J. C.	834
Time-dependent passive infrared thermographic inspection of facades	
Edis, E., Flores-Colen, I. and Brito, J.	842
Study of wood waste ash as a pozzolanic addition	
Matos, A. M., Ramos, T. and Sousa-Coutinho, J.	850
Probabilistic modeling durability of wooden window frames	
Straalen, I. J. J. van, Abspoel-Bukman, L. M., Courage, W. M. G. and Mennink, J.	858
Durability of jointed reinforced concrete pavements under sever exposure conditions: a case study in Iran	
Arabali, P. and Shekarchi, M.	866
Response monitoring of national heritage five story wooden pagoda by the use of image processing	
Mikoshiba, T., Niitsu, Y., Hanazato, T. and Minowa, C.	874
Outdoor exposure test of photocatalyst-coated materials in various test locations within Asia	
Toyoda, H., Murakami, T., Sano, T. and Takeuchi, K.	882
Rehabilitation of a wastewater treatment plant	
Barreto, M. P. and Torres, I.	889
Bacteriogenically induced sulfuric acid attack on concrete in an Austrian sewer system	
Grengg, C., Mittermayr, F., Baldermann, A., Böttcher, M. E., Leis, A., Koraimann, G. and Dietzel, M.	897
Durability of cement-reduced eco-friendly concretes against sulfate attack	
Hainer S., Rezvani M., Baldermann A., Proske T. and Mittermayr F.	904
Physical and chemical properties of cementitious materials undergoing accelerated decalcification	
Babaahmadi, A., Tang, L. and Abbas, Z.	912

Evolution of the cement mortar microstructure caused by salt crystallization and water freezing investigated by multicyle mercury intrusion porosimetry	
Grymin, W., Koniorczyk, M., Konca, P., Marciniak, A. and Gawin, D.	920
Durability performance of concrete with glass powder as supplementary cementitious material	
Du, H. and Tan, K. H.	928
Use of 2-D nano-particle to enhance the concrete resistance to chloride ingress	
Du, H., Gao, H. J. and Pang, S. D.	936
Characteristics of in-service, 30-year-old EPDM roof membrane	
Hutchinson, T. W., Trischuk, K. and Paroli, R. M.	944
Evaluation of clustered distribution of superabsorbent polymers and its relation to autogenous shrinkage behaviour of internally cured mortars	
Yokota, K. and Shin-ichi, I.	950
Hail protected ETFE-roof lights for the new elephant park building of zoo Zurich	
Flüeler, P., Kübler, W. and Hohl, A.	958
Characterization of mortars with ceramic residues	
Matias, G., Torres, I. and Faria, P.	966
Study of the durability of mortar for structural concrete made with fine powder of white glass	
Sales, F. A., Sales, R. B. C., Corrêa, E. C. S., Molhallem, N. D. S. and Aguilár, M. T. P.	974
Adhesive tapes for building purposes: framework for evaluation of performance and durability	
Fufa, S. M., Kvalvik, M. and Rütther, P.	983
Investigation methods of the resistance of UHPC to chemical attack and its classification in the exposure classes of the european standard	
Schmidt, H., Schmidt-Döhl, F., Franke, L. and Deckelmann, G.	991
Reduction of autogenous shrinkage in OPC and BFSC pastes with internal curing	
Wyrzykowski, M. and Lura, P.	999
Quality control of reinforced concrete structures for durability	
Nganga, G. W., Alexander, M. G. and Beushausen, H. D.	1006
A numerical investigation of aggregate shape effect on the diffusivity of mortar based on ellipsoidal particle packing	
Liu, L., Chen, H. and Xu, W.	1015
Biogenic corrosion of concrete sewer pipes: a review of the performance of cementitious materials	
Kiliswa, M. W. and Alexander, M. G.	1023

The effects of various mould release technologies on concrete surface finish	
Coventry, K. A., Richardson, A. E. and Baines, C.	1031
Influence of service life on building LCA	
Hoxhra, E., Bazzana, M., Habert, G., Chevalier, J. and Le Roy, R.	1041
Characterization through mercury porosimetry of tortuosity factors of concretes containing mineral additions	
Andrade, C., Rebolledo, N., Menéndez, E., Perez, R. and Baz, M.	1049
Influence of redispersible polymer powders on damage mechanisms of ETICS render mortars	
Valdès, L., Aulagnier, M., Prat, E. and Chaouche, M.	1057
Transport properties of recycled fine aggregate concretes	
Zega, C. J., Sosa, M. E. and Di Maio, A. A.	1065
Evolution of hydration of cements with coal bottom and fly ash by non – destructive techniques and porosimetry	
Menéndez, E., Alvaro, A. M. and Andrade, C.	1073
Measuring water sorption isotherm of mortar containing chloride	
Taher, A., Arends, T., van der Zanden, A. J. J. and Brouwers, H. J. H.	1081
Bacterial concrete: a biological approach to reduced permeability	
Richardson, A., Coventry, K. and Scott, A.	1089
Development and standardization of rapid methods for assessing the fluid penetration resistance of concrete	
Hooton, R. D., Charmchi, G. and Karkar, E.	1099
Assessment of chloride ingress in blended cement with combined addition of calcined clays and limestone	
Antoni, M., Henocq, P., Kazemi-Kamyab, H., Favier, A., Martirena, F. and Scrivener, K.	1106
Chloride penetration dependency on freeze-thaw cycles	
Ferreira, M., Leivo, M., Kuosa, H., Makkonen, L. and Lange, D.	1114
Combining geographical information systems and multi-scale modelling to predict service life	
Cole, I. S. and Ganther, W. D.	1122
Sustaining a historic high-rise structure	
Mahjoub, N. A. P. E., Stringer, M. P. E. and Tremayne, B. S. E.	1129
Effect of cement content on concrete durability	
Katz, A., Bentur, A. and Wasserman, R.	1137