

10th International Conference on Geosynthetics 2014 (10ICG)

Berlin, Germany
21-25 September 2014

Volume 3 of 3

ISBN: 978-1-5108-2508-6

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2014) by Deutsche Gesellschaft Fuer Geotechnik (DGGT)
All rights reserved.

Printed by Curran Associates, Inc. (2016)

For permission requests, please contact Deutsche Gesellschaft Fuer Geotechnik (DGGT)
at the address below.

Deutsche Gesellschaft Fuer Geotechnik (DGGT)
Gutenbergstrasse 43
D-45128 Essen
Germany

Phone: 0201 / 782723
Fax: 0201 / 782743

service@dggt.de

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

WELCOME LECTURE

HISTORY AND CURRENT STATE OF GEOSYNTHETIC APPLICATIONS IN GERMANY	1
<i>Heerten G.</i>	

KEYNOTE LECTURES

COST SAVINGS BY USING GEOSYNTHETICS IN THE CONSTRUCTION OF CIVIL WORKS PROJECTS	31
<i>Christopher B. R.</i>	
ENVIRONMENTAL BENEFITS BY USING CONSTRUCTION METHODS WITH GEOSYNTHETICS	50
<i>Büsser S., René Itten, Rolf Frischknecht, Wallbaum H.</i>	
NATURAL DESASTERS MITIGATION BY USING CONSTRUCTION METHODS WITH GEOSYNTHETICS (FLOODING)	64
<i>Heibaum M.</i>	
NATURAL DISASTERS MITIGATION BY USING CONSTRUCTION METHODS WITH GEOSYNTHETICS (EARTHQUAKES)	80
<i>Koseki J., Kuwano J., Tatsuoka F.</i>	
RAIN-TRIGGERED LANDSLIDES MITIGATIONS USING CONSTRUCTION METHODS WITH GEOSYNTHETICS	133
<i>Artidteang S., Bergado D.T., Soralum S.</i>	

GIROUD LECTURE

CHALLENGES AND RECENT PROGRESS IN THE ANALYSIS, DESIGN AND MODELLING OF GEOSYNTHETIC REINFORCED SOIL WALLS	180
<i>Bathurst R.J.</i>	

REINFORCEMENT – NUMERICAL AND PHYSICAL MODELLING

CENTRIFUGE MODELING OF SHORED MSE WALLS WITH DIFFERENT INTERFACE CONNECTIONS	219
<i>Chen H., Jia B., Luo Y., Xu C.</i>	
PHYSICAL AND NUMERICAL MODELLING OF A GEOCELL GRAVITY RETAINING WALL	225
<i>Arango G. A., Caicedo B., Gómez D., Riascos M. E.</i>	
PHYSICAL MODELING OF THE THERMAL-HYDRO-MECHANICAL RESPONSE OF A THERMALLY ACTIVE SOIL-GEOSYNTHETIC SYSTEM	232
<i>Coccia C.J.R., McCartney J.S., Stewart M.</i>	
USE OF AN ADVANCED ELASTO-PLASTIC MODEL IN THE NUMERICAL ANALYSIS OF A SMALL-SCALE GEOSYNTHETIC-REINFORCED WALL FROM CENTRIFUGE TESTS	240
<i>Gottardi G., Gragnano C.G., Tonni L.</i>	

REINFORCEMENT – SEISMIC BEHAVIOR

1G TILT-TABLE TEST ON SEISMIC STABILITY OF DAMAGED GEOGRID REINFORCED SOIL WALL	248
<i>Fujita T., Kubo T., Miyata Y., Miyatake H., Nakane A.</i>	
EFFECT OF FREQUENCY CONTENT ON SEISMIC BEHAVIOUR OF GEOSYNTHETIC REINFORCED EMBANKMENT	254
<i>Edinçliler A., Toksoy Y.S.</i>	

EFFECT OF HEAVY RAINFALL ON PERFORMANCE OF GEOSYNTHETIC REINFORCED WALL	262
<i>Yoo C.</i>	
EFFECTS OF INADEQUATE COMPACTION NEAR FACING ON SEISMIC STABILITY OF GEOGRID REINFORCED SOIL WALL	268
<i>Fujita T., Kubo T., Miyata Y., Miyatake H., Nakane A.</i>	
GEOGRID AND DOUBLE TWIST STEEL MESH REINFORCED SOIL WALLS SUBJECTED TO HIGH LOADS IN A SEISMIC AREA	274
<i>Gamberini D., Pezzano P., Rimoldi P., Özçelik H.</i>	
MECHANICAL PROPERTIES OF FIBER REINFORCED GRAVELLY SOIL	282
<i>Hirakawa D., Miyata Y.</i>	
NUMERICAL INVESTIGATION OF DECK-ABUTMENT INTERACTION REINFORCED BY GEOGRID SUBJECTED TO SEISMIC LOADING	288
<i>Aghania M., Fakharian K.</i>	
SEISMIC ANALYSIS OF A 43-M DOUBLE SIDED GEOGRID REINFORCED EMBANKMENT	296
<i>Fakharian K., Shokrabadi M.</i>	

REINFORCEMENT – CASE HISTORY I

CASE STUDY ON CONSTRUCTION OF REINFORCED EARTH® WALLS FOR A MAJOR BRIDGE ACROSS KABINI RIVER AT T.NARASIPURA, KARNATAKA	304
<i>Adhikari A., Biswas S., Swaroop B.T.</i>	
DESIGN OF REINFORCED SLOPES AND WALLS WITH LOW-PERMEABILITY FILLS USING DRAINING GEOGRIDS	313
<i>Giroud J.P., Naughton P., Rimoldi P., Scotto M.</i>	
FIELD TESTS AND NUMERICAL SIMULATION ON PERFORMANCE OF GEOGRID REINFORCED CUSHION IN GRPS EMBANKMENT	321
<i>Chao Z., Wang Y., Yang K., Zeng Z.M.</i>	
GEOGRID EXCAVATION HENNINGSDORF – BERLIN AREA	328
<i>Kroth H.</i>	
GREATER SAFETY FOR GEOSYNTHETIC - REINFORCED EARTH (GRE) SYSTEMS - PROTECTION, IMPACT AND FIRE PERFORMANCE IN FULL - SCALE TRIAL	336
<i>Herold A.</i>	
GRS WALLS WITH POOR QUALITY BACKFILL ON COMPRESSIBLE FOUNDATIONS	349
<i>Holtz R.D., Saidin F.</i>	
THE BEHAVIOR STUDY OF SOIL FOUNDATION OF A REINFORCED SOIL WALL UNDER HIGH PRESSURE - LOAD-BEARING CAPACITY AND ADMISSIBLE DISPLACEMENTS	357
<i>Abramento M., Ferretti P.C., Santos P.J.</i>	
UTILIZATION OF COPPER SLAG AS A STRUCTURAL FILL FOR MECHANICALLY STABILIZED WALLS	366
<i>Prasad P.S., Ramana G.V.</i>	

REINFORCEMENT – CASE HISTORY II

AN OUTDOOR EARTH-TANK EXPERIMENT CONCERNING FROST-HEAVING PREVENTION MEASURES FOR REINFORCED EARTH WALLS USING GEOTEXTILE MATERIALS	374
<i>Sato A., Suzuki T., Tatta N., Yoshida K.</i>	
APPLICATION OF GEOCOMPOSITE REINFORCEMENT FOR REPAIRING A 15M - HIGH EMBANKMENT SLOPE FAILURE IN NORTHERN THAILAND	381
<i>Anujorn P., Jotisankasa A., Sawangsuriya A.</i>	
DOES WASTE CONTAINMENT FIT WITHIN A 25M HIGH RETAINING WALL WITH THE USE OF GEOGRIDS AND GEOMEMBRANES?	391
<i>Besser J., Schmidt F., Vollmert L.</i>	
EXPERIMENTAL STUDY OF SUBSIDENCE OF THE REINFORCED SOIL OVER A CAVITY UNDER CYCLIC LOADING	398
<i>Bin-Shafique S., Huang J., Papagiannakis A.T.</i>	
MEDITERRANEAN COAST ROAD WITH GEOGRID-REINFORCED RETAINING STRUCTURES	406
<i>Bretin P., Naciri O., Psiorz C., Salek M.</i>	

REINFORCEMENT OF FLUVIAL LEVEES: A CASE STUDY OF TEVERE RIVER (ITALY)	412
<i>Cuomo S., Frigo L., Manzo M.</i>	

DURABILITY, QUALITY CONTROL

A COMPARATIVE STUDY OF THE STRUCTURE AND THE INSTALLATION DAMAGE OF GEOSYNTHETICS	420
<i>Baranov A., Deviatilov A., Stolyarov O.</i>	
DURABILITY OF A POLYPROPYLENE WOVEN GEOTEXTILE UNDER CLIMATIC AND CHEMICAL AGENTS	429
<i>Castro C.A.C., Guimarães M.G.A., Lopes M.L.C., Urashima D.C.</i>	
EFFECTIVENESS OF QUALITY CONTROL ON GEOMEMBRANE INSTALLATIONS, BASED ON ELL SURVEYS	435
<i>Budka A., Charpentier C., Jacquelin T., Rollin A.</i>	
METHODS TO IMPROVE THE QUALITY OF GEOSYNTHETIC STRUCTURES TQG TOTAL GEOSYNTHETIC QUALITY	443
<i>Müller-Rochholz J.F.W.</i>	
NEXT GENERATION LEAK LOCATION IN HDPE LINERS IN LANDFILLS AND OTHER FACILITIES OF ENVIRONMENTAL RISK	446
<i>Geutebrück Dr. E., Weiss B.</i>	
ON-SITE SUPERVISION OF TUNNEL SEALING SYSTEMS WITH POLYMERIC WATERPROOFING MEMBRANES	453
<i>Brummermann K., Heimbecher F., Schälicke H.</i>	

REGULATIONS

CEN/TC189 AND ISO/TC 221 - THE IMPORTANCE OF EUROPEAN AND INTERNATIONAL STANDARDS AND CURRENT WORK	461
<i>Cazzuffi D., Corbet S.P.</i>	
ENVIRONMENTAL PRODUCT DECLARATIONS IN CIVIL ENGINEERING WORKS	467
<i>Ehrenberg H., Frischknecht R., Itten R., Maubeuge K.P. von</i>	
EUROPEAN REINFORCED SOIL DESIGN – THE CODES	473
<i>Durand R., Hangen H., Horgan G., Vaníček M.</i>	
EXPERIENCE ON DELIVERY CONTROL OF NONWOVEN GEOTEXTILES AT ROAD CONSTRUCTION SITES IN NORWAY WITH RESPECT TO NORGEOSPEC 2002 GUIDELINE	481
<i>Damtew T., Kynbråten T.-A., Løvstad D.S., Recker C., Vaslestad J.</i>	
GEOSYNTHETICS QUALITY SYSTEMS: EVOLUTIONS WITH THE IMPLEMENTATION OF THE CONSTRUCTION PRODUCT REGULATION	486
<i>Delmas P., Mailler P., Recker C.</i>	
THE IMPACT OF THE EUROPEAN CONSTRUCTION PRODUCTS REGULATIONS ON INNOVATION AND THE ETA ROUTE FOR NEW AND INNOVATIVE GEOSYNTHETIC PRODUCTS. A CASE STUDY OF A SUCCESSFUL APPLICATION	493
<i>Oliver T.</i>	

NEW DEVELOPMENTS

A FIELD STUDY OF INSTRUMENTED GEOTEXTILE TUBE IN HONG KONG	499
<i>Chew S.H., Eng Z.X., Lim A.K.K., Tan C.Y., Yee T.W.</i>	
AN INVESTIGATION OF TOLUENE AND TCE DIFFUSION THROUGH EVOH IN AQUEOUS SOLUTIONS	507
<i>McWatters R.S., Rowe R.K.</i>	
APPLICATION OF GEOSYNTHETICS IN COHESIVE SOILS WITH LOW SHEAR STRENGTH	515
<i>AlKayyal H., Althoff S., Klapperich H., Tamaskovics N.</i>	
DEVELOPMENT OF INNOVATIVE PAM-COATED FIBERS FOR EROSION AND SEDIMENT CONTROL	523
<i>Bhatia S., Daley D., Driscoll M., Smith J., Steele S.</i>	
ENHANCED HDPE AND EFFECT ON SUBGRADE REQUIREMENTS	530
<i>Hay B., Sadlier M., Schiers J.</i>	

HIGH TEMPERATURE RESISTANT GEOMEMBRANES FOR HOT BRINE	537
<i>Beissmann S., Grabmeyer K., Haager M., Nitsche D.</i>	
SEISMIC STABILITY OF GEOSYNTHETIC BARRIER SLOPE	543
<i>Kamon M., Kotake N.</i>	

DESIGN PROCEDURES – REINFORCED STRUCTURES I

ANALYSES OF REINFORCED SOIL SLOPES WITH LIMIT EQUILIBRIUM AND FINITE ELEMENT METHODS	551
<i>Huvaj N., Ozcelik G., Pasaoglu O.</i>	
CALCULATION OF EMBANKMENTS STABILITY WITH GEOSYNTHETIC MATERIALS BY DIFFERENT METHODS	559
<i>Fedorenko E.V., Vavrinyuk T.S.</i>	
COMPARATIVE ANALYSIS BETWEEN THREE DIFFERENT METHODOLOGIES FOR DESIGN OF MSE WALLS: FHWA NHI-10-024, BS 8006 AND EBGEO	563
<i>Galindo A.</i>	
EXPERIMENTAL AND ANALYTICAL APPROACHES OF THE DESIGN OF GEOSYNTHETICREINFORCED EMBANKMENTS OVER RIGID INCLUSIONS	571
<i>Auray G., Garcin P., Huckert A., Villard P.</i>	
GEOCOMPOSITE REINFORCED CRANE WORKING PLATFORM - EXPERIMENTAL STUDY AND NUMERICAL MODEL	579
<i>Batali L., Butnarciuc N., Klompmaker J.</i>	
LIMITATIONS OF THE EBGEO ON THE BEARING CAPACITY OF REINFORCED FOOTINGS	587
<i>Chen C., Emersleben A., Groeger D.</i>	
THE USE OF TIME-SHIFTED MECHANICAL PROPERTIES (TSMP) TO ESTIMATE TIME-DEPENDENT RUPTURE PERFORMANCE	595
<i>Allen S.R., Nelson J.</i>	

DESIGN PROCEDURES - REINFORCES STRUCTRUES II

DESIGN CONSIDERATIONS FOR SLIP INTERFACES ON STEEP-WALL LINER SYSTEMS	602
<i>Kavazanjian E., Thiel R., Wu X.</i>	
EXPLICIT DESIGN OF GEOGRIDS WITH A NONLINEAR INTERFACE MODEL	609
<i>Ehrenberg H., Jacobs F., Vollmert L., Ziegler M.</i>	
GEOTEXTILE-SOIL MODELLING USING THE MATERIAL POINT METHOD (MPM) WITH APPLICATIONS	617
<i>Hamad F.M., Moormann C., Vermeer P.A.</i>	
INFLUENCE OF GEOSYNTHETIC LINING SYSTEM ON THE GEOTECHNICAL STABILITY OF HEAP LEACH PADS	625
<i>Ale J.D., Preciado H.</i>	
LABORATORY AND FIELD BEHAVIOR OF LANDFILL LEACHATE COLLECTION SANDS, GRAVELS AND GEOCOMPOSITES	634
<i>Koerner G.R., Koerner R.M</i>	
NUMERICAL INVESTIGATION OF LOADING ON GEOTEXTILE SAND CONTAINERS	641
<i>Grabe J., Heins E., Qiu G., Werth K.</i>	

CASE HISTORIES – SLOPE REINFORCEMENT, LINERS

A CRITICAL STUDY ON FAILURE OF A REINFORCED EARTH WALL	647
<i>Dey A.K.</i>	
CASE STUDY OF POLYMERIC REINFORCED SOIL WALL OF ISLAMIC AZAD UNIVERSITY’S BRIDGE ABUTMENT IN TEHRAN	653
<i>Ashtari K., Heshmatzadeh Behzadi S., Moharammi M.</i>	
DESIGN, CONSTRUCTION AND PERFORMANCE OF MILAD GRS BRIDGE ABUTMENT - A CASE STUDY	661
<i>Mirlatifi S.A.</i>	
MECHANICALLY STABILIZED EARTH TIP WALLS (MSETW) IN AFRICAN MINES	668
<i>Dlamini S., Pauselli M., Zannoni E.</i>	

MSEW - 21-METER HIGH & 200-TON LOAD	677
<i>Esparza Mora J.L., Roldan Acosta C., Sanchez Ibarra M.A.</i>	
SOME SPECIFIC PROBLEMS AND SOLUTIONS FOR A HIGHWAY INTERSECTION WITH GEOSYNTHETIC-REINFORCED SEGMENTAL WALLS	686
<i>Alexiew D., Harizanov G., Jossifowa S., Leite-Gembus F.</i>	
THE FIRST DOUBLE GEOMEMBRANE LINER FORTY YEARS LATER	694
<i>Giroud J.P.</i>	
THE FIRST POLYMERIC GEOGRID REINFORCED SOIL STRUCTURE	702
<i>Doulala-Rigby C., Jones C.J.F.P.</i>	

CASE HISTORIES – FOUNDATION, WASTE TREATMENT

CASE STUDY ON HYDRAULIC RECLAIMED SLUDGE CONSOLIDATION USING ELECTROKINETIC GEOSYNTHETICS	710
<i>Huang Y., Li Z., Liu F., Zhuang Y.-F.</i>	
GEOGRID REINFORCED GRAVEL RAFTS - FOUNDATION SOLUTIONS TO LAND PRONE TO SEISMICALLY INDUCED LIQUEFACTION	716
<i>Kupec J., Mahoney D.P.</i>	
GEOTEXTILE TUBES FOR BEACH RESTORATION. 10 YEARS EXPERIENCE IN YUCATAN, MEXICO	725
<i>Alvarez E., EB S., Gonzalez M.</i>	
INTEGRAL SOLUTION TO CONTROL THE SLOPE EROSION PROBLEM AT LAS VEGAS, TINGO MARIA - PUCALLPA HIGHWAY, PERÚ.	733
<i>Alva J., Cardozo J.</i>	
LOAD TRANSFER PLATFORMS FOR FILLS FOUNDATION OVER SOFT SOILS	740
<i>Pinto A., Tomasio R.</i>	
RECENT PROJECTS WITH GEOCELL MATTRESS OVER SOFT SOIL IN CONTINENTAL EUROPE	750
<i>Bromen J., Huybregts T.</i>	
THE USE OF NEW GENERATION GEOSYNTHETICS IN WATER TREATMENT	758
<i>Gabrilaitis J., Mcinnes D., Omelaniuk S., Rajapakse J.</i>	

CHALLENGING ENVIRONMENTS

A COMPARATIVE STUDY ON THE ACCELERATED WEATHERING TESTS FOR NON-WOVEN GEOTEXTILES	766
<i>Cho H.-W., Koo H.-J., Oh J.-T., Zanzinger H.</i>	
CONTRIBUTION OF GEOSYNTHETICS TO THE STRENGTH AND ENERGY ABSORPTION IN SHOTCRETE	772
<i>Jadue C., Moffat R.</i>	
GEOGRID CREEP AND TENSILE TESTS PERFORMED WITH NONCONVENTIONAL EQUIPMENT	779
<i>França F.A.N., Iceri F.Y., Massimino B.M., Silva J.O., Zornberg J.G.</i>	
HYDROLYSIS ASSESSMENT METHODOLOGY FOR POLYESTER YARNS USED IN SOIL REINFORCEMENTS. PART I: CHEMICAL MODEL	785
<i>Freitag N., Nait-Ali L.K.</i>	
HYDROLYSIS ASSESSMENT METHODOLOGY FOR POLYESTER YARNS USED IN SOIL REINFORCEMENTS. PART II : ASSET MANAGEMENT OF MSE STRUCTURES	793
<i>Freitag N., Lozano R., Nait-Ali L.K.</i>	
INFLUENCE OF TRANSITION METAL IONS ON THE THERMO-OXIDATIVE DEGRADATION OF POLYETHYLENE GEOMEMBRANES (GBR-P) USED IN ROAD TUNNELS	800
<i>Kaundinya I., Robertson D.</i>	
RESISTANCE OF GEOTEXTILES AGAINST MECHANICAL AND CHEMICAL DEGRADATION	807
<i>Almeida P.J., Carlos D.M., Carneiro J.C., Lopes M.L., Paula A.M., Pinho-Lopes M.</i>	

LIGHTWEIGHT CONSTRUCTION

BEARING CAPACITY IMPROVEMENT ON SOFT SOIL USING EXPANDED POLYSTYRENE (EPS) GEOFOAM	815
<i>Birali R.R.L., Dutta S., Mandal J., Padade A.H.</i>	
BRIDGE FOUNDATIONS SUPPORTED BY EPS GEOFOAM EMBANKMENTS ON SOFT SOIL	823
<i>Aaboe R., Ahmed T., Arellano D., Bartlett S., Vaslestad J.</i>	
CONSTRUCTION OF RETAINING WALLS COMBINING GEOSYNTHETIC REINFORCEMENT AND EXPANDED CLAY LIGHTWEIGHT AGGREGATES	832
<i>Delmas P., Finseth J., Gorniak J., Pettersen T.A., Watn A.</i>	
GEOSYNTHETIC TUBES FILLED WITH LIGHTWEIGHT AGGREGATES IN NEW GEOTECHNICAL STRUCTURES: RETAINING STRUCTURE - LARGE SCALE EXPERIMENT	840
<i>Barral C., Delmas P., Finseth J., Gorniak J., Hyrve O., Tankere M., Watn A.</i>	
USE OF EPS BLOCK GEOFOAM WITH INTERNAL DRAINAGE FOR SANDY SLOPES SUBJECTED TO SEEPAGE FLOW	848
<i>Akay O., Fox G.A., Özer A.T.</i>	
USE OF INTERLOCKED EPS BLOCK GEOFOAM FOR SANDY SLOPES SUBJECTED TO SEEPAGE FLOW	856
<i>Akay O., Özer A.T.</i>	

ROADS AND TRANSPORTATION APPLICATION – ROADS, RAILWAYS, PARKING AREA

ASSESSMENT OF PAVEMENT FOUNDATION STIFFNESS USING CYCLIC PLATE LOAD TEST	864
<i>Kwon J., Wayne M.H., White D.J.</i>	
DESIGN OF GEOGRID REINFORCED GRANULAR MATTRESSES ON WEAK SOIL	873
<i>Rimoldi P., Scotto M.</i>	
DESIGN, CONSTRUCTION AND PERFORMANCE OF GRS STRUCTURES FOR RAILWAYS IN JAPAN	881
<i>Aoki H., Koda M., Koseki J., Tateyama M., Tatsuoka F., Watanabe K., Yonezawa T.</i>	
EMBANKMENT CONSTRUCTION FOR ACCESS ROAD TO A PUMPING STATION IN A FLOODED AREA IN VENEZUELA	889
<i>Alio E., Del Rosario R., Jugo A. B.</i>	

VOLUME 2

EXCAVATION OF GEOSYNTHETIC CLAY LINERS AND GEOMEMBRANES UNDER RAILWAYS	896
<i>Haase C., Kaindl H.-J., Olschewski J., Saathoff F., Weber T.</i>	
GEOGRID REINFORCED RAILWAY EMBANKMENT ON SOFT SOIL – EXPERIENCES FROM 5 YEARS OF FIELD MONITORING	903
<i>Klomp maker J., Lenart S.</i>	
HIGH STRENGTH GEOSYNTHETIC OVERCOMES SATURATED DOLOMITIC SUBGRADE	911
<i>Parrock A.L.</i>	
INCREASE OF BEARING CAPACITY OF SOFT SUBGRADE OF RAILWAY EMBANKMENT BY REINFORCEMENT OF THE GEOSYNTHETICS	916
<i>Gameliak I.P., Korn A., Nikolaichuk A., Zhurba H., Zotko O.</i>	

ROADS AND TRANSPORTATION APPLICATION – TESTING AND RESEARCH

ASSESSMENT OF PARTICLE CONFINEMENT WITHIN A MECHANICALLY STABILISED LAYER	924
<i>Cook J., Horvát F.</i>	
DETERMINATION OF REINFORCED SOIL STIFFNESS BY STATIC PLATE LOAD TEST	928
<i>Minažek K., Mulabdic M.</i>	
MEASUREMENT OF THE GEOGRID CONFINING EFFECT	936
<i>Lees A.</i>	

STATIC PLATE LOAD TESTS ON MULTI-LAYERED GEOCELL-REINFORCED BED	944
<i>Dawson A., Khalaj O., Mašek B., Moghaddas Tafreshi S.N.</i>	

ROADS AND TRANSPORTATION APPLICATION – MISCELLANEOUS APPLICATIONS

EXPERIMENTAL AND NUMERICAL APPROACHES OF THE DESIGN OF GEOTEXTILE REINFORCED EMBANKMENTS PRONE TO SINKHOLES	952
<i>Auray G., Briçon L., Garcin P., Huckert A., Villard P.</i>	
GEOGRID EFFECTS ON THE SWELLING CHARACTERISTICS OF GEOTEXTILE-ENCASED TREATED & UNTREATED EXPANSIVE SOILS	960
<i>Daifalla S.H.H., Witt K.J.</i>	
GEOGRID PROTECTION OF A STEEL REINFORCED HIGH DENSITY POLYETHYLENE PIPE SUBJECTED TO A PENETRATION LOAD	968
<i>Corey R., Han J., Khatri D.K., Parsons R.L.</i>	
IMPROVEMENT OF BEARING CAPACITY AND REINFORCEMENT OF A ROAD EMBANKMENT CONSTRUCTED OVER SOFT SATURATED SOILS USING POLYMERIC GEOGRIDS	975
<i>Sierra Discua D., Vega-Meyer R.</i>	
MINIMUM REQUIREMENTS ON TENSILE STRENGTH AND ROBUSTNESS FOR STABILIZATION WITH GEOGRIDS	983
<i>Klompaker J., Psiorz C.</i>	
NUMERICAL APPROXIMATION OF GEOTEXTILE TUBES USABILITY IN COASTAL SHORE PROTECTION: A BLACK SEA COASTLINE CASE STUDY	991
<i>Aksel M., Çokgör S., Öztug V.</i>	
SERVICE LIFE OF PVC-P-BASED GEOSYNTHETIC BARRIERS (GBR-P) IN ROAD TUNNEL SEALING SYSTEMS	997
<i>Decker W., Kaundinya I., Saathoff F.</i>	

SOIL REINFORCEMENT – IN-SITU TESTING AND CONCLUSIONS

AN APPLICATION APPROACH OF S-PSA TO REINFORCED SOIL WALL	1005
<i>Hara T., Kato T., Nonoyama M.</i>	
ESTIMATION OF REINFORCEMENT MECHANISM ACCORDING TO THE SUBGRADE ARRANGEMENT	1011
<i>Ishigaki T., Kuwano J., Tachibana S., Tatta N.</i>	
INFLUENCE OF PHYSICAL AND MECHANICAL PROPERTIES OF GEOGRIDS ON THE PERFORMANCE OF UNPAVED ROADS ON WEAK SUBGRADES	1017
<i>Gutiérrez Góngora I.A., Palmeira E.M.</i>	
LITERATURE REVIEW OF THE CURRENT STATE OF THE ART FOR DESIGNING GEOSYNTHETICS FOR SUB-BASE REINFORCEMENT FOR TRACK AND TYRE LOADINGS	1025
<i>Chow R.W.</i>	
REPETITIVE STATIC PLATE LOAD TESTS ON TRIAXIAL GEOGRID-STABILIZED BASE COURSES OVER WEAK SUBGRADE	1032
<i>Han J., Kwon J., Parsons R.L., Sun X., Wayne M.H.</i>	
SETUP OF UNIQUE FULL SCALE TRAFFICKING TRIALS OF REINFORCED UNBOUND PAVEMENTS – MOTIVATION AND FIRST RESULTS	1040
<i>Beufte M., Emersleben A., Lhotzky K., Milatz M., Vollmert L.</i>	
SUPPORTING STRUCTURES REINFORCED BY GEOGRIDS – THE ENGINEERING CHALLENGE	1050
<i>Abdelaal F.B., AlKayyal H., Althoff S., Awwad T., Klapperich H., Tamaskovics N.</i>	

ASPHALT APPLICATIONS

GEOGRID EFFECTS ON THE RESISTANCE TO CRACK-GROWTH AND FRACTURE OF ASPHALT CONCRETE MIXTURES	1056
<i>Miranda L.S., Montestruque G.E., Rodrigues R.M.</i>	
GEOSYNTHETIC REINFORCEMENT FOR REFLECTIVE CRACKING REDUCTION IN ASPHALT PAVEMENTS	1064
<i>Marques Palmeira E., Obando Ante J.R.</i>	

INVESTIGATION OF THE LONG TERM PERFORMANCE OF A HIGH TENACITY POLYESTER REINFORCEMENT IN ASPHALT PAVEMENT REHABILITATION.....	1072
<i>Quiel M., Theßeling B.</i>	
REFLECTION CRACKING: A REVIEW ON THE POTENTIAL OF INTERLAYER SYSTEM WITH REFERENCE TO NATURAL FIBRES.....	1079
<i>Nithin S., Rajagopal K., Veeragavan A.</i>	
STUDY THE PERFORMANCE OF BITUMEN WITH ADDITION OF PLASTIC WASTE AND CRUMB RUBBER.....	1087
<i>Roy T.K.</i>	
THE USE OF ASPHALT REINFORCEMENT GEOSYNTHETICS WITHIN THE REHABILITATION OF AN EXISTING AND EXTENDED AIRPORT RUNWAY IN MOZAMBIQUE.....	1092
<i>Assinder P.J., Chembeze S., Maltezinho J.</i>	

SOIL – GEOSYNTHETICS INTERACTION I

3D NUMERICAL STUDY OF SAND-GEOGRID INTERACTION UNDER PULLOUT TEST.....	1098
<i>Fakharian K., Nikbakht M.</i>	
COMPARISON OF VARIOUS TESTING METHODS FOR SOIL-GEOGRID FRICTION PARAMETERS ESTIMATION TO STABILISE A THIN SOIL LAYER ON SLOPES.....	1106
<i>Auray G., Stoltz G.</i>	
EFFECT OF REINFORCEMENT ANCHORAGE ON THE PLANE STRAIN BEHAVIOR OF GEOGRID-REINFORCED SAND.....	1114
<i>Liu C.-N., Nguyen M.D., Yang K.-H.</i>	
EXPERIMENTAL AND DEM INVESTIGATION OF PULL-OUT BEHAVIOUR OF GEOGRID EMBEDDED IN GRANULAR SOIL.....	1122
<i>Jacobs F., Wang Z., Ziegler M.</i>	
EXPERIMENTAL CHARACTERIZATION OF THE SOIL-GEOTEXTILE INTERACTION UNDER IMPACT TYPE PULL-OUT LOADS.....	1130
<i>Aprialdi D., Jenck O., Lambert S.</i>	
MICROSCOPIC INTERACTION EFFETS OF PRESTRESSED GEOGRIDS IN A REINFORCED SOIL ELEMENT.....	1138
<i>Bergado D.T., Lackner C., Marte R., Semprich S.</i>	
SHEAR STRENGTH OF RCDW/NONWOVEN GEOTEXTILE INTERFACE.....	1146
<i>Melo D.L.A., Santos E.C.G.</i>	

SOIL – GEOSYNTHETICS INTERACTION II

A STRESS TRANSFER MODEL TO PREDICT THE PULLOUT RESISTANCE OF EXTRUDED GEOGRIDS EMBEDDED IN COMPACTED GRANULAR SOILS.....	1153
<i>Calvarano L.S., Cardile G., Gioffrè D., Moraci N.</i>	
ASSESSING INTERFACE FRICTION ANGLES OF GEOSYNTHETICS BY COMPARING TWO LOADING METHODS.....	1161
<i>Herault A., Stoltz G.</i>	
BEHAVIOUR OF GEOGRID-RECYCLED CONSTRUCTION AND DEMOLITION WASTE INTERFACES IN DIRECT SHEAR MODE.....	1168
<i>Lopes M.L., Pereira P.M., Vieira C.S.</i>	
COMPARISON OF PULLOUT BEHAVIORS BETWEEN GEOGRID AND A NEWLY-DEVELOPED GEOCELL.....	1176
<i>Han X., Kiyota T., Tatsuoka F.</i>	
EXPERIMENTAL EVALUATION OF THE PULLOUT ACTIVE LENGTH OF DIFFERENT GEOGRIDS.....	1184
<i>Calvarano L.S., Cardile G., Gioffrè D., Moraci N.</i>	
FRICTION BEHAVIOUR OF GEOTEXTILE INTERFACES UNDER CYCLIC CONDITIONS.....	1191
<i>das Neves L., Lopes M.L., Moreira A., Vieira C.S.</i>	
LABORATORY TESTING OF THE COMPOUND BEHAVIOR OF GEOGRID REINFORCED SOIL.....	1199
<i>Jacobs F., Ziegler M.</i>	

PROCESS-ANALYSIS ON THE STAGE CHARACTERISTIC OF PULL-OUT TESTS	1207
<i>Han B.Z., Wang M., Xu L.R., Zou J.</i>	

SOIL – GEOSYNTHETICS INTERACTION III

BAM APPROVAL FOR GEOGRIDS USED IN LANDFILL APPLICATIONS AND ITS IMPLEMENTATION IN PRACTICE	1214
<i>Niehues C., Psiorz C., Vollmert L.</i>	
FIELD PULLOUT RESPONSE OF UNANCHORED STRAIGHT POLYESTER GEOSTRAPS	1222
<i>Harninto D.S., Moelyani D.A., Prakoso W.A., Taufik R.</i>	
GEOSYNTHETIC INTERFACE SHEAR STRENGTH UNDER STATIC AND SEISMIC LOADING CONDITIONS	1228
<i>Briançon L., Carbone L., Carrubba P., Gourc J.-P., Moraci N., Pavanello P., Scotto M.</i>	
INVESTIGATION OF CONFINEMENT EFFECT BY USING THE MULTI-LEVEL SHEAR BOX TEST	1236
<i>Horvát F., Klompmaker J.</i>	
LOAD REDISTRIBUTION EFFECT IN AN EMBANKMENT FOUNDED ON A NEW SELF-REGULATING INTERACTIVE MEMBRANE FOUNDATION SYSTEM	1245
<i>Alexiew D., Detert O., König D., Schanz T.</i>	
LONG-TERM PULL-OUT RESISTANCE AND MATERIAL PROPERTIES OF GEOGRIDS	1253
<i>Müller W.W.</i>	
PRESSURE MAPPING SYSTEM FOR GEOSYNTHETIC INTERFACES	1261
<i>Baykal G.</i>	
PULLOUT CHARACTERIZATION OF GEOGRIDS EMBEDDED IN DREDGED MATERIAL AND STEEL SLAG FINES (DM-SSF) BLENDS	1269
<i>Grubb D.D., Hanumasagar S.S., Roodi G.H., Zornberg J.G.</i>	

SOIL – GEOSYNTHETICS INTERACTION IV

A LABORATORY FULL-SCALE TENSILE TEST OF GEOTEXTILE TUBE INLET PORT	1277
<i>Chew S.H., Eng Z.X.</i>	
EFFECT OF POCKET SIZE ON THE SHEAR PROPERTIES OF DIFFERENT SAND-GEOCELL INTERFACES	1285
<i>Madhavi Latha G., Manju G.S., Rajeshkannan D.</i>	
STRENGTH CHARACTERISTICS OF SAND REINFORCED WITH GRID REINFORCEMENT OF DENTI-INCLUSIONS UNDER PLANE STRAIN CONDITION	1293
<i>Li L., Liu F.Y., Wang L., Zhang M.X., Zhou X.F.</i>	
USE OF GEOCELL REINFORCEMENT TO IMPROVE PERFORMANCE OF BURIED PIPES	1300
<i>Dawson A., Moghaddas Tafreshi S.N., Tavakoli Mehrjardi G.</i>	
VARIATION OF DEGREE OF SATURATION FOR SOIL GEOMEMBRANE INTERACTION STUDIES USING RAMP TESTS	1306
<i>Araujo G.L.S., Monteiro C.B., Palmeira E.M.</i>	

LANDFILL – SEALING APPLICATIONS

CASE STUDY OF A GEOMEMBRANE LINER DAMAGES IN A NEW LANDFILL CELL LOCATED IN MELBOURNE, AUSTRALIA	1312
<i>Bogoda K.R., Bouazza A.</i>	
COVERING A LANDFILL ALONG A LAGOON NEAR OAKLAND (CALIFORNIA, USA)	1319
<i>Breul B., Hadj-Hamou T., Moeglen J.</i>	
GEOSYNTHETIC SOLUTIONS FOR LANDFILL OF LOW EMISSION RADIOACTIVE WASTE	1327
<i>Brochier P., Larcher T., Marchiol A., Michaux J.L.</i>	
HANNOVER LANDFILL – CAP-SEALING SYSTEM AND SLOPE STABILITY PROTECTION BY GEOSYNTHETICALLY REINFORCED EARTH STRUCTURE	1334
<i>Vielhaber B., Weiss N.</i>	
LANDFILL ASZÓD - 25 YEARS OF EXPERIENCE WITH HUNGARY’S FIRST BASE LINED HAZARDOUS WASTE LANDFILL	1341
<i>Birkás L., Romencsák S., Westhus S.</i>	

MONITORING IN-SITU CONDITIONS AT LANDFILLS FOR THE PURPOSE OF EVALUATING LONG TERM GEOMEMBRANE PERFORMANCE	1348
<i>Koerner G.R., Koerner R.M</i>	
PERMANENT CAPPING OF TEMPORARY WASTE SLOPES: THE CHALLENGE OF DECLINING WASTE STREAMS	1353
<i>Fowmes G.J., Zamara K.</i>	
STUDY OF MORAVIA'S WASTE LANDFILL COVER IN THE CITY OF MEDELLÍN, COLOMBIA	1361
<i>Araujo G.L.S., Carvajal H.E.M., Fernandes L.R.</i>	

LANDFILL – BARRIER PERFORMANCE

DURABILITY OF POLYETHYLENE GEOPIPES FOR LANDFILL APPLICATIONS AFTER SEVERAL YEARS IN SERVICE	1368
<i>Engelsing K., Hausmann S., Zanzinger H.</i>	
FEEDBACK OF AN EPDM GEOMEMBRANE LANDFILL COVER 12 YEARS AFTER ITS INSTALLATION	1376
<i>Amat B., Croissant D., Stoltz G., Touze-Foltz N.</i>	
GEOSYNTHETICS IN BARRIERS FOR HYDROCARBON REMEDIATION IN ANTARCTICA	1384
<i>Bouazza A., Gates W., Hince G., Jones D., McWatters R.S., Rowe R.K., Snape I., Spedding T., Wilkins D.</i>	
IMPROVEMENT OF POLYETHYLENE GEOMEMBRANE BARRIER PROPERTIES USING NANOPARTICLES	1392
<i>Blond E., Dolez P.I., Ragoubi M.</i>	
IMPROVING ENVIRONMENTAL PROTECTION STANDARDS IN SOUTHERN AFRICA	1398
<i>Fricker C., Legge K.R., Mnisi K.K.</i>	
POTENTIAL IMPACT OF ADDITIVES IN GMB ON ECOSYSTEMS – IMAGES	1406
<i>Diafi D., Durrieu C., Farcas F., Guéguen M., Guenne A., Mazéas L., Touze-Foltz N.</i>	

LANDFILL – TESTING AND PERFORMANCE

APPLICATION OF A FOUR-PARAMETER EXPONENTIAL DECAY MODEL FOR MODELLING ANTIOXIDANT DEPLETION IN HDPE GEOMEMBRANES	1414
<i>Abdelaal F.B., Rowe K.</i>	
EFFECT OF CHLORINATED WATER ON THE ANTIOXIDANT DEPLETION OF HDPE GEOMEMBRANE WITHOUT HALS	1422
<i>Abdelaal F.B., Rowe K.</i>	
EVAL EVOH (ETHYLENE VINYL ALCOHOL COPOLYMER) GEOMEMBRANE SEAMING	1429
<i>Chow E.A., Koerner G.</i>	
MEASURING THE PERMEABILITY OF GEOMEMBRANES TO METHANE AND CARBON DIOXIDE	1437
<i>Beaumier D., Blond E., Dolez P.I., Ragoubi M.</i>	
SHEARING RESPONSE AND SHEAR STRENGTH OF SOLID WASTE MATERIAL CONDUCTED BY DEVELOPED DIRECT SHEAR TEST APPARATUS	1444
<i>Ishikura R., Kawai S., Miyamoto S., Omine K., Yamawaki A., Yasufuku N.</i>	
THE INFLUENCE OF FOUNDATION SOIL NATURE ON THE CHOICE OF GEOSYNTHETIC MATERIALS FOR SOLID WASTE LANDFILLS. CASE STUDIES FROM ROMANIA	1452
<i>Ivasuc T., Manea S., Olinic E., Sofrone D.</i>	
UNSATURATED FLOW BEHAVIOR OF LEAK-DETECTION SYSTEMS WITH GEONETS	1458
<i>Queiroz P.I.B., Santos C.T., Vidal D.</i>	

LANDFILL – GENERAL CONCERNS I

A STUDY OF MULTI SOIL LAYERING WASTEWATER TREATMENT SYSTEM USING GEOTEXTILES	1466
<i>Chang C.-W., Ho C.C., Huang Y.</i>	
EVALUATING THE USE OF GEOTEXTILE FILTERS TO DEWATER OIL SANDS TAILINGS	1472
<i>Blond E., Chappel M.J., Dolez P.I.</i>	
EXPANDING CONTAINMENT BARRIER BOUNDARIES	1480
<i>Gundle C.J., Meyer P.J., Meyer W.</i>	

FIELD OBSERVATIONS OF MOISTURE MIGRATION ON GCLS IN EXPOSED LINERS	1489
<i>Brachman R.W.I., Rentz A., Rowe R.K., Take W.A.</i>	
FLEXIBILITY; KEY PROPERTY OF A LEACH PAD GEOMEMBRANE: A COMPARISON BETWEEN PE GEOMEMBRANES	1497
<i>Ossa M., Paredes L.A.</i>	
FOREST-BASED RECPS FOR THE SUSTAINABLE MANAGEMENT OF FORESTS	1503
<i>Daley D., Hunter O., Smith J.</i>	
OPTIMIZATION OF A NEW TYPE OF GEOCOMPOSITE FOR ENVIRONMENTAL APPLICATIONS	1511
<i>Kollios A., Ziros A., Zotiadis V.</i>	
STUDY OF THE DURABILITY OF GEOMEMBRANES FOR WATERPROOFING OF RESERVOIRS OF GOLD TAILINGS DAMS IN BRAZIL	1519
<i>Gardoni M.D.G., Santos L.</i>	

LANDFILL – GENERAL CONCERNS II

BENEFICIAL IMPACT OF POLYMER TREATMENT OF CA-BENTONITES ON LONG-TERM HYDRAULIC CONDUCTIVITY	1527
<i>Bezuijen A., De Camillis M., Di Emidio G., Verastegui Flores R.D.</i>	
CONTAINMENT OF NUCLIDE-CONTAMINATED MSW INCINERATOR ASH IN LANDFILLS: EFFECT OF DIFFERENTIAL SETTLEMENT	1532
<i>Inui T., Katsumi T., Ogawa S., Takai A.</i>	
DURABILITY OF GEOMEMBRANE AND GCL IN HOT HYPERSALINE CONDITIONS	1539
<i>Gassner F.W.</i>	
REQUIREMENTS AND PERFORMANCE TESTS ON LEAK DETECTION SYSTEMS (LDS) FOR HDPE GEOMEMBRANES IN LANDFILL COVERS IN GERMANY	1545
<i>Müller W.W., Wöhlecke A.</i>	
TEMPERATURE MEASUREMENTS OF EXPOSED GMB / GCL COMPOSITE LINERS	1553
<i>Brachman R.W.I., Rentz A., Rowe R.K., Take W.A.</i>	

GEOSYNTHETIC CLAY BARRIERS – TESTING AND PERFORMANCE I

BEHAVIOR OF GEOSYNTHETIC CLAY LINERS UNDER HIGH HYDRAULIC PRESSURE	1561
<i>Boley C., Maubeuge K.P. von, Zou Y.</i>	
HYDRAULIC CONDUCTIVITY OF GCL SUBJECTED TO FREEZE-THAW CYCLES AND THE EFFECTS OF CACL₂ PERMEATION	1568
<i>Maeda T., Mukunoki T.</i>	
IMPACT OF ACIDIC AND HIGH-METAL LOADING PERMEANTS ON CONTAINMENT PROPERTIES OF GCLS	1576
<i>Mazzieri F., Pasqualini E.</i>	
INVESTIGATION OF GCL OVERLAP TECHNIQUES USING A LARGE SCALE FLOW BOX	1584
<i>Buckley J., Kendall P.M.</i>	
ROAD NOISE BARRIERS AS LONGITUDINAL WASTE DEPOSITS	1590
<i>Egloffstein T.A., Maubeuge K.P. von, Vollmert L.</i>	
SUITABILITY OF GCL IN CONTACT WITH BAYER LIQUOR	1598
<i>Bosworth L., du Preez L., Gassner F.</i>	

GEOSYNTHETIC CLAY BARRIERS – TESTING AND PERFORMANCE II

COMPARISON OF FIELD AND LABORATORY MEASUREMENTS OF GCL SHRINKAGE	1605
<i>Ashe L., Brachman R.W.I., Rowe R.K., Take W.A.</i>	
COMPOSITE GCL/GEOMEMBRANE DESIGN FOR HIGH DYNAMIC LOAD APPLICATIONS	1613
<i>Maskal A.K., Youngblood J.</i>	
INVESTIGATION OF BENTONITE MASS PER UNIT AREA REQUIREMENTS FOR GEOSYNTHETIC CLAY LINERS	1616
<i>Ehrenberg H., Maubeuge K.P. von</i>	
INVESTIGATIONS ON THE INFLUENCE OF DIFFERENT CALCIUM CONCENTRATIONS ON THE PERMITTIVITY OF GCLS	1624
<i>Egloffstein T., Ehrenberg H., Maubeuge K.P. von</i>	

LONG-TERM PERFORMANCE OF GEOSYNTHETIC CLAY LINERS (GCLS) IN FIELD TRIALS AND COMPARISON OF THE PERFORMANCE OF POWDER AND GRANULAR BENTONITE IN GCLS	1632
<i>Maubeuge K.P. von, Müller-Kirchenbauer A., Prof. Dr. -Ing. Schlötzer C.</i>	
PERFORMANCE OF BENTONITES USED IN GBR-C IN CONTACT WITH CONTAMINATED AND SALINE WATERS.....	1640
<i>Blanco M., Leiro Á., Mateo B.</i>	
QUANTIFICATION OF DIFFUSION OF BISPHENOL A IN A GCL AFTER CONTACT WITH A SYNTHETIC LEACHATE	1648
<i>Gardoni M.D.G., Mazéas L., Mendes M., Touze-Foltz N.</i>	
THE DESICCATION PROCESS OF GEOSYNTHETIC CLAY LINERS ABOVE DIFFERENT SUBSOILS AND CLIMATIC CHANGES.....	1656
<i>Boley C., Höppner R.</i>	

GEOMEMBRANES – PERFORMANCE CONCERNS I

ANALYSIS ON LARGE DATABASE OF INTERFACE SHEAR STRENGTH PROPERTIES FOR TEXTURED POLYETHYLENE GEOMEMBRANES UNDER NORMAL STRESSES TYPICAL FOR OVERALL LANDFILL STABILITY AND FINAL COVERS.....	1662
<i>Cao D., Denis R., Elie G., St-Pierre S.G., Tan D.S.M.</i>	
FUTURISTIC CLOSURE TECHNOLOGY AVAILABLE FOR THE WASTE INDUSTRY TODAY: AN EXPLORATION INTO A CLOSURE SYSTEM UTILIZING MAINLY GEOSYNTHETICS BECOMES REALITY	1670
<i>Grace M.A.</i>	
INDUCTION WELDING - NEW POSSIBILITIES/ NEW CHALLENGES.....	1680
<i>Hummel R., Uebigau M.</i>	
IS THERE A RESURGENCE OF STRESS CRACKING IN EXPOSED HDPE GEOMEMBRANES?	1684
<i>Burkard B., Gassner F., Noval Arango A. M., Peggs I.D., Scheirs J., Tan D.</i>	
LAMINATION EFFECT ON FLOW RATES THROUGH COMPOSITE LINERS	1694
<i>Cengiz C., Guler E., Ozhan H.</i>	
LONG-TERM PERFORMANCE OF THE HDPE GEOMEMBRANE AT THE “SAN ISIDRO” RESERVOIR	1701
<i>Aguiar E., Blanco M., Castillo F., Leiro Á., Mateo B., Noval A.M., Redón M., Torregrosa J.B., Zornberg J.G.</i>	
LONG-TIME BEHAVIOR OF EXPOSED GEOMEMBRANES USED FOR THE UPSTREAM FACE REHABILITATION OF DAMS IN NORTHERN ITALY	1709
<i>Cazzuffi D.</i>	
SUBMERGED GEOMEMBRANE SYSTEMS IN URBAN AREAS: INNOVATIVE POLDER-CONSTRUCTIONS IN LIMITED SPACE.....	1721
<i>Gerritsen R., Knulst R., van Regteren D.H.</i>	

GEOMEMBRANES – PERFORMANCE CONCERNS II

ACTION LEAKAGE RATE FOR RESERVOIR GEOMEMBRANE LINERS	1732
<i>Giroud J.P., Peggs I.D.</i>	
BITUMINOUS GEOMEMBRANE FOR DRAINAGE CHANNELS (TRANSPORTATION).....	1742
<i>De Cuyper S., Ulrich D.</i>	
DEGRADATION OF 2.4 MM-HDPE GEOMEMBRANE WITH HIGH RESIDUAL HP-OIT	1750
<i>Ewaís A.M.R., Rowe R.K.</i>	
FIELD LEAKAGE RATES OF GEOSYNTHETIC LINED FACILITIES	1758
<i>Fairhead G., Gassner F.</i>	
PERTINENT ROLE OF HDPE GEOMEMBRANE TO HARVEST BIOGAS AS RENEWABLE ENERGY IN AN ETHANOL PRODUCTION FACILITY	1764
<i>Boonmarkka S., de Zwart T.P., Jamjumras A., Jarunsiripaisarn S., Kanha W., Kovittayanun N., Muangsukhum P., Pansaen P., Tan D.S.M.</i>	

POSTER SESSION

A SUCCESSFUL STORY--THE USE OF HDPE GEOMEMBRANE FOR A COPPER DUMP LEACH PAD APPLICATION UNDER INCLEMENT WEATHER CONDITION	1772
<i>Baasanjav G., Ng H., Zheng A.</i>	
ANALYSIS OF CHANGES IN THE STRENGTH CHARACTERISTICS IN OPERATION	1778
<i>Kleveko V.I., Tatiannikov D. A.</i>	
ANALYSIS OF CREEP DEFORMATION BEHAVIOR OF GEOGRIDS BY LIMITED CREEP STRAIN AND RUPTURE	1782
<i>Jeon H.-Y., Jin Y. C.</i>	
ANALYSIS OF WEATHERING RESISTANCE OF HDPE GEOMEMBRANES UNDER ARTIFICIAL UV EXPOSURE	1786
<i>Wu P., Yang H., Zhe D., Zhu T.</i>	

VOLUME 3

CONSIDERATIONS ABOUT GEOSYNTHETICS QUALITY CONTROL IN BRAZILIAN LANDFILLS	1793
<i>de Oliveira F.J.P., Kamiji T.S.M.M., Kuhn D.V.</i>	
CONSIDERATIONS ABOUT THE DESIGN OF THE FIRST BRAZILIAN GEOTEXTILE REINFORCED SOIL WALL BUILT IN 1984	1801
<i>Futai M.M., Plácido R.R.</i>	
DEVELOPMENT AND APPLICATION OF A NEW DESIGN METHOD FOR GEOSYNTHETIC REINFORCEMENTS TO PROTECT EMBANKMENTS IN AREAS PRONE TO SUBSIDENCE	1809
<i>Bromen J., Schwerdt S.</i>	
EXPERIMENTAL STUDY ON THE OPTIMUM PLACEMENT OF GEOGRIDS IN THE REINFORCED SOIL WALL	1817
<i>Hirai T., Hironaka J., Otani J., Sato T., Shintani M.</i>	
FIELD TEST ON CONFINED-REINFORCED EARTH METHOD USING GEOGRID REINFORCEMENT FOR ASPHALT PAVEMENT	1821
<i>Ishigaki T., Kawasaki H., Ohta H., Tatta N., Tsuji S.</i>	
INFLUENCE OF DRYING TEMPERATURE ON PUNCHING RESISTANCE IN GEOTEXTILE FABRICS THROUGH WET AND DRY DEGRADATION TEST	1829
<i>Dias Filho J.L.E., Maia P.C.D.A., Prellwitz M.F.</i>	
INTERFACE AND MECHANICAL DAMAGE TESTS ON GEOSYNTHETICS USED IN THE JACOBINA TAILINGS DAM	1836
<i>Gardoni M.G.A., Palmeira E.M., Park J.A., Sampaio S.S.</i>	
OPTIMIZATION DESIGN OF CRUCIFORM SPECIMEN FOR BIAXIAL TENSION TEST OF PVC GEOMEMBRANE	1843
<i>Haimin W., Yiming S.</i>	
PROBABILISTIC ANALYSIS OF GEOMEMBRANE PUNCTURE FROM GRANULAR MATERIAL	1850
<i>Jiang X., Yiming S.</i>	
REDUCTION FACTOR ANALYSIS OF GEOGRIDS TO CONSIDER AFFECTING PARAMETERS DURING SERVICE PERIODS	1856
<i>Jeon H.-Y.</i>	
RESISTANCE OF A HIGH FLOW WOVEN GEOTEXTILE AGAINST CHEMICAL AGEING	1862
<i>Almeida P.J., Carneiro J.R., Lopes M.L.</i>	
SEISMIC PERFORMANCE OF HIGH-PERFORMANCE GEOSYNTHETICS REINFORCED EMBANKMENT CONSTRUCTED BY USING A LOW QUALITY SOIL MATERIAL (GEOSYNTHETICS REINFORCED EMBANKMENT INCLUDING ROADBED BY IMPROVEMENT PILES)	1868
<i>Aoki H., Kojima K., Morino T., Nonaka T., Suyama Y.</i>	
SIMPLE FILTERING METHOD FOR RADIOACTIVE CESIUM IN MUDDY WATER	1876
<i>Hayakawa M., Kawamura T., Mizobuchi T., Umezaki T.</i>	
SOIL-GEOSYNTHETIC INTERACTION. INTERFACE PARAMETERS IN GRANULAR SOILS	1884
<i>Lopes M.L., Mendonça A.M., Oliveira M.M.</i>	
STUDY OF THE IMPACT ABSORBENCY OF SOIL MIXED WITH CRUSHED EPS WASTE - EFFECT AT THE TIME OF IMPACT AND AFTER PROPAGATION -	1892
<i>Kawaguchi Y., Kimata T., Sakaguchi K.</i>	

THE APPLICATION OF ECO-BLOCK RETAINING WALL ON REINFORCED SOIL TO MULTI-NATURAL ECO-REVTMENT IN RIVER REGULATION	1900
<i>Cao W., Dai J., Su D.</i>	
THE DESIGN AND STUDY ON ECO-PANEL GEOGRID REINFORCED RETAINING WALL	1905
<i>Cao W., Dai J., Li J., Su D.</i>	
THE EVALUATION OF CREEP REDUCTION FACTOR FOR GEOSYNTHETIC STRIP BY CONVENTIONAL CREEP TEST AND STEPPED ISOTHERMAL METHOD.	1911
<i>Cho H.-W., Jung S.G., Kim J.H., Koo H.-J., Lee K.W.</i>	
THE USE OF SAND IN COMBINATION WITH GEOCELLS INSTEAD OF GRAVEL FOR THE CONSTRUCTION OF HIGHLY LOADED ACCESS ROADS OVER SOFT SOIL FOR WIND FARM CONSTRUCTION.....	1919
<i>Adamietz S., Emersleben A., K. Tietjen, Wedin B.</i>	
THREE-DIMENSIONAL PLASTIC GEOCELLS IN THE CONSTRUCTION OF RAILROADS	1927
<i>Bubnovsky V., Zaytsev A.</i>	
TSUNAMI HYDRAULIC EXPERIMENTS OF SEAWALLS EMBANKMENT REINFORCED BY GEOTEXTILES.	1935
<i>Hashizume Y., Kaneko K., Oyama N.</i>	

YOUNG IGS MEMBERS CONTEST

3D NUMERICAL ANALYSIS OF BASAL REINFORCED PILED EMBANKMENTS	1942
<i>van der Peet T.C., van Eekelen S.J.M.</i>	
51.5M HIGH GEOGRID-REINFORCED SLOPE IN MOUNTAIN AREA.....	1950
<i>Yang F., Zhu H.</i>	
BEHAVIOR OF TRANSVERSE RIBS IN A TENSIONED GEOGRID EMBEDDED IN TRANSPARENT SOIL.....	1955
<i>Ferreira J.A.Z., Zornberg J.G.</i>	
BEHAVIOUR OF DRAINING GEOSYNTHETICS FOR LANDFILL CAPPING SYSTEMS	1963
<i>Cazzuffi D., Pilet P., Riot M.</i>	
BUILDING TECHNOLOGY FOR STRIP FOUNDATIONS COMBINED BY MEMBRANES IN HEAVY GEOTECHNICAL CONDITIONS OF SIBERIA.....	1971
<i>Epifantceva L., Poroshin O., Pronozin Y.</i>	
CASE STUDY ON GREEN FACED REINFORCED EARTH® RETAINING WALL FOR APPROACH RAMP OF PARAS QUARTIER GURGAON	1977
<i>Adhikari A., Chakraborti A., Guha D.</i>	
CENTRIFUGE MODEL TESTS ON TENSION DEVELOPMENT IN GEOMEMBRANES PLACED ON LANDFILL SLOPES	1986
<i>Chen Y., Lin W., Tang X., Zhan T.L., Zhan X.</i>	
DETERMINATION OF THE DISCHARGE CAPACITY OF BUCKLED PVD'S	1995
<i>Bodamer R.M., Dijkstra J.W.</i>	
DRAINAGE BEHAVIOR OF A COVER SYSTEM CONSISTING OF GRANULAR SOIL OVER NONWOVEN GEOTEXTILE LAYER UNDER UNSATURATED CONDITIONS	2003
<i>Al-Anbaki U., König D., Schanz T.</i>	
FLOW RATE QUANTIFICATION IN MULTICOMPONENT GEOSYNTHETIC CLAY LINERS WITH THE OEDOPERMEAMETER METHOD.	2011
<i>Barral C., Croissant D., Touze-Foltz N.</i>	
INFLUENCE OF ORIENTATION ON AGEING OF A REINFORCED PVC GEOMEMBRANE	2019
<i>Aguiar E., Blanco M., Castillo F., Giroud J.P., Leiro Á., Mateo B., Noval A.M., Sánchez F.J., Torregrosa J.B.</i>	
INNOVATIVE USES OF GEOSYNTHETICS FOR URBAN AGRICULTURE IN AFRICA	2027
<i>Gast K., Mynhard C.F.</i>	
LARGE-SCALE CONTROLLED TESTING OF GEOTEXTILE PUNCTURE RESISTANCE FOR ROCK IMPACT.....	2035
<i>Austin R.A., Cheah C., Kendall P.M., Lacey M.</i>	
MEASURING DEFORMATION PERFORMANCE OF GEOGRID REINFORCED STRUCTURES USING A TERRESTRIAL LASER SCANNER	2042
<i>Dixon N., Fowmes G., Frost M., Horgan G., Scotland I., Wackrow R.</i>	
NUMERICAL STUDY OF INFILTRATION INTO UNSATURATED CLAY SLOPES WITH NONWOVEN GEOTEXTILE DRAINS SANDWICHED IN SAND CUSHIONS: FEATURING THE CAPILLARY BARRIER EFFECT.....	2050
<i>Thuo J.N., Yang K.-H.</i>	

OPTIMAL REINFORCEMENT LAYOUT: TAILORING GEOSYNTHETIC PLACEMENT TO FOOTING SUPPORT OF BRIDGE ABUTMENTS.....	2058
<i>Leshcinsky B., Xie Y.</i>	
QUANTIFICATION OF RUT DEPTH IN GEOGRID REINFORCED ASPHALT OVERLAYS USING ACCELERATED PAVEMENT TESTING	2066
<i>Correia N.S., Zornberg J.G.</i>	
SOIL INTERFACE SOFTENING FROM CAPILLARY BREAK FORMATION IN GEOCOMPOSITE DRAINAGE SYSTEMS	2074
<i>Dixon N., Frost M., Othman M.</i>	
SOIL-GEOGRID INTERACTION IN THE INCLINED PLANE SHEAR MOVEMENT	2087
<i>Carneiro J.R., Ferreira F.B., Lopes M.L., Vieira C.S.</i>	
STUDY ON THE BENEFITS OF GEOSYNTHETICS REINFORCEMENT ON A TYPICAL INDIAN RAILWAY TRACKS	2095
<i>Sowmiya L.S.</i>	
THE SUSTAINABLE USE OF GEOSYNTHETICS: LANDFILL DRAINAGE CASE STUDY	2103
<i>Dixon N., Fowmes G., Frost M., Raja J.M.</i>	
USE OF GEOSYNTHETICS IN PIGGY-BACK LANDFILLS: DEVELOPMENT OF AN ITERATIVE METHODOLOGY FOR THE DESIGN OF THE LINING SYSTEM OVER OLD UNLINED WASTE	2111
<i>Olivier F., Tano F.</i>	
WATER RETENTION CURVES OF GCLS AT EARLY STAGE OF HYDRATION USING OVER SATURATED SALT SOLUTIONS	2119
<i>Bannour H., Barral C., Touze-Foltz N.</i>	
WET AND DRY AGEING OF POLYMER TREATED CLAYS USING SEAWATER: SWELL POTENTIAL AND HYDRAULIC CONDUCTIVITY	2126
<i>Bezuijen A., De Camillis M., Di Emidio G., Verastegui Flores R.D.</i>	

GREEN ENGINEERING, SUSTAINABILITY I

A GEOTEXTILE TUBE CONTRIBUTION TO CARBON FOOTPRINT SAVINGS AT TIANJIN ECO-CITY, CHINA	2133
<i>Ding L., Ter Harmsel M., Yee T.W.</i>	
DESIGN, INSTALLATION AND MONITORING OF A GEOTEXTILE SCOUR PROTECTION FOR THE OFFSHORE WIND FARM AMRUMBANK WEST.....	2142
<i>Gollub P., Grosser D., Peters K., Werth K.</i>	
OBSERVATIONS OF CONDITION AND FUNCTIONALITY OF SOIL-FILLED GEOSYNTHETIC BAGS FOR EROSION PROTECTION PURPOSES ALONG AN ARCTIC COASTLINE.....	2148
<i>Bæverfjord M.G., Tangen H., Watn A., Wold M.</i>	
POLYVINYL ALCOHOL PHYSICAL BEHAVIOUR AND CHEMICAL DURABILITY	2156
<i>Freitag N., Nait-Ali L.K., Thomas R.W.</i>	
SOME ASPECTS OF THE DURABILITY TESTING FOR GEOSYNTHETICS EXPOSED TO CLIMATIC DEGRADATION AGENTS	2164
<i>Guimarães M.G.A., Vidal D.M., Yoshimura P.</i>	
TECHNICAL SAFEGUARDS IN TRANSPORT INFRASTRUCTURE FOR SOIL AND GROUNDWATER PROTECTION USING GEOSYNTHETICS	2172
<i>Birle E., Heyer D.</i>	
THE LIFE CYCLE GREENHOUSE GAS EMISSIONS ASSESSMENT OF A REINFORCED EMBANKMENT STRUCTURE.....	2179
<i>E. Chen, H. C. Cheng, S. Wu, W. C. Tsai</i>	

PILED EMBANKMENT I

3D NUMERICAL ANALYSIS OF PERFORMANCE OF GEOSYNTHETIC REINFORCED AND RIGID PILE SUPPORTED EMBANKMENT	2187
<i>Song S., Xu C.</i>	
BASAL REINFORCED PILED EMBANKMENTS: VALIDATION OF INVERSE TRIANGULAR LOAD DISTRIBUTION WITH AN EXTENDED TERZAGHI EQUATION.....	2194
<i>Bezuijen A., van Eekelen S.J.M.</i>	

FIELD EXPERIMENTAL STUDY ON PILE-NET COMPOSITE FOUNDATION FOR HIGH-SPEED RAILWAY	2199
<i>Chen H., Chen S., Xu L.</i>	
GEOTEXTILE ENCASED COLUMNS (GEC) UNDER BRIDGE APPROACHES AS A PRESSURE-RELIEF SYSTEM: CONCEPT, EXPERIENCE, MEASUREMENTS	2205
<i>Alexiew D., Hebmüller A., Küster V., Schnaid F., Silva A.E., Winter D.</i>	
ON THE INFLUENCE OF PRETENSION AND NUMBER OF GEOSYNTHETIC LAYERS ON PILED EMBANKMENT PERFORMANCE	2213
<i>Almeida M.C.F., Almeida M.S.S., Blanc M., Hartmann D.A., Thorel L.</i>	
PHYSICAL MODEL STUDIES ON PILED EMBANKMENTS WITH AND WITHOUT GEOSYNTHETICS	2221
<i>Almeida M., Almeida M.C.F., Briançon L., Da Silva Pinto C., Eneriault F., Houda M., Jenck O.</i>	
PRELIMINARY OBSERVATIONS FROM A GEOSYNTHETIC REINFORCED PILED EMBANKMENT	2229
<i>Bouazza A., Bui H.H., Gniel J., King D.J., Rowe R.K.</i>	
UNCONFINED COMPRESSIVE STRENGTH OF UNREINFORCED AND REINFORCED STONE DUST	2237
<i>Kandolkar S.S., Mandal J.N.</i>	

PILED EMBANKMENT II

ANALYSIS OF GEOTEXTILE-REINFORCED STONE COLUMNS SUBJECTED TO LATERAL LOADING	2245
<i>Mohapatra S.R., Rajagopal K., Sharma J.P.</i>	
BUCKLING RESISTANCE OF GEOTEXTILE-ENCASED COLUMNS	2253
<i>Bräu G., Hampel T., Vogt S.</i>	
EUROPEAN ANALYTICAL CALCULATIONS COMPARED WITH A FULL-SCALE BRAZILIAN PILED EMBANKMENT	2264
<i>Almeida M.S.S., Bezuijen A., van Eekelen S.J.M.</i>	
IS 1+1=2? RESULTS OF 3D MODEL EXPERIMENTS ON PILED EMBANKMENTS	2272
<i>Bezuijen A., van Eekelen S.J.M.</i>	
OPTIMISATION OF REINFORCED PILED EARTH STRUCTURES AND EMBANKMENTS	2280
<i>Aschrafi J., Moormann C.</i>	
PILE-SUPPORTED EMBANKMENT OVER SOFT SOIL FOR SOUTH EUROPE ATLANTIC HIGH SPEED LINE	2288
<i>Auray G., Briançon L., Simon B.</i>	
TWO-DIMENSIONAL PARAMETRIC STUDY OF GEOSYNTHETIC-REINFORCED COLUMN-SUPPORTED EMBANKMENT WIDENING USING THE MODIFIED CAM- CLAY MODEL	2296
<i>El Kamash W.H., Han J., Oztoprak S.</i>	

DRAINAGE – PERFORMANCE AND TESTING

DETERMINATION OF WATER DISCHARGE CAPACITY FOR PREFABRICATED VERTICAL DRAINS IN BUCKLED CONDITION	2303
<i>Chang G.-S., Koo H.-J.</i>	
DYNAMIC FLOW RATE TESTS ON DRAINAGE GEOCOMPOSITES FOR RAILWAY APPLICATIONS	2310
<i>Koerner G., Koerner R., Rimoldi P.</i>	
EVALUATION OF GROUND BEHAVIOR DUE TO THE DEFORMATION OF DRAIN MATERIALS UNDER CONSOLIDATION PROCESS USING X-RAY CT	2318
<i>Kitazume M., Otani J., Sato T., Tagashira Y.</i>	
EXPERIMENT OF THE USE OF GEOSYNTHETICS FOR THE DRAINAGE IN PLACE OF DRAINING MASKS - HYDRAULIC PROPERTIES AND SUSTAINABILITY	2324
<i>Benamu D., Gendrin P., Godon V., Heili V., Thomas M.</i>	
FIELD TEST WITH VERTICAL DRAINS TO REDUCE THE RISK OF LIQUEFACTION	2331
<i>Kudla W., Lucke B., Szczyrba S.</i>	
HYDRAULIC PROPERTIES OF A GEOSYNTHETIC COMPOSITE AFTER MECHANICAL DAMAGE AND ABRASION AND THEIR VARIABILITY	2339
<i>Lopes M.L., Pinho-Lopes M.</i>	

SAMPLING, TESTING AND LONG TERM PERFORMANCE OF DRAINAGE GEOCOMPOSITES IN A LANDFILL CAP	2347
<i>Stephen M.</i>	
THE PERFORMANCE OF GEOCOMPOSITE DRAINS IN THE LONG RUN	2353
<i>Müller W.W., Wöhlecke A.</i>	

FILTRATION – DESIGN AND TESTING

A PERMEAMETER FOR ACCELERATED TESTING OF GEOTEXTILE FILTERS AGAINST SUSPENDED SOIL PARTICLES	2360
<i>Narejo D.</i>	
EFFECT OF PORE SIZE DISTRIBUTION ON SEDIMENT RETENTION AND PASSING	2366
<i>Bhatia S.K., Jackson E.K., Khachan M.M., Kiffle Z.B.</i>	
MODIFIED FILTRATION CRITERIA FOR NON-WOVEN GEOTEXTILES IN LANDFILL CONSTRUCTION.....	2374
<i>Cantré S., Müller W., Saathoff F.</i>	
PORE SIZE DISTRIBUTION TEST MEASUREMENT CONTRIBUTIONS TO QUALITY AND EFFICIENCY IN THE GEOTEXTILE FILTER INDUSTRY	2381
<i>Allen S.R.</i>	
RETHINKING GEOTEXTILE FILTER DESIGN.....	2388
<i>Heibaum M.</i>	
STUDY OF HYDRAULIC PERMEABILITY MODEL OF NONWOVEN FABRICS FOR GEOTEXTILES CONSIDERING MEAN FLOW PORE DIAMETER	2396
<i>Ahn S.J., Jeon H.-Y.</i>	

HYDRAULIC APPLICATIONS I

ADVANCES IN GEOMEMBRANES: LEAK LOCATION LINER: GEOMEMBRANE BARRIER SYSTEMS WITH INCREASED INTEGRITY	2402
<i>Ramsey B.</i>	
BAFFLE CURTAINS IN NEW ZEALAND’S WASTERWATER APPLICATIONS. CASE STUDIES, INNOVATION AND NEW DESIGN APPROACHES.....	2410
<i>Vakhroushev N.</i>	
IMPROVEMENTS IN GEOMEMBRANE PROTECTION EFFICIENCY USING CUSHIONING GEOTEXTILES	2418
<i>Austin R.A., Gibbs D.T., Kendall P.M.</i>	
ROLLED EROSION CONTROL MAT (RECP) AND VEGETATED SOIL BEDS EROSION PROPERTIES IN CHANNEL FLOW TESTS	2424
<i>Chen C., Hsieh C.W.</i>	
SHAKE TABLE TESTS ON SAND REINFORCED WITH GEOCELL.....	2432
<i>Chauhan R., Mittal S.</i>	

HYDRAULIC APPLICATIONS II

CONCRETE BLOCK MATTRESS (CBM) AS PIPELINE PROTECTION IN OUTFALL 9&10 PHASES PROJECT IN SOUTH PARS SPECIAL ZONE.	2440
<i>Ashkbusi M.R.</i>	
EARTH BANK REINFORCED WITH GEOSYNTHETICS AGAINST TSUNAMI FLOOD LEARNED IN THE 2011 GREAT EAST JAPAN EARTHQUAKE	2447
<i>Suzuki K., Tanimoto R., Tatta N., Tokida K.-I.</i>	
EXPERIENCE FROM THE INSTALLATION OF GEOTEXTILE FILTERS AT WATERWAYS	2455
<i>Heibaum M., Kayser J., Kunz N.</i>	
GEOSYNTHETIC REINFORCED RETAINING WINGWALLS AT THE POWERHOUSE OF THE ARKUN PROJECT IN TURKEY	2464
<i>Haselsteiner R., Herold A., Kaytan E., Pamuk R., Westhus S.</i>	
GEOSYNTHETICS SOLUTION FOR ARTIFICIAL SNOW PRODUCTION LAKE: A CASE STUDY	2472
<i>Brochier P., Michaux J.-L.</i>	

GEOTEXTILE TUBES AS ROCKFILL REPLACEMENT FOR CONSTRUCTION OF POLDER DIKE AT SAEMANGEUM, KOREA	2480
<i>Choi J.C., Hwang S.P., Lim L.K., Ter Harnsel M., Yee T.W.</i>	
STABILITY OF GEOSYNTHETIC TUBES USED TO FLOOD PROTECTION	2488
<i>Kazimierowicz-Frankowska K.</i>	
VINYL SHEET PILING - INNOVATIVE AND ECONOMICAL SOLUTION FOR GEOTECHNICAL AND HYDRAULIC APPLICATIONS	2495
<i>Schröder J.</i>	

HYDRAULIC APPLICATIONS III

BEHAVIOUR OF EPDM GEOMEMBRANE 18 YEARS AFTER ITS INSTALLATION IN A WATER RESERVOIR	2502
<i>Aguiar E., Amat B., Blanco M., Castillo F., Touze-Foltz N.</i>	
GEOSYNTHETICS AND DREDGED MATERIALS IN DIKE CONSTRUCTION	2510
<i>Cantré S., Saathoff F.</i>	
MATERIALS SELECTION FOR RESERVOIR FLOATING COVERS.....	2520
<i>Frobel R., Sadlier M.</i>	
STUDY OF FLOW THROUGH MECHANICAL DAMAGES IN PVC GEOMEMBRANES UNDER HIGH HYDRAULIC HEADS	2528
<i>Dávila L.I., Palmeira E.M.</i>	
USE OF BITUMINOUS GEOMEMBRANE IN HYDRAULIC: WATERTIGHTNESS IN DAM CONSTRUCTION.....	2535
<i>Breul B., Moeglen J., Ulrich D.</i>	

GREEN ENGINEERING, SUSTAINABILITY II

EVALUATION OF TENSILE PROPERTIES IN GEOTEXTILE FABRICS BY VARYING THE WIDTH OF THE SAMPLE.....	2543
<i>Dias Filho J.L.E., Maia P.C.D.A., Prellwitz M.F., Xavier G. C.</i>	
MARKET IMPACTS FOR GEOSYNTHETICS FROM THE REGULATION OF THE STORAGE OF COAL COMBUSTION RESIDUALS IN NORTH AMERICA	2548
<i>Aho A., Ramsey B.</i>	
STABILITY OF GEOSYNTHETICS IN NATURAL SULPHUROUS GROUNDWATER	2556
<i>Andrade Pais L.J., Barata dos Santos P.M., Ferreira Gomes L.M., Riscado Santos f.</i>	
SUSTAINABLE APPLICATION OF BIODEGRADABLE GEOSYNTHETICS THROUGH ECO- FRIENDLY ENVIRONMENTAL PERFORMANCE EVALUATION	2565
<i>Jeon H.-Y., Yoo J.</i>	
VERIFICATION OF THE DURABILITY USING A NEW MODEL OF DAMAGE ACCUMULATION WITH DIFFERENTS AMPLITUDE LOADS FOR RESISTANCES DIFFERENT WOVEN GEOTEXTILE OF POLYPROPYLENE.....	2570
<i>Castro C.A.C., Guimarães M.G.A., Urashima D.C.</i>	

FULL SCALE TESTING AND MONITORING

CYCLIC STRESSING OF GEOGRIDS IN THE WORKING-LOAD RANGE OF BOUND ROAD CONSTRUCTIONS	2578
<i>Emersleben A., Retzlaff J., Vollmert L.</i>	
FULL SCALE TRAFFICKING OF GEOGRID REINFORCED SECTIONS UNDER REALISTIC SERVICE CONDITIONS	2587
<i>Sprague C.J., Valero S.N., Wrigley N.E.</i>	
GEOSYNTHETIC MATERIALS FOR CUT-SLOPE BERM DRAINS: A TOOL TO ADDRESS FROST HEAVE DAMAGE.....	2595
<i>Adachi T., Kawaguchi T., Nakamura D., Sato A., Yamanashi T., Yamashita S.</i>	
LONG-TERM MONITORING OF RAILWAY TEST SECTIONS WITH GEOCOMPOSITES POSITIONED UNDER THE BALLAST BED	2603
<i>Horníček L., Jasanský P., Nachtneblová K.</i>	

MONITORING BASED ANALYSIS OF INTERACTION BETWEEN AN INTEGRAL BRIDGE AND GSY-REINFORCED EMBANKMENT	2611
<i>Gruber J.T.</i>	
MONITORING OF INSTALLATION STRESSES IN PREFABRICATED VERTICAL DRAINS IN SINGAPORE	2617
<i>Chew S.H., Lam P.W.J., Loh C.K., Seah K.H., Tan C.Y.</i>	

REINFORCEMENT – BEHAVIOR OF MSE WALLS AND SLOPES

A STUDY ON THE DEFORMATION BEHAVIOR OF LONG-TERM GEOSYNTHETIC REINFORCED SOIL WALLS	2623
<i>Kim Y.-S., Won M.-S.</i>	
BEHAVIOUR OF A GEOSYNTHETIC REINFORCED SOIL SLOPE: A 25 YEAR FIELD STUDY	2629
<i>Ahmed T., Fannin R.J., Johansen T.H., Quinteros V.S., Vaslestad J.</i>	
DEVELOPMENT OF CAPILLARY BARRIERS DURING WATER INFILTRATION IN A GEOTEXTILE - REINFORCED SOIL WALL	2638
<i>Portelinha F.H., Zornberg J.G.</i>	
GEOSYNTHETIC REINFORCED SOIL WALLS: EXPERIMENTAL AND NUMERICAL EVALUATION OF THE COMBINED EFFECTS OF FACING STIFFNESS AND TOE RESISTANCE ON PERFORMANCE	2645
<i>Ehrlich M., Mirmoradi S.H.</i>	
LARGE SCALE TESTS TO VERIFY THE AMOUNT OF HORIZONTAL EARTH PRESSURE ON FACING ELEMENTS USED IN MSE WALLS	2653
<i>Richter C., Schwerdt S., Turczynski U.</i>	
NUMERICAL ANALYSIS OF A GEOGRID REINFORCED RETAINING WALL BUILT WITH NON-CONVENTIONAL BACKFILL MATERIAL	2661
<i>Fonseca E.C.A., Palmeira E.M., Santos Eder C. G.</i>	
REINFORCED EARTH STRUCTURES AT SEMMERING BASE TUNNEL - CONSTRUCTION AND MONITORING USING FIBRE OPTIC STRAIN MEASUREMENTS	2669
<i>Lienhart W., Moser F., Schachinger T., Schuller H.</i>	
REINFORCED EARTH STRUCTURES TO RELIEVE WALLS OF EARTH PRESSURE	2677
<i>Detert O., Raithel M.</i>	

Author Index