

# **International Conference on Noise and Vibration Engineering (ISMA 2018) and International Conference on Uncertainty in Structural Dynamics (USD 2018)**

Leuven, Belgium  
17-19 September 2018

Volume 1 of 7

## **Editors:**

**W. Desmet  
D. Moens**

**B. Pluymers  
W. Rottiers**

ISBN: 978-1-5108-7678-1

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2018) by the Katholieke Universiteit Leuven, Department of Mechanical Engineering  
All rights reserved.

Printed by Curran Associates, Inc. (2019)

For permission requests, please contact the Katholieke Universiteit Leuven, Department of Mechanical Engineering at the address below.

Katholieke Universiteit Leuven, Department of Mechanical Engineering  
Celestijnenlaan 300  
B-3001 Heverlee (Leuven)  
Belgium

Phone: +32 16 322480

Fax: +32 16 322838

[info@mech.kuleuven.be](mailto:info@mech.kuleuven.be)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2633  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

# KEYNOTE PAPERS

---

## Keynote

### Session Keynote presentation

- Shapes & DOF: on the use of modal concepts in the context of parametric non-linear studies 1  
E. Balmes <sup>(1,2)</sup>  
*(1) Arts et Métiers Paristech, France*  
*(2) SDTools, France*
- Automotive NVH – Methodology for Future Innovative Product Development 17  
P.-O. Sturesson <sup>(1)</sup>  
*(1) AB Volvo, Sweden*

# ISMA2018 PAPERS

---

## AVC

### Session Active vibration control

Synthesis of vibration signals with prescribed power spectral density and kurtosis value E. Pesaresi <sup>(1)</sup> , M. Troncosi <sup>(1)</sup> <i>(1) University of Bologna, Italy</i>	29
Analysis of a transport equation as boundary condition in an acoustic transmission line. E. De Bono <sup>(1)</sup> , M. Collet <sup>(1)</sup> , S. Karkar <sup>(1)</sup> <i>(1) Ecole Centrale de Lyon, France.</i>	41
On the noise reduction of active sidewall aircraft panels using feedforward control with embedded systems M. Misol <sup>(1)</sup> , S. Algermissen <sup>(1)</sup> , M. Rose <sup>(1)</sup> <i>(1) DLR - German Aerospace Center, Germany</i>	55
A multimodal nonlinear piezoelectric vibration absorber G. Raze <sup>(1)</sup> , B. Lossouarn <sup>(2)</sup> , A. Paknejad <sup>(3)</sup> , G. Zhao <sup>(3)</sup> , J.-F. Deü <sup>(2)</sup> , C. Collette <sup>(3)</sup> , G. Kerschen <sup>(1)</sup> <i>(1) University of Liège, Belgium</i> <i>(2) CNAM - Conservatoire National des Arts et Métiers, France</i> <i>(3) Université Libre de Bruxelles, Belgium</i>	63
Mechatronic control of the car response based on VFC D. Antonelli <sup>(1)</sup> , L. Nesi <sup>(1)</sup> , G. Pepe <sup>(1)</sup> , A. Carcaterra <sup>(1)</sup> <i>(1) Sapienza University of Rome, Italy</i>	79
FLOP: feedback local optimality control of the inverse pendulum oscillations G. Pepe <sup>(1)</sup> , D. Antonelli <sup>(1)</sup> , L. Nesi <sup>(1)</sup> , A. Carcaterra <sup>(1)</sup> <i>(1) Sapienza University of Rome, Italy</i>	93
Active noise control in pipes and ducts using carbon nanotube thermophones A. Barnard <sup>(1)</sup> , S. Senczyszyn <sup>(1)</sup> <i>(1) Michigan Technological University, United States of America</i>	107
Vibration suppression using the concept of a semi-active magnetorheological inerter device M. Tipuric <sup>(1)</sup> , D. Wagg <sup>(1)</sup> , N. D. Sims <sup>(1)</sup> <i>(1) University of Sheffield, United Kingdom</i>	121
Active vibration reduction on a quadrocopter T. Bartel <sup>(1)</sup> , H. Atzrodt <sup>(1)</sup> , D. Wilczynski <sup>(1)</sup> <i>(1) Fraunhofer Institute for Structural Durability and System Reliability, Germany</i>	131
H-infinity optimization of positive position feedback control for mitigation of nonlinear vibrations G. Zhao <sup>(1)</sup> , A. Paknejad <sup>(1)</sup> , G. Raze <sup>(2)</sup> , G. Kerschen <sup>(2)</sup> , C. Collette <sup>(1)</sup> <i>(1) Université Libre de Bruxelles, Belgium</i> <i>(2) University of Liège, Belgium</i>	143

Multi-input multi-output aeroelastic control using the receptance method	153
B. Mokrani <sup>(1)</sup> , F. Palazzo <sup>(2)</sup> , S. Fichera <sup>(1)</sup> , L. J. Adamson <sup>(1)</sup> , J. E. Mottershead <sup>(1)</sup>	
<i>(1) University of Liverpool, United Kingdom</i>	
<i>(2) Politecnico di Torino, Italy</i>	
Minimisation of the effect of aleatory uncertainties on dynamic systems by active control using the method of receptances	165
L. J. Adamson <sup>(1)</sup> , S. Fichera <sup>(1)</sup> , J. E. Mottershead <sup>(1)</sup>	
<i>(1) University of Liverpool, United Kingdom</i>	
The effect of active vibration control on the sound field scattered from a flexible structure	175
C. House <sup>(1)</sup> , J. Cheer <sup>(1)</sup> , S. Daley <sup>(1)</sup>	
<i>(1) University of Southampton, United Kingdom</i>	
An investigation on a semi-active damping of forced structural vibrations by means of controllable structural nodes	189
G. Mikułowski <sup>(1)</sup> , B. Popławski <sup>(1)</sup> , R. Wiszowaty <sup>(1)</sup> , A. Mróz <sup>(2)</sup> , Ł. Jankowski <sup>(1)</sup>	
<i>(1) Institute of Fundamental Technological Research Polish Academy of Sciences, Poland</i>	
<i>(2) Adaptronica Sp. z o.o., Poland</i>	
Design of an inertial mass actuator for active vibration control of a planetary gearbox using piezoelectric shear actuator	203
P. Zech <sup>(1)</sup> , D. F. Plöger <sup>(1)</sup> , T. Bartel <sup>(2)</sup> , T. Röglin <sup>(2)</sup> , S. Rinderknecht <sup>(1)</sup>	
<i>(1) TU Darmstadt, Germany</i>	
<i>(2) Fraunhofer Institute for Structural Durability and System Reliability, Germany</i>	
Self-adaptive fluid-based absorbers for impact mitigation and vibration damping	217
C. Graczykowski <sup>(1)</sup> , R. Faraj <sup>(1)</sup>	
<i>(1) Institute of Fundamental Technological Research Polish Academy of Sciences, Poland</i>	
Simulation of active control systems considering different levels of detail in the signal processing chain	229
J. Millitzer <sup>(1)</sup> , J. Rohlfing <sup>(2)</sup> , V. Mees <sup>(1)</sup> , A. Döring <sup>(1)</sup>	
<i>(1) Fraunhofer Institute for Structural Durability and System Reliability LBF, Germany.</i>	
<i>(2) Fraunhofer Institute for Building Physics IBP, Germany.</i>	
Control of fluctuations of a tethered unmanned-underwater-vehicle	241
E. Paifelman <sup>(1,2)</sup> , G. Pepe <sup>(1)</sup> , F. La Gala <sup>(2)</sup> , A. Carcaterra <sup>(1)</sup>	
<i>(1) Sapienza University of Rome, Italy</i>	
<i>(2) CNR - National Research Council, Italy</i>	
Optimization of skyhook control strategies and an alternative approach for the operational conditions	253
G. Papaioannou <sup>(1)</sup> , D. Koulocheris <sup>(1)</sup>	
<i>(1) National Technical University of Athens, Greece</i>	
A compact and light acoustic transducer using dielectric elastomer films for low frequency active noise cancellation	267
A. Paradeisiotis <sup>(1)</sup> , C. Yiakopoulos <sup>(1)</sup> , I. Antoniadis <sup>(1)</sup>	
<i>(1) National Technical University of Athens, Greece</i>	

Simulink-PSpice co-simulation of Power Amplifier for driving piezoelectric actuators Y. J. Park <sup>(1)</sup> , T. Bartel <sup>(1)</sup> , T. Röglin <sup>(1)</sup> , G. Stoll <sup>(1)</sup> , P. Zech <sup>(2)</sup> , D. F. Plöger <sup>(2)</sup> , S. Rinderknecht <sup>(2)</sup> <i>(1) Fraunhofer Institute for Structural Durability and System Reliability, Germany</i> <i>(2) TU Darmstadt, Germany</i>	279
A practical approach of active vibration control with the use of piezoelectric actuators D. J. Williams <sup>(1)</sup> , H. Haddad Khodaparast <sup>(1)</sup> , C. Yang <sup>(1)</sup> <i>(1) Swansea University, United Kingdom</i>	293
Wave-based control of a planar mechanical structure by piezoelectric actuators P. Beneš <sup>(1)</sup> , Z. Neusser <sup>(1)</sup> , Z. Šika <sup>(1)</sup> , M. Valášek <sup>(1)</sup> , J. Zavřel <sup>(1)</sup> <i>(1) Czech Technical University in Prague, Czech Republic</i>	303
Decentralized and distributed MIMO H-infinity robust control of vibration suppression of planar structures Z. Šika <sup>(1)</sup> , M. Hromčík <sup>(1)</sup> , F. Svoboda <sup>(1)</sup> , J. Volech <sup>(1)</sup> , J. Zavřel <sup>(1)</sup> , J. Karlíček <sup>(1)</sup> <i>(1) Czech Technical University in Prague, Czech Republic</i>	309

---

## ANT

### Session Advanced training and research in energy efficient smart structures

Virtual sensing of wheel center loads on a McPherson suspension E. Risaliti <sup>(1,2)</sup> , T. Tamarozzi <sup>(1,2)</sup> , B. Cornelis <sup>(1)</sup> , W. Desmet <sup>(2,3)</sup> <i>(1) Siemens PLM Software, Belgium</i> <i>(2) KU Leuven, Belgium</i> <i>(3) Flanders Make, Belgium</i>	325
Nonlinear feedback control of a stroke limited inertial actuator using a state estimation approach M. Dal Borgo <sup>(1)</sup> , M. Ghandchi Tehrani <sup>(1)</sup> , S. J. Elliott <sup>(1)</sup> <i>(1) University of Southampton, United Kingdom</i>	341
Piezoelectric patches with multi-resonant shunts for multiple frequency band vibration control M. Zientek <sup>(1)</sup> , P. Gardonio <sup>(1)</sup> , L. Dal Bo <sup>(1)</sup> <i>(1) University of Udine, Italy</i>	355
Experimental decentralised control of vibration on a plate with inertial actuators S. Camperi <sup>(1)</sup> , M. Ghandchi Tehrani <sup>(1)</sup> , S. J. Elliott <sup>(1)</sup> <i>(1) University of Southampton, United Kingdom</i>	371
Experimental tests of a flywheel proof mass actuator for velocity feedback control A. Kras <sup>(1)</sup> , P. Gardonio <sup>(1)</sup> <i>(1) University of Udine, Italy</i>	381
Numerical modeling of a flexural displacement-converter mechanism to excite a flat acoustic source driven by piezoelectric stack actuators F. Tajdari <sup>(1)</sup> , A. Berkhoff <sup>(1,2)</sup> , A. de Boer <sup>(1)</sup> <i>(1) University of Twente, The Netherlands</i> <i>(2) TNO Technical Sciences, Acoustics and Sonar, The Netherlands</i>	397

Active vibration control of a system subject to random excitation using impulsive parametric damping	407
M. Ghandchi Tehrani <sup>(1)</sup> , T. Pumhoessel <sup>(2)</sup> <i>(1) University of Southampton, United Kingdom</i> <i>(2) Johannes Kepler University Linz, Austria</i>	
A study on important criteria for the effectiveness of piezoelectric energy harvesters under a constant volume	415
N. Aboulfotouh <sup>(1,2)</sup> , J. Twiefel <sup>(1)</sup> <i>(1) Leibniz University Hannover, Germany</i> <i>(2) Cairo University, Egypt</i>	
Stability, performance and power consumption of a centralised and decentralised active vibration control system	431
G. Lapicciarella <sup>(1)</sup> , J. Rohlfig <sup>(2)</sup> <i>(1) Fraunhofer Institute for Building Physics, Germany</i> <i>(2) Fraunhofer Institute for Structural Durability and System Reliability, Germany</i>	
Efficient assembly of unit cells with Krylov based model order reduction	445
S. van Ophem <sup>(1,2)</sup> , E. Deckers <sup>(1,2)</sup> , W. Desmet <sup>(1,2)</sup> <i>(1) KU Leuven, Belgium</i> <i>(2) Flanders Make, Belgium</i>	
Nonlinearity assessment of MIMO electroacoustic systems on Direct Field Environmental Acoustic Testing	457
M. Alvarez Blanco <sup>(1,2)</sup> , P. Z. Csurcsia <sup>(1,3)</sup> , K. Janssens <sup>(1)</sup> , B. Peeters <sup>(1)</sup> , W. Desmet <sup>(2,4)</sup> <i>(1) Siemens Industry Software NV, Belgium</i> <i>(2) KU Leuven, Belgium</i> <i>(3) Vrije Universiteit Brussel, Belgium</i> <i>(4) Flanders Make, Belgium</i>	
Efficiently assessing changes in boundary conditions using vibro-acoustic information	473
P. Becht <sup>(1,2)</sup> , S. van Ophem <sup>(1,2)</sup> , E. Deckers <sup>(1,2)</sup> , C. Claeys <sup>(1,2)</sup> , B. Pluymers <sup>(1,2)</sup> , W. Desmet <sup>(1,2)</sup> <i>(1) KU Leuven, Belgium</i> <i>(2) Flanders Make, Belgium</i>	
Object-oriented model-based condition monitoring	489
M. Gonzalez <sup>(1,2)</sup> , O. Salgado <sup>(1)</sup> , J. Croes <sup>(2,3)</sup> , B. Pluymers <sup>(2,3)</sup> , W. Desmet <sup>(2,3)</sup> <i>(1) IK4-Ikerlan, Spain</i> <i>(2) KU Leuven, Belgium</i> <i>(3) Flanders Make, Belgium</i>	

---

## AE

### Session Aero-elasticity

Metamodel-based optimization of an energy harvester from stall-induced pitching oscillations of airfoils	505
C. R. dos Santos <sup>(1)</sup> , M. M. da Silva <sup>(1)</sup> , F. D. Marques <sup>(1)</sup> <i>(1) University of São Paulo, Brazil</i>	

On-line tracking of aircraft aeroelastic modes during flutter flight tests	515
B. Jacquier <sup>(1)</sup> , F. Ayme <sup>(2)</sup>	
<i>(1) ONERA - Office National d'Etudes et de Recherches Aérospatiales, France</i>	
<i>(2) Airbus, France</i>	
On the effect of control surface deflections on the aeroelastic response of an aerofoil at transonic buffet conditions	531
N. F. Giannelis <sup>(1)</sup> , G. A. Vio <sup>(1)</sup>	
<i>(1) University of Sydney, Australia</i>	
Development of a nonlinear state space model of the forces acting on an aerofoil oscillating in pitch	547
M. F. Siddiqui <sup>(1)</sup> , J. Ertveldt <sup>(2)</sup> , J. Decuyper <sup>(1)</sup> , T. De Troyer <sup>(1)</sup> , J. Schoukens <sup>(1)</sup> , M. C. Runacres <sup>(1)</sup>	
<i>(1) Department of Engineering Technology, Vrije Universiteit Brussel, Belgium</i>	
<i>(2) Department of Mechanical Engineering, Vrije Universiteit Brussel, Belgium</i>	
Computationally-efficient aeroelastic analysis tool for shortwing / propeller configuration on compound helicopters	559
Z. Wang <sup>(1)</sup> , A. A. Popov <sup>(1)</sup>	
<i>(1) University Of Nottingham, United Kingdom</i>	

---

## AA

### Session Aeroacoustics and flow noise

A recursive transfer admittance formulation in time domain	571
H. Denayer <sup>(1,2)</sup> , W. De Roeck <sup>(1)</sup> , W. Desmet <sup>(1,2)</sup>	
<i>(1) KU Leuven, Belgium</i>	
<i>(2) Flanders Make, Belgium</i>	
Monte-carlo computation of wall-pressure spectra under turbulent boundary layers for trailing-edge noise prediction.	585
G. Grasso <sup>(1,2)</sup> , P. Jaiswal <sup>(2)</sup> , S. Moreau <sup>(2)</sup>	
<i>(1) Ecole Centrale de Lyon, France</i>	
<i>(2) Université de Sherbrooke, Canada</i>	
Experimental analysis of aeroacoustic instabilities in Helmholtz resonators	601
L. Criscuolo <sup>(1,2)</sup> , H. Denayer <sup>(1,2)</sup> , W. De Roeck <sup>(1)</sup> , W. Desmet <sup>(1,2)</sup>	
<i>(1) KU Leuven, Belgium</i>	
<i>(2) Flanders Make, Belgium</i>	
Broadband noise from serrated UAS propellers: validation of a lattice Boltzmann approach	613
B. G. Marinus <sup>(1)</sup> , D. Bontea <sup>(2)</sup> , A. Halimi <sup>(3)</sup> , A. Pire <sup>(1)</sup>	
<i>(1) Royal Military Academy, Belgium</i>	
<i>(2) Military Technical Academy, Romania</i>	
<i>(3) National Polytechnic School of Algiers, Algeria</i>	
Inverse methods in aeroacoustic three-dimensional volumetric noise source localization	621
G. Battista <sup>(1)</sup> , P. Chiariotti <sup>(1)</sup> , M. Martarelli <sup>(2)</sup> , P. Castellini <sup>(1)</sup>	
<i>(1) Università Politecnica delle Marche, Italy</i>	
<i>(2) Università degli studi e-Campus, Italy</i>	



Prediction of outdoor sound propagation from firearms shooting ranges: a comparison B. G. Marinus <sup>(1)</sup> , K. Harri <sup>(1)</sup> <i>(1) Royal Military Academy, Belgium</i>	637
Axial propagation of flow-induced vibrations in thick walled pipes and hoses I. F. Rodrigues <sup>(1)</sup> , I. Lopez Arteaga <sup>(1)</sup> <i>(1) Eindhoven University of Technology, The Netherlands</i>	647

---

## CAM2

### Session Characterisation, design and optimisation of Acoustic Materials

Predicting the sound insulation of finite double-leaf walls with a flexible frame J. C. E. Van den Wyngaert <sup>(1)</sup> , M. Schevenels <sup>(1)</sup> , E. Reynders <sup>(1)</sup> <i>(1) KU Leuven, Belgium</i>	655
Finite element analysis of the acoustic behavior of poroelastic materials based on experimentally determined frequency-dependent material properties P. Schrader <sup>(1)</sup> , F. Duvigneau <sup>(1)</sup> , M. Gavila-Lloret <sup>(2)</sup> , H. Rottengruber <sup>(1)</sup> , U. Gabbert <sup>(1)</sup> <i>(1) Otto-von-Guericke-University Magdeburg, Germany</i> <i>(2) BMW Group, Germany</i>	671
Experimental-numerical methods for inverse characterization of the anisotropic-anelastic properties of porous materials, based on dynamic Digital Image Correlation. L. Manzari <sup>(1)</sup> , H. Mao <sup>(1)</sup> , P. Goransson <sup>(1)</sup> , J. Cuenca <sup>(1,2)</sup> , I. Lopez Arteaga <sup>(1)</sup> <i>(1) KTH Royal Institute of Technology, Sweden</i> <i>(2) Siemens Industry Software NV, Belgium</i>	687

---

## CAM

### Session Characterisation, design and optimisation of acoustic materials

Microstructure based modelling of the thermal and viscous dissipation of a transversely isotropic porous fibrous insulation material. B. P. Semeniuk <sup>(1)</sup> , P. Goransson <sup>(1)</sup> , O. Dazel <sup>(2)</sup> <i>(1) KTH Royal Institute of Technology, Sweden</i> <i>(2) Le Mans Université, France</i>	697
Modelling of nonlinear prestrain effects on the dynamic properties of viscoelastic materials L. Rouleau <sup>(1)</sup> , J.-F. Deü <sup>(1)</sup> <i>(1) CNAM - Conservatoire National des Arts et Métiers, France</i>	713
Installation effects on sound absorption and flow resistivity of glass wool fibres G. Petrone <sup>(1)</sup> , A. Sorrentino <sup>(1)</sup> , E. De Bono <sup>(1)</sup> , T. Polito <sup>(1)</sup> , F. Marulo <sup>(1)</sup> <i>(1) University of Naples Federico II, Italy</i>	721
Simulations and experiments for vibro-acoustical behaviours of circular multi-layered plates T. Deng <sup>(1)</sup> , X. Sheng <sup>(1)</sup> , Y. Ma <sup>(2)</sup> , J. Li <sup>(2)</sup> <i>(1) Southwest Jiaotong University, People's Republic of China</i> <i>(2) Sichuan University, People's Republic of China</i>	735

Optimization and testing of periodic and locally resonant dead-end pores for sound absorption in frequencies below 1000 Hz	751
A. Carvalho de Sousa <sup>(1,2)</sup> , M. Bartczak Camargo <sup>(3)</sup> , A. Lenzi <sup>(3)</sup> , C. Claeys <sup>(1,2)</sup> , E. Deckers <sup>(1,2)</sup>	
<i>(1) KU Leuven, Belgium</i>	
<i>(2) Flanders Make, Belgium</i>	
<i>(3) Federal University of Santa Catarina, Brazil</i>	

---

## CM

### Session Condition monitoring

Detection of faulty accelerometer mounting	761
R. B. Randall <sup>(1)</sup> , W. A. Smith <sup>(1)</sup>	
<i>(1) University of New South Wales, Australia</i>	
Aircraft braking dynamics and brake system modeling for fault detection and isolation	769
L. C. Navarro <sup>(1)</sup> , L. C. S. Goes <sup>(1)</sup>	
<i>(1) ITA - Instituto Tecnológico de Aeronáutica, Brazil</i>	
Employment of an auto regressive moving average model for on-board knock detection of a spark ignited engine	785
D. Siano <sup>(1)</sup> , M. A. Panza <sup>(1)</sup>	
<i>(1) CNR - National Research Council, Italy</i>	
Speed-dependent wet road surface detection using acoustic measurements, octave-band frequency analysis and Support Vector Machines	795
S. Kanarachos <sup>(1)</sup> , M. Kalliris <sup>(1)</sup> , M. Blundell <sup>(1)</sup> , R. Kotsakis <sup>(2)</sup>	
<i>(1) Coventry University, United Kingdom</i>	
<i>(2) Aristotle University of Thessaloniki, Greece</i>	

---

## CMRM

### Session Condition monitoring of rotating machinery

A diagnostic protocol for the monitoring of bearing fault evolution based on blind deconvolution algorithms	809
M. Buzzoni <sup>(1)</sup> , E. Soave <sup>(1)</sup> , G. D'Elia <sup>(1)</sup> , E. Mucchi <sup>(1)</sup> , G. Dalpiaz <sup>(1)</sup>	
<i>(1) University of Ferrara, Italy</i>	
Fleet-wide condition monitoring combining vibration signal processing and machine learning rolled out in a cloud-computing environment	823
J. Helsen <sup>(1)</sup> , C. Peeters <sup>(1)</sup> , T. Verstraeten <sup>(1)</sup> , J. Verbeke <sup>(1)</sup> , N. Gioia <sup>(1)</sup> , A. Nowé <sup>(1)</sup>	
<i>(1) Vrije Universiteit Brussel, Belgium</i>	
Development and testing of health monitoring of the bearings of traction system of a regional train locomotive during commercial service	839
P. Pennacchi <sup>(1)</sup> , S. Chatterton <sup>(1)</sup> , A. Vania <sup>(1)</sup>	
<i>(1) Politecnico di Milano, Italy</i>	
A novel multi-harmonic demodulation technique for instantaneous speed estimation	847
C. Peeters <sup>(1)</sup> , J. Antoni <sup>(2)</sup> , N. Gioia <sup>(1)</sup> , P. Guillaume <sup>(1)</sup> , J. Helsen <sup>(1)</sup>	
<i>(1) Vrije Universiteit Brussel, Belgium</i>	
<i>(2) INSA Lyon, France</i>	

- A comparison of different features for discrepancy analysis-based bearing diagnostics 855  
S. Schmidt <sup>(1)</sup>, P. S. Heyns <sup>(1)</sup>, K. Gryllias <sup>(2,3)</sup>  
*(1) University of Pretoria, South Africa*  
*(2) KU Leuven, Belgium*  
*(3) Flanders Make, Belgium*
- Experimental validation of a bearing fault model for an independent cart conveyor 871  
M. Cocconcelli <sup>(1)</sup>, J. Cavalaglio Camargo Molano <sup>(1)</sup>, R. Rubini <sup>(1)</sup>, L. Capelli <sup>(2)</sup>  
*(1) University of Modena and Reggio Emilia, Italy*  
*(2) Tetra Pak Packaging Solutions SpA, Italy*
- Methodologies for designing new condition indicators 883  
J. Antoni <sup>(1)</sup>, P. Borghesani <sup>(2)</sup>, S. Kass <sup>(3)</sup>, A. Raad <sup>(3)</sup>, K. Gryllias <sup>(4,5)</sup>  
*(1) Université de Lyon, France*  
*(2) University of New South Wales, Australia*  
*(3) Université Libanaise, Liban*  
*(4) KU Leuven, Belgium*  
*(5) DMMS Lab, Flanders Make*
- Online fault identification for rotating machinery 891  
C. E. Ludwig <sup>(1,2)</sup>, U. Wever <sup>(1)</sup>  
*(1) Siemens AG, Germany*  
*(2) Technical University of Munich, Germany*
- Cyclostationary-based tools for bearing diagnostics 905  
A. Mauricio <sup>(1,2)</sup>, W. A. Smith <sup>(3)</sup>, R. B. Randall <sup>(3)</sup>, J. Antoni <sup>(4)</sup>, K. Gryllias <sup>(1,2)</sup>  
*(1) KU Leuven, Belgium*  
*(2) Flanders Make, Belgium*  
*(3) University of New South Wales, Australia*  
*(4) Université de Lyon, France*
- Optimal frequency band selection via stationarity testing in time frequency domain 919  
A. Michalak <sup>(1)</sup>, A. Wyłomańska <sup>(1)</sup>, J. Wodecki <sup>(1)</sup>, R. Zimroz <sup>(2)</sup>, K. Gryllias <sup>(3,4)</sup>  
*(1) KGHM Cuprum Ltd, Research and Development Centre, Poland*  
*(2) Wroclaw University of Science and Technology, Poland*  
*(3) KU Leuven, Belgium*  
*(4) DMMS, Flanders Make, Belgium*
- Semi-blind Wiener filtering of mechanical source vibrations: theory and application to aircraft gearbox surveillance 929  
D. Abboud <sup>(1)</sup>, Y. Marnissi <sup>(1)</sup>, M. El-badaoui <sup>(1,2)</sup>  
*(1) Safran Group, France*  
*(2) Université de Lyon, France*
- Gearbox fault diagnosis based on Convolutional Neural Networks 941  
Z. Chen <sup>(1,2)</sup>, W. Li <sup>(1)</sup>, K. Gryllias <sup>(2,3)</sup>  
*(1) South China University of Technology, People's Republic of China*  
*(2) KU Leuven, Belgium*  
*(3) Flanders Make, Belgium*

Blade tip timing based condition monitoring of bladed disks in rotating machines N. Jamia <sup>(1)</sup> , M. I. Friswell <sup>(1)</sup> , S. El-Borgi <sup>(2)</sup> , P. Rajendran <sup>(3)</sup> <i>(1) Swansea University, United Kingdom</i> <i>(2) University at Qatar, Qatar</i> <i>(3) Deemed University, Tamil Nadu, India</i>	955
A comparison of the prognostic approaches for rolling element bearings P. Shakya <sup>(1)</sup> , A. K. Darpe <sup>(2)</sup> , M. S. Kulkarni <sup>(3)</sup> <i>(1) IIT Madras, India</i> <i>(2) IIT Delhi, India</i> <i>(3) IIT Bombay, India</i>	971
Multi-fault diagnosis based on bi-frequency cyclostationary maps clustering P. Kruczek <sup>(1)</sup> , J. Wodecki <sup>(1)</sup> , A. Wyłomańska <sup>(1)</sup> , R. Zimroz <sup>(2)</sup> , K. Gryllias <sup>(3,4)</sup> <i>(1) KGHM Cuprum Ltd, Research and Development Centre, Poland</i> <i>(2) Wrocław University of Science and Technology, Poland</i> <i>(3) KU Leuven, Belgium</i> <i>(4) DMMS, Flanders Make, Belgium</i>	981
<hr/>	
<b>D</b>	
<b>Session Damping</b>	
Stabilised Layer Method for linear and nonlinear spatial non classical damping identification D. Lisitano <sup>(1)</sup> , E. Bonisoli <sup>(1)</sup> , J. E. Mottershead <sup>(2)</sup> <i>(1) Politecnico di Torino, Italy</i> <i>(2) University of Liverpool, United Kingdom</i>	991
Analysis and simulation of structures with local visco-elastic damping from elastomers M. Böswald <sup>(1)</sup> , M. Gröhlich <sup>(1)</sup> , J. Biedermann <sup>(1)</sup> , R. Winter <sup>(1)</sup> <i>(1) DLR - German Aerospace Center, Germany</i>	1005
The effect of friction damping on the dynamic response of vibrating structures: an insight into model validation M. Umer <sup>(1)</sup> , C. Gastaldi <sup>(1)</sup> , D. Botto <sup>(1)</sup> <i>(1) Politecnico di Torino Italy</i>	1021
Identification of hysteretic systems for damping modelization V. Kehr-Candille <sup>(1)</sup> <i>(1) ONERA - Office National d'Etudes et de Recherches Aéropatiales, France</i>	1037
Semi-active damping of forced vibrations by means of pneumatic supports G. Mikułowski <sup>(1)</sup> <i>(1) Institute of Fundamental Technological Research Polish Academy of Sciences, Poland</i>	1047
Implementation and comparison of advanced friction representations within finite element models A. T. Mathis <sup>(1)</sup> , A. R. Brink <sup>(2)</sup> , D. D. Quinn <sup>(1)</sup> <i>(1) The University of Akron, United States of America</i> <i>(2) Sandia National Laboratories, United States of America</i>	1059

## DNRMS

### Session Designs for noise reducing materials and structures

- Sound transmission through checkerboard sandwich panels 1073  
 B. Van Damme <sup>(1)</sup>, G. Hannema <sup>(1)</sup>, A. Zemp <sup>(1)</sup>  
*(1) EMPA - Swiss Federal Laboratories for Materials Science and Technology, Switzerland*
- Design of a Kelvin cell acoustic metamaterial 1081  
 H. Rice <sup>(1)</sup>, J. Kennedy <sup>(1)</sup>, P. Goransson <sup>(2)</sup>  
*(1) Trinity College Dublin, Ireland*  
*(2) KTH Royal Institute of Technology, Sweden*
- A concept demonstrator of adaptive sound absorber/insulator involving microstructure-based modelling and 3Dprinting 1091  
 K. C. Opiela <sup>(1)</sup>, M. Rak <sup>(1)</sup>, T. G. Zielinski <sup>(1)</sup>  
*(1) the Polish Academy of Sciences, Poland*
- The use of a benchmark periodic metamaterial to inform numerical modelling and additive manufacturing approaches. 1105  
 L. Dowling <sup>(1)</sup>, L. Flanagan <sup>(1)</sup>, H. Rice <sup>(1)</sup>, D. Trimble <sup>(1)</sup>, J. Kennedy <sup>(1)</sup>  
*(1) Trinity College Dublin, Ireland*
- Study of sound absorption capability of silencers based on the acoustic black hole effect 1121  
 N. L. K. Sharma <sup>(1)</sup>, O. Umnova <sup>(1)</sup>  
*(1) University of Salford, United Kingdom*
- Simplification of the transfer matrix model for acoustic screens 1127  
 M. Gaborit <sup>(1,2)</sup>, P. Goransson <sup>(2)</sup>, O. Dazel <sup>(1)</sup>  
*(1) Le Mans Université, France*  
*(2) KTH Royal Institute of Technology, Sweden*
- A numerical study on the shielding performance of a periodic vibration protection device 1135  
 L. Godinho <sup>(1)</sup>, C. Albino <sup>(1)</sup>, P. Alves-Costa <sup>(2)</sup>, P. Amado-Mendes <sup>(1)</sup>, A. Pinto <sup>(2)</sup>, D. Soares Jr. <sup>(3)</sup>  
*(1) University of Coimbra, Portugal*  
*(2) University of Porto, Portugal*  
*(3) Federal University of Juiz de Fora, Brazil*
- Perceptual evaluation of metamaterials as insulation partitions: A listening test within the COST action DENORMS (CA15125) 1147  
 L. de Ryck <sup>(1)</sup>, J. Cuenca <sup>(1)</sup>, K. Jambrosic <sup>(2)</sup>, C. Glorieux <sup>(3)</sup>, M. Rychtarikova <sup>(3,4)</sup>, V. Romero-Garcia <sup>(5)</sup>, A. Cebreco <sup>(5)</sup>, N. Jiménez <sup>(5,6)</sup>, J.-P. Groby <sup>(5)</sup>  
*(1) Siemens Industry Software NV, Belgium*  
*(2) University of Zagreb, Croatia*  
*(3) KU Leuven, Belgium*  
*(4) STU - Slovak University of Technology, Slovakia*  
*(5) Le Mans Université, France*  
*(6) Universidad Politécnica de Valencia, Spain*

A combined design-manufacturing-testing investigation of micro- to macro-scale tailoring of open poroelastic materials based on perturbed Kelvin cell micro-geometries. L. Dowling <sup>(1)</sup> , H. Mao <sup>(2)</sup> , L. Flanagan <sup>(1)</sup> , J. Kennedy <sup>(1)</sup> , H. Rice <sup>(1)</sup> , D. Trimble <sup>(1)</sup> , P. Goransson <sup>(2)</sup> , J. Cuenca <sup>(2)</sup> <i>(1) Trinity College Dublin, Ireland</i> <i>(2) KTH Royal Institute of Technology, Sweden</i>	1163
A periodic acoustic meta-material concept incorporating negative stiffness elements for low-frequency acoustic insulation/ absorption I. Antoniadis <sup>(1)</sup> , A. Paradeisiotis <sup>(1)</sup> <i>(1) National Technical University of Athens, Greece</i>	1179
Influencing the wave-attenuating coupling of solid and fluid phases in poroelastic layers using piezoelectric inclusions and locally added masses T. G. Zielinski <sup>(1)</sup> , M.-A. Galland <sup>(2)</sup> , E. Deckers <sup>(3,4)</sup> <i>(1) the Polish Academy of Sciences, Poland</i> <i>(2) Ecole Centrale de Lyon, France</i> <i>(3) KU Leuven, Belgium</i> <i>(4) Flanders Make, Belgium</i>	1195

---

**DT**

**Session Dynamic testing: methods and instrumentation**

Numerical and experimental study of first passage time of a steel strip subjected to forced and parametric excitations E. J. Delhez <sup>(1)</sup> , H. Vanvinckenroye <sup>(1)</sup> , J.-C. J. G. Golinval <sup>(1)</sup> , V. Denoël <sup>(1)</sup> <i>(1) University of Liège, Belgium</i>	1209
Response of a curved panel subjected to local heating and base excitation D. A. Ehrhardt <sup>(1,2)</sup> , B. Gockel <sup>(2)</sup> , T. Bebermiss <sup>(2)</sup> <i>(1) Ehrhardt Engineering LLC, United States of America</i> <i>(2) Wright Patterson Air Force Base, United States of America</i>	1223
Effect of in-flight differential pressure in modal behaviour of an aircraft demonstrator using HS 3D-DIC. Á. J. Molina-Viedma <sup>(1)</sup> , A. González-Centeno <sup>(1)</sup> , E. López-Alba <sup>(1)</sup> , L. Felipe-Sesé <sup>(1)</sup> , F. Díaz <sup>(1)</sup> <i>(1) Universidad de Jaén, Spain</i>	1235
Design and validation of a nonlinear test rig with hardening stiffness in multiple degrees of freedom N. Pandiya <sup>(1)</sup> , R. J. Allemang <sup>(2)</sup> , A. W. Phillips <sup>(2)</sup> <i>(1) Robert Bosch GmbH, Germany</i> <i>(2) University of Cincinnati, United States of America</i>	1245
Drives power reduction procedure to fill in the multipleinput multiple-output random control reference matrix G. D'Elia <sup>(1)</sup> , U. Musella <sup>(2)</sup> , E. Mucchi <sup>(1)</sup> , B. Peeters <sup>(2)</sup> , P. Guillaume <sup>(3)</sup> <i>(1) University of Ferrara, Italy</i> <i>(2) Siemens Industry Software NV, Belgium</i> <i>(3) Vrije Universiteit Brussel, Belgium</i>	1259

Fully automated vibration measurements of aircraft fuselages in the mid-frequency range R. Winter <sup>(1)</sup> , S. Heyen <sup>(1)</sup> , M. Böswald <sup>(1)</sup> <i>(1) DLR - German Aerospace Center, Germany</i>	1271
Robust algorithm for optimal configuration of a multi-type network of sensors M. Khalil <sup>(1,2)</sup> , C. Heinrich <sup>(2)</sup> , R. Wüchner <sup>(1)</sup> , K.-U. Bletzinger <sup>(1)</sup> <i>(1) Technical University of Munich, Germany</i> <i>(2) Siemens AG, Germany</i>	1281
Nonlinear system identification using digital image correlation D. R. Roettgen <sup>(1)</sup> , E. M. C. Jones <sup>(1)</sup> , A. R. Brink <sup>(1)</sup> , P. L. Reu <sup>(1)</sup> , D. P. Rohe <sup>(1)</sup> , J. Wagner <sup>(1)</sup> <i>(1) Sandia National Laboratories, United States of America</i>	1295
Detecting cavitation inception in external gear pumps by means of vibro-acoustic measurements M. Battarra <sup>(1)</sup> , E. Mucchi <sup>(1)</sup> <i>(1) University of Ferrara, Italy</i>	1309
Spectral optical flow imaging: measuring full-field subpixel oscillations without a high-speed camera J. Slavič <sup>(1)</sup> , J. Javh <sup>(1)</sup> , M. Boltežar <sup>(1)</sup> <i>(1) University of Ljubljana, Slovenia</i>	1323
Hardware in the loop testing using a hydraulic shaking table M. Böswald <sup>(1)</sup> , M. Tang <sup>(1)</sup> <i>(1) DLR - German Aerospace Center, Germany</i>	1331
Statistical analysis of cup-horn ultrasonic proximity sensor output S. Jackson <sup>(1)</sup> , A. J. Croxford <sup>(1)</sup> , B. W. Drinkwater <sup>(1)</sup> <i>(1) University of Bristol, United Kingdom</i>	1349
Easy sensor localization using an RGB camera S. Sels <sup>(1)</sup> , B. Bogaerts <sup>(1)</sup> , S. Vanlanduit <sup>(1)</sup> , R. Penne <sup>(1)</sup> <i>(1) University of Antwerp, Belgium</i>	1361
Optimal positioning of continuous optical fiber sensors for the modal analysis of turbine blades with optical backscatter reflectometer technology P. Pennacchi <sup>(1)</sup> , G. Cazzulani <sup>(1)</sup> , M. Chieppi <sup>(1)</sup> , A. Colombo <sup>(1)</sup> <i>(1) Politecnico di Milano, Italy</i>	1371
Experimental evaluation of pressure dependent tangential contact stiffness M. Kreider <sup>(1)</sup> , C. W. Schwingshackl <sup>(1)</sup> <i>(1) Imperial College London, United Kingdom</i>	1385
Consideration of estimation error in multiple coherence approaches: application to the inside/outside coherence analysis of aircraft flight tests Q. Leclère <sup>(1)</sup> , J. Antoni <sup>(1)</sup> , E. Julliard <sup>(2)</sup> , A. Pintado-Peño <sup>(2)</sup> <i>(1) INSA Lyon, France</i> <i>(2) Airbus, France</i>	1395
Model validation of an aeroelastically-tailored forward swept wing using fibre-optical strain measurements Y. Govers <sup>(1)</sup> , M. Y. Meddaikar <sup>(1)</sup> , K. Sinha <sup>(1)</sup> <i>(1) DLR - German Aerospace Center, Germany</i>	1403

Top 10 mechanical experiments for the teaching of sound and vibration in mechanical engineering	1419
M. A. Peres <sup>(1)</sup> , A. Barnard <sup>(2)</sup>	
(1) <i>The Modal Shop, Inc., United States of America</i>	
(2) <i>Michigan Technological University, United States of America</i>	
Impact testing lightweight structures	1431
R. J. Allemang <sup>(1)</sup> , A. W. Phillips <sup>(1)</sup> , D. L. Brown <sup>(1)</sup>	
(1) <i>University of Cincinnati, United States of America</i>	
Vibration-based monitoring of the quality of clutch engagement in a forklift truck	1447
A. Van Campen <sup>(1)</sup> , T. Ooijevaar <sup>(1)</sup> , C. Mannaerts <sup>(1)</sup> , C. De Buyser <sup>(2)</sup> , A. Bartic <sup>(1)</sup>	
(1) <i>Flanders Make, Belgium</i>	
(2) <i>Dana Belgium N.V., Belgium</i>	
Experimental evaluation of a new two-microphone method for the mode detection and radiation of broadband noise in ducts	1461
J. Chen <sup>(1,2)</sup> , J. Melling <sup>(1)</sup> , P. Joseph <sup>(1)</sup>	
(1) <i>University of Southampton, United Kingdom</i>	
(2) <i>University of Leicester, United Kingdom</i>	
Huddle test of optical inertial sensors combined with slightly damped mechanics	1471
B. Ding <sup>(1)</sup> , J. Watchi <sup>(1)</sup> , C. Collette <sup>(1,2)</sup>	
(1) <i>Université Libre de Bruxelles, Belgium</i>	
(2) <i>University of Liège, Belgium</i>	
Experimental investigation on the acoustic impedance of Helmholtz resonators using an accelerometer for the volume velocity source	1479
G. P. Guimarães <sup>(1)</sup> , I. T. Ribeiro <sup>(1)</sup>	
(1) <i>UFOP - Federal University of Ouro Preto, Brazil</i>	
Compressive sensing-moving horizon estimator for periodic loads: experimental validation in structural dynamics with video-based measurements	1487
M. Kirchner <sup>(1,2)</sup> , J. Croes <sup>(1,2)</sup> , F. Cosco <sup>(1,2)</sup> , B. Pluymers <sup>(1,2)</sup> , W. Desmet <sup>(1,2)</sup>	
(1) <i>KU Leuven, Belgium</i>	
(2) <i>Flanders Make, Belgium</i>	
Accurate structural excitation through adaptive control	1503
M. Norambuena <sup>(1)</sup> , R. Winter <sup>(1)</sup> , J. Biedermann <sup>(1)</sup>	
(1) <i>DLR - German Aerospace Center, Germany</i>	
Microphone random arrangements for near-field acoustic holography based on compressive sampling	1513
B. Du <sup>(1)</sup> , X. Liu <sup>(1)</sup> , X. Wu <sup>(1)</sup> , Z. Wang <sup>(1)</sup>	
(1) <i>Kunming University of Science and Technology, People's Republic of China</i>	

---

## CIV

### Session Dynamics of civil structures

Validation of PIRAT, a novel tool for beam-like structures subject to seismic induced misalignment of guiding sleeves	1525
M. S. Bonney <sup>(1)</sup> , M. Zabiégo <sup>(1)</sup>	
(1) <i>CEA, France</i>	



- Influence of diaphragm modelling on the dynamic performance of a reinforced concrete high-rise building 1541  
N. J. Savnik <sup>(1)</sup>, E. I. Katsanos <sup>(1)</sup>, S. Amador <sup>(1)</sup>, C. E. Ventura <sup>(2)</sup>, R. Brincker <sup>(1)</sup>  
*(1) Technical University of Denmark, Denmark*  
*(2) University of British Columbia, Canada*
- Mass loading and temperature compensation for long-term ambient measurement data of a freeway bridge 1555  
T. Furtmüller <sup>(1)</sup>, C. Adam <sup>(1)</sup>, R. Veit-Egerer <sup>(2)</sup>  
*(1) University of Innsbruck, Austria*  
*(2) VCE Vienna Consulting Engineers ZT GmbH, Austria*
- Soil-structure interaction and the added-foundation effect of surface foundations with application to groundborne vibration in buildings 1567  
G. Sanitate <sup>(1)</sup>, J. P. Talbot <sup>(1)</sup>  
*(1) University of Cambridge, United Kingdom*
- Influence of transverse bracing beams on the dynamic behaviour of Arroyo Bracea I bridge in Madrid-Sevilla High-Speed railway line 1583  
E. Moliner <sup>(1)</sup>, P. Galvín Barrera <sup>(2)</sup>, M. D. Martínez-Rodrigo <sup>(1)</sup>, A. Romero Rodóñez <sup>(2)</sup>  
*(1) Universitat Jaume I, Spain*  
*(2) Universidad de Sevilla, Spain*
- Specific dynamic response of truss railway bridge identified using operational modal analysis as an extension of typical dynamic load testing 1597  
G. Poprawa <sup>(1)</sup>, S. Pradelok <sup>(1)</sup>, M. Salamak <sup>(1)</sup>  
*(1) Silesian University of Technology, Poland*
- Modelling of prestressed concrete bridges with 3 dimensional finite elements for structural health monitoring with model updating techniques 1607  
S. Schommer <sup>(1)</sup>, T. Kebig <sup>(1)</sup>, V. H. Nguyen <sup>(1)</sup>, A. Zürbes <sup>(2)</sup>, S. Maas <sup>(1)</sup>  
*(1) University of Luxembourg, Luxembourg*  
*(2) Bingen University of Applied Sciences, Germany*
- Simplified design of filler beam railway bridges for high-speed traffic 1621  
H. Bigelow <sup>(1)</sup>, B. Hoffmeister <sup>(1)</sup>, M. Feldmann <sup>(1)</sup>  
*(1) RWTH Aachen University, Germany*
- Examining the impact of critical building substructural elements on the building's rail induced vibration responsiveness 1635  
J. D'Avillez <sup>(1)</sup>  
*(1) WSP, United Kingdom*
- Dynamic effects at sudden structural rebuilding of the "beam-foundation" system 1645  
V. Gordon <sup>(1)</sup>, O. Pilipenko <sup>(1)</sup>, V. Trifonov <sup>(2)</sup>  
*(1) Orel State University, Russian Federation*  
*(2) GAZPROM, Russian Federation*
- Resonance and cancellation mechanisms in existing High-Speed railway bridges with an orthotropic plate behaviour 1655  
M. D. Martínez-Rodrigo <sup>(1)</sup>, E. Moliner <sup>(1)</sup>, A. Romero Rodóñez <sup>(2)</sup>, P. Galvín Barrera <sup>(2)</sup>  
*(1) Universitat Jaume I, Spain*  
*(2) Universidad de Sevilla, Spain*

---

**HARV**
**Session Dynamics of energy harvesters**

- Ship roll control and energy harvesting using a U-tube anti-roll tank 1671  
 N. Alujević <sup>(1)</sup>, I. Čatipović <sup>(1)</sup>, I. Senjanović <sup>(1)</sup>, N. Vladimir <sup>(1)</sup>, Š. Malenica <sup>(2)</sup>  
*(1) University of Zagreb, Croatia*  
*(2) Bureau Veritas, France*
- Modeling of partially covered piezoelectric energy harvester connected to SEH interface circuit 1685  
 G. Hu <sup>(1)</sup>, B. Zhao <sup>(2)</sup>, L. Tang <sup>(1)</sup>, J. Liang <sup>(2)</sup>, R. Das <sup>(3)</sup>  
*(1) The University of Auckland, New Zealand*  
*(2) ShanghaiTech University, People's Republic of China*  
*(3) RMIT University, Australia*
- A nonlinear vibration energy harvester for spacecraft 1701  
 H. Liu <sup>(1)</sup>, D. Zhou <sup>(1)</sup>, Y. Wang <sup>(1)</sup>  
*(1) Beijing Key Laboratory of Intelligent Space Robotic System Technology and Applications, China*
- Tuned mass dampers as energy harvesters for railways 1713  
 G. Nerubenko <sup>(1)</sup>, A. Bograd <sup>(1)</sup>, P. Kolomier <sup>(1)</sup>  
*(1) NERMAR Limited, Canada*
- Analytical modeling of a cantilever beam type vibration energy harvester with a lever mechanism 1727  
 S. Ertarla <sup>(1)</sup>, C. V. Karadag <sup>(1)</sup>, N. Topaloglu <sup>(1)</sup>  
*(1) Yeditepe University, Turkey*
- Energy in Random Vibration – reduce, resist, recycle 1739  
 A. Wasenczuk <sup>(1)</sup>, I. Corni <sup>(2)</sup>, N. Symonds <sup>(2)</sup>  
*(1) Perpetuum, United Kingdom*  
*(2) University of Southampton, United Kingdom*

---

**JOINT**
**Session Dynamics of joints**

- Response predictions of reduced models with whole joints 1753  
 R. J. Kuether <sup>(1)</sup>, D. A. Najera-Flores <sup>(2)</sup>  
*(1) Sandia National Laboratories, United States of America*  
*(2) ATA Engineering, United States of America*
- Modal impact testing for estimating bolted joint tightness 1769  
 M. Brøns <sup>(1)</sup>, J. J. Thomsen <sup>(1)</sup>, A. Fidlin <sup>(2)</sup>, D. Tcherniak <sup>(3)</sup>, S. M. Sah <sup>(1)</sup>  
*(1) Technical University of Denmark, Denmark*  
*(2) Karlsruhe Institute of Technology, Germany*  
*(3) Brüel & Kjær Sound & Vibration Measurement A/S, Denmark*
- Identification of contact parameters for dry friction joints 1777  
 K. Willner <sup>(1)</sup>  
*(1) FAU Erlangen-Nürnberg, Germany*

A block-Gauss Seidel algorithm with static reduction to predict damping in bolted joints I. Zare <sup>(1)</sup> , M. S. Allen <sup>(1)</sup> <i>(1) University of Wisconsin-Madison, United States of America</i>	1789
Extracting natural frequency and damping from time histories. Better than the frequency domain? H. G. D. Goyder <sup>(1)</sup> , D. P. T. Lancereau <sup>(1)</sup> <i>(1) Cranfield University, United Kingdom</i>	1801
The surrogate system hypothesis for joint mechanics: statement and evaluation through empirical parameter estimation N. N. Balaji <sup>(1)</sup> , M. R. W. Brake <sup>(1)</sup> <i>(1) Rice University, United States of America</i>	1813
Two types of dynamic joint behaviour: theoretical and experimental analysis H. G. D. Goyder <sup>(1)</sup> , D. P. T. Lancereau <sup>(1)</sup> , P. Ind <sup>(2)</sup> , D. Brown <sup>(2)</sup> <i>(1) Cranfield University, United Kingdom</i> <i>(2) AWE - Atomic Weapons Establishment, United Kingdom</i>	1823
Dynamic response and energy loss in jointed structures using finite element methods: application to an aero-engine casing assembly X. Chi <sup>(1)</sup> , D. Di Maio <sup>(1)</sup> , N. A. J. Lieven <sup>(1)</sup> <i>(1) University of Bristol, United Kingdom</i>	1835
Estimation of normal contact stiffness for different contact pairs: experiments and numerical approach D. Tonazzi <sup>(1)</sup> , F. Massi <sup>(1)</sup> , L. Baillet <sup>(3)</sup> , M. Salipante <sup>(1)</sup> , Y. Berthier <sup>(2)</sup> <i>(1) Sapienza University of Rome, Italy</i> <i>(2) LaMCoS - INSA Lyon, France</i> <i>(3) Joseph Fourier University, France</i>	1851
Experimental and numerical modal analysis of dry frictioninduced contact damping in assembled structures B. Magyar <sup>(1)</sup> , G. Csernak <sup>(1)</sup> , R. Zana <sup>(1)</sup> , R. Wohlfart <sup>(1)</sup> , G. Stepan <sup>(1)</sup> <i>(1) Budapest University of Technology and Economics, Hungary</i>	1863

---

## RMD

### Session Dynamics of rotating machinery

Extension of the multi-stage cyclic symmetry methodology and application to modal and dynamic response analyses N. C. Kill <sup>(1)</sup> , F. d'Ambrosio <sup>(1)</sup> <i>(1) SAMTECH S.A., Belgium</i>	1873
Numerical and experimental vibration analysis of a two-pole induction motor mounted on an elastic machine test bed S. Mathes <sup>(1)</sup> , U. Werner <sup>(1)</sup> , B. Christian <sup>(2)</sup> <i>(1) University of Applied Sciences Georg Simon Ohm Nuremberg, Germany</i> <i>(2) Siemens AG, Germany</i>	1881
Frictional effects on the synchronisation of partial contact in rotating machinery E. T. Chipato <sup>(1)</sup> , A. D. Shaw <sup>(1)</sup> , M. I. Friswell <sup>(1)</sup> <i>(1) Swansea University, United Kingdom</i>	1897

Balancing rotating structures using slow-speed data via optimized parametric excitation and nonlinear feedback	1907
A. Dolev <sup>(1)</sup> , S. Tresser <sup>(1)</sup> , I. Bucher <sup>(1)</sup> <i>(1) Technion, Israel</i>	
Rotor-to-seal rubs in a steam turbine caused by deposits of carbonized oil	1921
A. Vania <sup>(1)</sup> , P. Pennacchi <sup>(1)</sup> , S. Chatterton <sup>(1)</sup> , F. Cangioli <sup>(1)</sup> <i>(1) Politecnico di Milano, Italy</i>	
Vibration dynamics in non-linear dual mass flywheels for heavy-duty trucks	1935
L. M. Wramner <sup>(1,2)</sup> , V. Berbyuk <sup>(2)</sup> , H. Johansson <sup>(2)</sup> <i>(1) AB Volvo</i> <i>(2) Chalmers University of Technology</i>	
Dynamic characterisation of rolling-element bearings - implementation of smooth contact-state transition	1949
M. Razpotnik <sup>(1)</sup> , G. Čepon <sup>(1)</sup> , M. Boltežar <sup>(1)</sup> <i>(1) University of Ljubljana, Slovenia</i>	
Relative cyclic component mode synthesis and its application to nonlinear vibration analysis of mistuned bladed disks with friction joints	1965
S. M. Pourkiaee <sup>(1)</sup> , S. Zucca <sup>(1)</sup> , R. G. Parker <sup>(1)</sup> <i>(1) Politecnico di Torino, Italy</i>	
Solution of rotor stator contact problems with the method of normal forms	1979
A. D. Shaw <sup>(1)</sup> , A. R. Champneys <sup>(2)</sup> , M. I. Friswell <sup>(1)</sup> <i>(1) Swansea University, United Kingdom</i> <i>(2) University of Bristol, United Kingdom</i>	
Effects of geometrical nonlinearities for a rotating intentionally mistuned bladed-disk	1993
A. Picou <sup>(1,2)</sup> , E. Capiez-Lernout <sup>(1)</sup> , C. Soize <sup>(1)</sup> , M. Mbaye <sup>(2)</sup> <i>(1) Université Paris-Est, France</i> <i>(2) Safran Group, France</i>	
A novel identification tool for rotors working under nonstationary conditions based on the IAS	2005
E. Sghaier <sup>(1)</sup> , A. Bourdon <sup>(1)</sup> , D. Rémond <sup>(1)</sup> , J.-L. Dion <sup>(2)</sup> , N. Peyret <sup>(2)</sup> <i>(1) Université de Lyon, France</i> <i>(2) Laboratoire QUARTZ, France</i>	
Influence of internal friction dampers on global dynamics of discrete cyclic structure	2013
M. Byrtus <sup>(1)</sup> , M. Hajžman <sup>(1)</sup> , L. Pešek <sup>(2)</sup> , L. Půst <sup>(2)</sup> <i>(1) University of West Bohemia, Czech Republic</i> <i>(2) Czech Academy of Sciences, Czech Republic</i>	
Experimental investigation on timing belt drive dynamics with non-circular pulley	2029
S. Passos <sup>(1,2)</sup> , L. Manin <sup>(2)</sup> , D. Rémond <sup>(2)</sup> , O. Sauvage <sup>(1)</sup> , L. Rota <sup>(1)</sup> , E. Besnier <sup>(2)</sup> <i>(1) Groupe PSA, France</i> <i>(2) LaMCoS - Laboratoire de Mécanique des Contacts et des Structures, France</i>	
Improvement of instantaneous angular speed estimation based on frequency demodulation method under non stationary conditions	2043
K. Lizoul <sup>(1)</sup> , H. Andre <sup>(1)</sup> , F. Guillet <sup>(1)</sup> <i>(1) Université de Lyon, Université Jean Monnet, France</i>	

---

**FSI**
**Session Fluid-structure interaction**

- Nonlinear dynamical analysis of a fluid-structure computational model with sloshing and capillarity 2057  
 Q. Akkaoui <sup>(1)</sup>, E. Capiiez-Lernout <sup>(1)</sup>, C. Soize <sup>(1)</sup>, R. Ohayon <sup>(2)</sup>  
*(1) Universite Paris-Est, France*  
*(2) CNAM - Conservatoire National des Arts et Métiers, France*
- Energy dissipation due to sloshing in baffled fuel tanks 2069  
 F. Buck <sup>(1,2)</sup>, H. Hetzler <sup>(1)</sup>, E. Freund <sup>(2)</sup>, S. Oexl <sup>(2)</sup>  
*(1) University of Kassel, Germany*  
*(2) Daimler AG, Germany*
- Efficient time-domain modeling of floating structures with fluid-structure interaction by reduced order state-space approximations 2081  
 Ø. W. Petersen <sup>(1)</sup>, O. Øiseth <sup>(1)</sup>  
*(1) NTNU - Norwegian University of Science and Technology, Norway*
- High-speed 3D DIC random dynamic strain measurement of a panel subjected to Mach 2 flow 2095  
 T. Bebernis <sup>(1)</sup>  
*(1) United States Air Force Research Lab, United States of America*
- Experimental and theoretical characterization of a dAFM cantilever dynamics 2107  
 E. Pierro <sup>(1)</sup>, F. Bottiglione <sup>(2)</sup>, G. Carbone <sup>(2)</sup>  
*(1) Università degli Studi della Basilicata, Italy*  
*(2) Politecnico di Bari, Italy*
- 

**INV**
**Session Inverse methods - load identification**

- Using wavelet deconvolution method to determine the force applied by drops of water on dry plates and plates with shallow surface water 2119  
 Y. Yu <sup>(1)</sup>, C. Hopkins <sup>(1)</sup>  
*(1) University of Liverpool, United Kingdom*
- Localisation, characterisation and Identification of localised nonlinearity in structural dynamics using base excitation frequency response functions 2127  
 J. Taghipour <sup>(1)</sup>, H. Haddad Khodaparast <sup>(1)</sup>, M. I. Friswell <sup>(1)</sup>, H. Madinei <sup>(1)</sup>, H. Jalali <sup>(1)</sup>, X. Wang <sup>(2)</sup>  
*(1) Swansea University, United Kingdom*  
*(2) University of Bristol, United Kingdom*
- Random force identification via Kalman filtering on a cantilevered structure 2139  
 R. P. Álvarez-Briceño <sup>(1)</sup>, L. de Oliveira <sup>(1)</sup>  
*(1) University of São Paulo, Brazil*

Inverse parameter estimation in resonant, coupled fluid-structure interaction problems J. Cuenca <sup>(1,2)</sup> , P. Goransson <sup>(2)</sup> , L. De Ryck <sup>(1)</sup> , T. Lähivaara <sup>(3)</sup> <i>(1) Siemens Industry Software NV, Belgium</i> <i>(2) KTH Royal Institute of Technology, Sweden</i> <i>(3) University of Eastern Finland, Finland</i>	2155
Identification of wave forces from acceleration and wave elevation data using inverse methods and spectral wave field reconstruction Ø. W. Petersen <sup>(1)</sup> , O. Øiseth <sup>(1)</sup> , E.-M. Lourens <sup>(1)</sup> <i>(1) NTNU - Norwegian University of Science and Technology, Norway</i>	2171
Investigation of virtual sensing techniques on a rear twistbeam suspension by performing multiple-input/state estimation R. Cumbo <sup>(1)</sup> , T. Tamarozzi <sup>(1,2)</sup> , K. Janssens <sup>(1)</sup> , W. Desmet <sup>(2)</sup> <i>(1) Siemens Industry Software NV, Belgium</i> <i>(2) KU Leuven, Belgium</i>	2181
<hr/>	
<b>LW</b>	
<b>Session Lightweight structures and materials</b>	
Linking manufacturing simulation with functional performance engineering for composites applications K. Vanclooster <sup>(1)</sup> , L. Spina <sup>(2)</sup> , S. Donders <sup>(1)</sup> , R. Lombardi <sup>(3)</sup> , R. D'Ippolito <sup>(3)</sup> , L. Farkas <sup>(1)</sup> , D. Mundo <sup>(2)</sup> <i>(1) Siemens Industry Software NV, Belgium</i> <i>(2) University of Calabria, Italy</i> <i>(3) Noesis Solutions, Belgium</i>	2197
Mesoscale structure of periodic textile composites effect on wave propagation V. Thierry <sup>(1)</sup> , L. Brown <sup>(1)</sup> <i>(1) University of Nottingham, United Kingdom</i>	2213
Modal frequency and damping analysis of tow steered CFRP composite plates D. d. A. Pereira <sup>(1,3)</sup> , T. A. M. Guimaraes <sup>(2)</sup> , D. A. Rade <sup>(1)</sup> <i>(1) Division of Mechanical Engineering, ITA - Technological Institute of Aeronautics, Brazil.</i> <i>(2) School of Mechanical Engineering, UFU - Federal University of Uberlândia, Brazil.</i> <i>(3) Lightweight Structures Laboratory, IPT - Institute for Technological Research, Brazil.</i>	2223
Numerical and experimental investigation of prestress effect on natural frequencies of composite beams A. Orłowska <sup>(1)</sup> , C. Graczykowski <sup>(1)</sup> , A. Galezia <sup>(2)</sup> <i>(1) Institute of Fundamental Technological Research Polish Academy of Sciences, Poland</i> <i>(2) Warsaw University of Technology, Poland</i>	2239
Multi-attribute evaluation of concept variants for lightweight structures C. Lopez <sup>(1)</sup> , M. Boucher <sup>(1,2)</sup> , B. Van Doninck <sup>(1)</sup> , F. Maurin <sup>(1,2)</sup> , V. Iliopoulou <sup>(1)</sup> , J. Stroobants <sup>(1)</sup> , S. Jonckheere <sup>(1,2)</sup> , E. Deckers <sup>(1,2)</sup> , S. van Poppel <sup>(1)</sup> , B. Pluymers <sup>(1,2)</sup> <i>(1) Flanders Make, Belgium</i> <i>(2) KU Leuven, Belgium</i>	2249

The effect of the weaving architecture of periodic composite structures on structural damping V. Thierry <sup>(1)</sup> , D. Chronopoulos <sup>(1)</sup> <i>(1) University of Nottingham, United Kingdom</i>	2265
Analysis of Sound Transmission Loss of a Rectangular Plate with Acoustic Treatments S. Zhang <sup>(1)</sup> , X. Sheng <sup>(1)</sup> <i>(1) Southwest Jiaotong University, People's Republic of China</i>	2275

---

## MHF

### Session Medium and high frequency techniques

Narrow band analysis of structure borne noise in complex dynamical systems using energy methods G. Borello <sup>(1)</sup> , L. Gagliardini <sup>(2)</sup> , T. Lambert <sup>(2)</sup> , I. Abettan <sup>(2)</sup> <i>(1) InterAC, France</i> <i>(2) Groupe PSA, France</i>	2291
Dynamical energy analysis modelling by using transfer path analysis S. Morita <sup>(1)</sup> , T. Hartmann <sup>(2)</sup> , G. Tanner <sup>(2)</sup> <i>(1) Yanmar R&amp;D Europe, Italy</i> <i>(2) University of Nottingham, United Kingdom</i>	2303
A fast and efficient approach for simulating ultrasonic waves and their interaction with defects in periodic structures M. K. Malik <sup>(1,2)</sup> , D. Chronopoulos <sup>(1)</sup> , G. Tanner <sup>(1)</sup> , Y. Essa <sup>(2)</sup> , F. de la Escalera Cutillas <sup>(2)</sup> <i>(1) University of Nottingham, United Kingdom</i> <i>(2) Aernnova S.A., Spain</i>	2311
Band-averaged variance prediction in the hybrid deterministic – statistical energy analysis of vibro-acoustic systems E. Reynders <sup>(1)</sup> , R. S. Langley <sup>(2)</sup> <i>(1) KU Leuven, Belgium</i> <i>(2) University of Cambridge, United Kingdom</i>	2323
An experimental investigation of the three-dimensional vibration characteristics of ultrasonic irrigation tips M. Dannemann <sup>(1)</sup> , M. Kucher <sup>(1)</sup> , M.-T. Weber <sup>(1)</sup> , N. Modler <sup>(1)</sup> <i>(1) Technical University of Dresden, Germany</i>	2337
Tunnelling corrections to wave transmissions on shell structures N. M. Mohammed <sup>(1,3)</sup> , S. Creagh <sup>(1)</sup> , G. Tanner <sup>(1)</sup> , D. Chappell <sup>(2)</sup> <i>(1) University of Nottingham, United Kingdom.</i> <i>(2) Nottingham Trent University, United Kingdom.</i> <i>(3) University of Sulaimani, Iraq.</i>	2349
Connectivity in waves and vibrations: one-to-six, one-to-all, all-to-all and random connections A. Carcaterra <sup>(1)</sup> , N. Roveri <sup>(1)</sup> , A. Akay <sup>(2)</sup> <i>(1) Sapienza, University of Rome, Italy</i> <i>(2) Bilkent University, Ankara, Turkey</i>	2363

Waves path in an elastic membrane with selective nonlocality	2371
F. Coppo <sup>(1)</sup> , A. S. Rezaei <sup>(1)</sup> , F. Mezzani <sup>(1)</sup> , S. Pensalfini <sup>(1)</sup> , A. Carcaterra <sup>(1)</sup>	
<i>(1) Sapienza University of Rome, Italy</i>	

---

## MOR

### Session Model order reduction

Model order reduction of large stroke flexure hinges using modal derivatives	2379
J. P. Schilder <sup>(1)</sup> , F. M. Segeth <sup>(1)</sup> , M. H. M. Ellenbroek <sup>(1)</sup> , M. van den Belt <sup>(1)</sup> , A. de Boer <sup>(1)</sup>	
<i>(1) University of Twente, The Netherlands</i>	

A full PGD/HBM-based algorithm for a low-dimensional NNM continuation with modal enrichment	2387
L. Meyrand <sup>(1)</sup> , E. Sarrouy <sup>(1)</sup> , B. Cochelin <sup>(1)</sup> , G. Ricciardi <sup>(2)</sup>	
<i>(1) Aix-Marseille University, France</i>	
<i>(2) CEA Cadarache, France</i>	

Amultivariate, well-conditioned asymptotic waveform evaluation for finite element solutions with complex parametric dependence	2403
R. Rumpier <sup>(1)</sup> , R. Rodríguez Sánchez <sup>(2)</sup> , P. Goransson <sup>(1)</sup>	
<i>(1) KTH Royal Institute of Technology, Sweden</i>	
<i>(2) Technical University of Munich, Germany</i>	

Model order reduction for nonlinear dynamics engineering applications	2415
F. Naets <sup>(1,2)</sup> , T. Tamarozzi <sup>(1,3)</sup> , W. Rottiers <sup>(1,2)</sup> , S. Donders <sup>(3)</sup> , H. Van der Auweraer <sup>(3)</sup> , W. Desmet <sup>(1,2)</sup>	
<i>(1) KU Leuven, Belgium</i>	
<i>(2) Flanders Make, Belgium</i>	
<i>(3) Siemens Industry Software NV</i>	

The application of artificial neural networks in mechatronics system development	2431
P. Mas <sup>(1)</sup> , S. B. Maddina <sup>(1)</sup> , F. L. Marques dos Santos <sup>(1)</sup> , C. Sobie <sup>(1)</sup> , H. Van der Auweraer <sup>(1)</sup>	
<i>(1) Siemens Industry Software NV, Belgium</i>	

Non-intrusive model-order reduction of geometrically nonlinear finite elements: enhancement with static augmentation	2445
M. Karamooz Mahdiabadi <sup>(1)</sup> , D. J. Rixen <sup>(1)</sup>	
<i>(1) Technical University of Munich, Germany</i>	

Parametric model order reduction for efficient frequency response evaluation	2461
V. Cool <sup>(1)</sup> , F. Naets <sup>(1,2)</sup> , W. Rottiers <sup>(1,2)</sup> , W. Desmet <sup>(1,2)</sup>	
<i>(1) KU Leuven, Belgium</i>	
<i>(2) Flanders Make, Belgium</i>	

---

## MTOA

### Session Modeling, testing, and optimization of acoustic metamaterials

Application of the wave finite element method to the analysis of locally resonant band gaps in periodic structures with viscoelastic properties	2469
J.-M. Mencik <sup>(1)</sup> , V. Denis <sup>(1)</sup> , M. Caliez <sup>(1)</sup> , S. Méo <sup>(2)</sup>	
<i>(1) INSA Centre Val de Loire, France</i>	
<i>(2) Université de Tours, France</i>	



- Investigating simple designs of phononic crystal plates and their influence on the wave propagation properties 2483  
 E. D. Nobrega <sup>(1,2)</sup>, M.-L. Gobert <sup>(3)</sup>, J. M. C. Dos Santos <sup>(1)</sup>, J.-M. Mencik <sup>(3)</sup>  
 (1) *State University of Campinas, Brazil*  
 (2) *Federal University of Maranhão, Brazil*  
 (3) *INSA Centre Val de Loire, France*

- Computing the dispersion diagram and the forced response of periodic elastic structures using a state-space formulation 2497  
 G. F. C. A. Assis <sup>(1)</sup>, E. J. P. Miranda Jr. <sup>(2)</sup>, D. Beli <sup>(1)</sup>, J. F. Camino <sup>(1)</sup>, J. M. C. Dos Santos <sup>(1)</sup>, J. R. F. Arruda <sup>(1)</sup>  
 (1) *Unicamp - University of Campinas, Brazil*  
 (2) *IFMA - Federal Institute of Maranhão, Brazil*

---

## MB

### Session Multi-body dynamics and control

- Increasing the threshold of vibration stability of soft mounted induction motors with elastic rotors and sleeve bearings using active motor foot mounts 2509  
 U. Werner <sup>(1)</sup>  
 (1) *University of Applied Sciences Georg Simon Ohm Nuremberg, Germany*

- Separation of structural response and excitation characteristics in planetary gearboxes 2525  
 D. F. Plöger <sup>(1)</sup>, J. Jungblut <sup>(1)</sup>, P. Zech <sup>(1)</sup>, S. Rinderknecht <sup>(1)</sup>  
 (1) *TU Darmstadt, Germany*

- Full model multibody approach for the sound calculation of gearboxes 2533  
 D. Werner <sup>(1)</sup>, S. Falkenberger <sup>(2)</sup>, B. Graf <sup>(1)</sup>, F. Wegerer <sup>(1)</sup>, J. Neher <sup>(3)</sup>, B. Wender <sup>(1)</sup>  
 (1) *University of Applied Sciences of Ulm, Germany*  
 (2) *Continental Automotive, Germany*  
 (3) *MAN Diesel & Turbo SE, Germany*

- Comparison of finite-element methods to compute the transmission error to noise transfer function of a simple gear box. 2549  
 Y. Goth <sup>(1)</sup>  
 (1) *CETIM - Centre Technique des Industries Mécaniques, France*

- An absolute interface coordinates floating frame of reference formulation for plates 2559  
 M. van den Belt <sup>(1)</sup>, J. P. Schilder <sup>(1)</sup>, D. M. Brouwer <sup>(1)</sup>  
 (1) *University of Twente, The Netherlands*

- Topology optimization of a high-speed cutting mechanism 2567  
 K. Asrih <sup>(1)</sup>, F. Naets <sup>(1,2)</sup>, W. Desmet <sup>(1,2)</sup>  
 (1) *KU Leuven, Belgium*  
 (2) *Flanders Make, Belgium*

- Modal behavior and transient dynamic analysis of a planetary gear train with time-varying mesh stiffness using a multibody model 2577  
 C. Alessio <sup>(1)</sup>, D. Park <sup>(2)</sup>, D. Mundo <sup>(1)</sup>, T. Tamarozzi <sup>(2)</sup>, A. Rezayat <sup>(2)</sup>  
 (1) *University of Calabria, Italy*  
 (2) *Siemens Industry Software NV, Belgium*

---

**NL****Session Non-linearities: identification and modelling**

A nonlinear energy harvester for torsional oscillations B. Gunn <sup>(1)</sup> , S. Theodossiades <sup>(1)</sup> , S. Rothberg <sup>(1)</sup> <i>(1) Loughborough University, United Kingdom</i>	2593
On selecting appropriate training data to model an autonomous oscillator J. Decuyper <sup>(1)</sup> , T. De Troyer <sup>(1)</sup> , M. C. Runacres <sup>(1)</sup> , K. Tiels <sup>(2)</sup> , J. Schoukens <sup>(1)</sup> <i>(1) Vrije Universiteit Brussel, Belgium</i> <i>(2) Uppsala University, Sweden</i>	2601
Unsteady aerodynamics and nonlinear dynamics of freefalling rotating seeds B. A. Roccia <sup>(1,2)</sup> , M. L. Verstraete <sup>(1)</sup> , G. Dimitriadis <sup>(2)</sup> , O. Bruls <sup>(2)</sup> , S. Preidikman <sup>(1)</sup> <i>(1) CONICET – National Council of Scientific and Technological Research Argentina</i> <i>(2) University of Liege, Belgium</i>	2615
Predicting nonlinear system responses without a single simulation G. Manson <sup>(1)</sup> <i>(1) University of Sheffield, United Kingdom</i>	2631
Experiments and simulations of an industrial assembly with nonlinear joints subjected to harmonic and random vibrations T. Roncen <sup>(1,2)</sup> , J.-J. Sinou <sup>(2,3)</sup> , J.-P. Lambelin <sup>(1)</sup> <i>(1) CEA, France</i> <i>(2) Ecole Centrale de Lyon, France</i> <i>(3) Institut Universitaire de France, France</i>	2647
Modal analysis of an isolated nonlinear response mode using the Nyquist circle properties: numerical case D. Di Maio <sup>(1)</sup> <i>(1) University of Twente, The Netherlands</i>	2661
Linearization of modal parameters in Duffing oscillator using the random decrement technique K. K. Vesterholm <sup>(1)</sup> , R. Brincker <sup>(1)</sup> , A. Brandt <sup>(2)</sup> <i>(1) DTU - Centre for Oil and Gas, Technical University of Denmark, Denmark</i> <i>(2) University of Southern Denmark, Denmark</i>	2673
Computation of nonlinear modes of non-conservative mechanical systems M. Jahn <sup>(1)</sup> , S. Tatzko <sup>(1)</sup> , L. Panning-von Scheidt <sup>(1)</sup> , J. Wallaschek <sup>(1)</sup> <i>(1) Leibniz University Hannover, Germany</i>	2687
Using the harmonic balance method to directly compute NNMs of geometrically nonlinear finite element models C. I. Van Damme <sup>(1)</sup> , A. E. Madrid <sup>(1)</sup> , M. S. Allen <sup>(1)</sup> <i>(1) University of Wisconsin - Madison, United States of America</i>	2701
Nonlinear time series analysis of drillstring lateral vibrations T. Kasper <sup>(1)</sup> , S. Tatzko <sup>(1)</sup> , J. Wallaschek <sup>(1)</sup> <i>(1) Leibniz University Hannover, Germany</i>	2719

Investigating the bi-stable behavior of a lumped system with frictional contact J. Brunetti <sup>(1)</sup> , W. D'Ambrogio <sup>(1)</sup> , N. Hoffmann <sup>(2)</sup> , F. Massi <sup>(3)</sup> <i>(1) Università dell'Aquila, Italy</i> <i>(2) Hamburg University of Technology, Germany</i> <i>(3) Sapienza University of Rome, Italy</i>	2727
Investigating a mechanism which causes divergence of a resonant decay from the backbone curve A. K. M. Brown <sup>(1)</sup> , T. L. Hill <sup>(1)</sup> , S. Neild <sup>(1)</sup> , I. Tartaruga <sup>(1)</sup> <i>(1) University of Bristol, United Kingdom</i>	2739
Manuscript preparation instructions A. J. Elliott <sup>(1)</sup> , I. Tartaruga <sup>(2)</sup> , A. Cammarano <sup>(1)</sup> , P. S. Dobson <sup>(1)</sup> , S. Neild <sup>(2)</sup> <i>(1) University of Glasgow, United Kingdom</i> <i>(2) University of Bristol, United Kingdom</i>	2749
On the identification of model error through observations of time-varying parameters P. L. Green <sup>(1)</sup> , E. Chodora <sup>(2)</sup> , S. Atamturktur <sup>(2)</sup> <i>(1) University of Liverpool, United Kingdom</i> <i>(2) Clemson University, United States</i>	2759
On NARX models using treed Gaussian processes T. Zhang <sup>(1)</sup> , R. J. Barthorpe <sup>(1)</sup> , K. Worden <sup>(1)</sup> <i>(1) University of Sheffield, United Kingdom</i>	2775

---

## OMA

### Session Operational modal analysis

Optimal parameters in Data-driven stochastic subspace identification in Operational Modal Analysis C.-Y. Tsai <sup>(1)</sup> , Y. J. Chan <sup>(1)</sup> , J.-L. Chen <sup>(1)</sup> , C.-L. Chao <sup>(1)</sup> , S.-Y. Chien <sup>(1)</sup> <i>(1) National Chung Hsing University, Taiwan</i>	2783
Operational modal analysis and fluid-structure interaction M. Vigsø <sup>(1)</sup> , T. Kabel <sup>(1)</sup> , M. Tarpø <sup>(1)</sup> , R. Brincker <sup>(2)</sup> , C. T. Georgakis <sup>(1)</sup> <i>(1) Aarhus University, Denmark</i> <i>(2) Technical University of Denmark, Denmark</i>	2793
Fatigue damage prediction based on strain field estimates using a smoothed Kalman filter and sparse measurements U. Lagerblad <sup>(1,2)</sup> , H. Wentzel <sup>(2)</sup> , A. Kulachenko <sup>(1)</sup> <i>(1) KTH Royal Institute of Technology, Sweden</i> <i>(2) Scania CV AB, Sweden</i>	2805
Dealing with harmonics in continuous modal analysis N. Gioia <sup>(1)</sup> , C. Peeters <sup>(1)</sup> , P. J. Daems <sup>(1)</sup> , P. Guillaume <sup>(1)</sup> , J. Helsen <sup>(1)</sup> <i>(1) Vrije Universiteit Brussel, Belgium</i>	2819
Output-only recursive identification of time-varying systems subject to gross errors Z.-S. Ma <sup>(1)</sup> , Q. Ding <sup>(1)</sup> , B. Wang <sup>(1)</sup> <i>(1) Tianjin University, People's Republic of China</i>	2829

Operational modal analysis of a turbine in big noise environment M. Zhao <sup>(1)</sup> , L. Yue <sup>(1)</sup> <i>(1) Nanjing University of Aeronautics and Astronautics, People's Republic of China</i>	2839
Statistical error reduction for correlation-driven operational modal analysis M. Tarpø <sup>(1)</sup> , P. Olsen <sup>(1)</sup> , M. Juul <sup>(1)</sup> , S. Amador <sup>(2)</sup> , T. Friis <sup>(2)</sup> , R. Brincker <sup>(2)</sup> <i>(1) Aarhus University, Denmark</i> <i>(2) Technical University of Denmark, Denmark</i>	2851
Regularized time-varying operational modal analysis illustrated on a wind tunnel testing measurement P. Z. Csurcsia <sup>(1,2)</sup> , B. Peeters <sup>(2)</sup> , J. Schoukens <sup>(1)</sup> <i>(1) Vrije Universiteit Brussel, Belgium</i> <i>(2) Siemens Industry Software NV, Belgium</i>	2859
Automated modal identification in operational conditions using 3D stabilization diagrams G. Marrongelli <sup>(1)</sup> , F. Magalhães <sup>(2)</sup> , C. Gentile <sup>(1)</sup> , Á. Cunha <sup>(2)</sup> <i>(1) Politecnico di Milano, Italy</i> <i>(2) University of Porto, Portugal</i>	2873
Operational modal analysis based on time-domain expansion of transmissibility J. Kang <sup>(1)</sup> , L. Liu <sup>(1,2,3)</sup> , S. D. Zhou <sup>(1,2,3)</sup> , L. Yu <sup>(1)</sup> <i>(1) Beijing Institute of Technology, People's Republic of China</i> <i>(2) Ministry of Education, People's Republic of China</i> <i>(3) Ministry of Industry and Information Technology, People's Republic of China</i>	2887
Output-only modal parameter estimator of time-varying structures based on maximum correntropy criterion and kernelized TARMA model L. Yu <sup>(1)</sup> , L. Liu <sup>(1,2,3)</sup> , J. Kang <sup>(1)</sup> <i>(1) Beijing Institute of Technology, People's Republic of China</i> <i>(2) Ministry of Education, People's Republic of China</i> <i>(3) Ministry of Industry and Information Technology, People's Republic of China</i>	2903

---

## PE

### Session Parameter estimation

Identification of the modal parameters of systems with general damping. N. Feng <sup>(2)</sup> , E. J. Hahn <sup>(1)</sup> , M. Yu <sup>(3)</sup> <i>(1) University of New South Wales, Australia</i> <i>(2) Shandong University, China</i> <i>(3) Sun Yat-sen University, China</i>	2917
Automatic operational modal analysis using statistical modelling of pole locations S. S. Christensen <sup>(1)</sup> , A. Brandt <sup>(1)</sup> <i>(1) University of Southern Denmark, Denmark</i>	2927
Variance computation of the Modal Assurance Criterion S. Gres <sup>(1)</sup> , M. Döhler <sup>(2)</sup> , P. Andersen <sup>(3)</sup> , L. Mevel <sup>(2)</sup> <i>(1) Aalborg University, Denmark</i> <i>(2) Inria/IFSTTAR, France</i> <i>(3) Structural Vibration Solutions A/S, Denmark</i>	2939

Recent advances in swept sine controlled excitation and processing for Multi-Input Multi-Output FRFs estimation	2951
U. Musella <sup>(1,2,3)</sup> , A. Longo <sup>(3)</sup> , S. Vettori <sup>(4)</sup> , S. Waimer <sup>(1,2)</sup> , E. Di Lorenzo <sup>(2)</sup> , B. Peeters <sup>(2)</sup> , F. Marulo <sup>(3)</sup> , P. Guillaume <sup>(1)</sup>	
<i>(1) Vrije Universiteit Brussel, Belgium</i>	
<i>(2) Siemens Industry Software NV, Belgium</i>	
<i>(3) University of Naples Federico II, Italy</i>	
<i>(4) Sapienza University of Rome, Italy</i>	
Automatic modal parameter selection using a statistical model and a Kalman filter	2967
K. Soal <sup>(1)</sup> , Y. Govers <sup>(1)</sup> , J. Bienert <sup>(2)</sup> , A. Bekker <sup>(3)</sup>	
<i>(1) DLR - German Aerospace Center, Germany</i>	
<i>(2) THI - Technische Hochschule Ingolstadt, Germany</i>	
<i>(3) Stellenbosch University, South Africa</i>	
Identification and comparison of modal parameter in a structure during the vibration test using operational modal analysis	2977
N. C. Costa <sup>(1)</sup> , E. A. Camargo <sup>(2)</sup> , R. Pirk <sup>(2)</sup>	
<i>(1) Brüel &amp; Kjær Sound &amp; Vibration Measurement A/S, Brazil</i>	
<i>(2) ITA - Instituto Tecnológico de Aeronáutica, Brazil</i>	
Output-only damping estimation of friction systems in ambient vibrations	2989
T. Friis <sup>(1)</sup> , E. I. Katsanos <sup>(1)</sup> , M. Tarpø <sup>(2)</sup> , S. Amador <sup>(1)</sup> , R. Brincker <sup>(1)</sup>	
<i>(1) Technical University of Denmark, Denmark</i>	
<i>(2) Aarhus University, Denmark</i>	

---

## PBNv2

### Session Pass-by noise

Approaches to the remote mapping of vehicle noise sources in a reverberant environment	3001
A. Papaioannou <sup>(1)</sup> , S. J. Elliott <sup>(1)</sup> , J. Cheer <sup>(1)</sup>	
<i>(1) University of Southampton, United Kingdom</i>	
Model-based acoustic characterisation of muffler components and extrapolation to inhomogeneous thermal conditions	3009
M. H. Alkmim <sup>(1)</sup> , J. Cuenca <sup>(1)</sup> , L. De Ryck <sup>(1)</sup> , P. Goransson <sup>(2)</sup>	
<i>(1) Siemens Industry Software NV, Belgium</i>	
<i>(2) KTH Royal Institute of Technology, Sweden</i>	
The design of a low-cost directional warning sound system for electric vehicles	3021
N. Kournoutos <sup>(1)</sup> , J. Cheer <sup>(1)</sup> , S. J. Elliott <sup>(1)</sup>	
<i>(1) University of Southampton, United Kingdom</i>	

---

## PER

### Session Periodic structures and metamaterials

Tailoring Phononic-like topologies for controlling the structural-acoustic coupling in fluid-filled cylinders	3033
Y. Vered <sup>(1)</sup> , I. Bucher <sup>(1)</sup>	
<i>(1) Technion, Israel</i>	

Resonant metabarriers as seismic attenuators in granular media R. Zaccherini <sup>(1)</sup> , A. Palermo <sup>(2,3)</sup> , S. Krödel <sup>(1)</sup> , V. K. Dertimanis <sup>(1)</sup> , A. Marzani <sup>(2)</sup> , C. Daraio <sup>(3)</sup> , E. N. Chatzi <sup>(1)</sup> <i>(1) ETH Zürich, Switzerland</i> <i>(2) University of Bologna, Italy</i> <i>(3) California Institute of Technology, United States of America</i>	3047
The influence of uncertainties in periodic structures for vibro-acoustic problems J. Henneberg <sup>(1,2)</sup> , J. S. Gomez Nieto <sup>(1)</sup> , K. Sepahvand <sup>(1)</sup> , A. Gerlach <sup>(2)</sup> , H. Cebulla <sup>(3)</sup> , S. Marburg <sup>(1)</sup> <i>(1) Technical University of Munich, Germany</i> <i>(2) Robert Bosch GmbH, Germany</i> <i>(3) Technical University Chemnitz, Germany</i>	3059
Diffusion-based design of locally resonant sub-systems using a reduced wave finite element framework C. Droz <sup>(1)</sup> , R. F. Boukadia <sup>(1)</sup> , M. Ichchou <sup>(2)</sup> , W. Desmet <sup>(1)</sup> <i>(1) KU Leuven, Belgium</i> <i>(2) Ecole Centrale de Lyon, France</i>	3071
Broadband resonance suppressions using a resonant beam damper with embedded acoustic black hole features T. Zhou <sup>(1)</sup> , L. Cheng <sup>(1)</sup> <i>(1) Hong Kong Polytechnic University, Hong Kong S.A.R. (People's Republic of China)</i>	3085
Metamaterial characterization for acoustic cloaking applications A. Hanford <sup>(1)</sup> , P. Kerrian <sup>(1)</sup> , B. Beck <sup>(1)</sup> , D. Capone <sup>(1)</sup> <i>(1) The Pennsylvania State University, United States of America</i>	3097
Attenuation of the mass-spring-mass effect in the sound transmission loss of double panel partitions using vibroacoustic resonant metamaterials N. G. Rocha de Melo Filho <sup>(1,2)</sup> , L. Van Belle <sup>(1,2)</sup> , C. Claeys <sup>(1,2)</sup> , E. Deckers <sup>(1,2)</sup> , W. Desmet <sup>(1,2)</sup> <i>(1) KU Leuven, Belgium</i> <i>(2) Flanders Make, Belgium</i>	3111
Design tool for realisable vibro-acoustic metamaterials based on their NVH performance M. E. S. Clasing Villanueva <sup>(1,2)</sup> , C. Claeys <sup>(1,2)</sup> , N. G. Rocha de Melo Filho <sup>(1,2)</sup> , E. Deckers <sup>(1,2)</sup> , K. Geurts <sup>(2)</sup> , I. Van de Weyenberg <sup>(2)</sup> , P. Campestrini <sup>(2)</sup> , B. Pluymers <sup>(1,2)</sup> , W. Desmet <sup>(1,2)</sup> <i>(1) KU Leuven, Belgium</i> <i>(2) Flanders Make, Belgium</i>	3125
Long-range coupling of waveguides F. Mezzani <sup>(1)</sup> , F. Coppo <sup>(1)</sup> , A. Carcaterra <sup>(1)</sup> <i>(1) Sapienza University of Rome, Italy</i>	3135
Control of edge modes in finite vibro-acoustic resonant metamaterials L. Sangiuliano <sup>(1,2)</sup> , E. Deckers <sup>(1,2)</sup> , C. Claeys <sup>(1,2)</sup> <i>(1) KU Leuven, Belgium</i> <i>(2) Flanders Make, Belgium</i>	3145
Formation mechanisms of vibration bandgaps based on block diagrams of wave transmission S. Tomita <sup>(1)</sup> , S. Nakano <sup>(1)</sup> , R. Omote <sup>(1)</sup> <i>(1) Toyota Inc., Japan</i>	3159

Influence of damping on the sound insulation of infinite and finite locally resonant metamaterial plates	3171
L. Van Belle <sup>(1,2)</sup> , C. Claeys <sup>(1,2)</sup> , E. Deckers <sup>(1,2)</sup> , W. Desmet <sup>(1,2)</sup>	
<i>(1) KU Leuven, Belgium</i>	
<i>(2) Flanders Make, Belgium</i>	
Revisited impedance tube for standard and metamaterial testing	3185
L. A. Nascimento <sup>(1)</sup> , G. K. Rodrigues <sup>(1)</sup> , L. de Oliveira <sup>(1)</sup>	
<i>(1) University of São Paulo, Brazil</i>	
Small-world based interactions in elastic metamaterials	3199
n. roveri <sup>(1)</sup> , s. pensalfini <sup>(1)</sup> , a. carcaterra <sup>(1)</sup>	
<i>(1) Sapienza University of Rome, Italy</i>	

---

## RAIL

### Session Railway dynamics and ground vibrations

Dynamic FEM simulation of wheel-rail rolling contact with friction in an Eulerian frame - Application to curve squeal	3213
V. V. Lai <sup>(1,2)</sup> , O. Chiello <sup>(2)</sup> , J.-F. Brunel <sup>(1)</sup> , P. Dufrénoy <sup>(1)</sup>	
<i>(1) University of Lille, France</i>	
<i>(2) IFSTTAR, France</i>	
Apodization and phase methods applied to the seismic detection of underground objects	3227
E. Rustighi <sup>(1)</sup> , Q. Leclère <sup>(2)</sup> , J. M. Muggleton <sup>(1)</sup>	
<i>(1) University of Southampton, United Kingdom</i>	
<i>(2) INSA Lyon, France</i>	
Optimization of flow restrictor diameter in high speed railway vehicle suspensions	3243
C. Ramiro Redondo <sup>(1)</sup> , P. Pintado Sanjuán <sup>(1)</sup> , A. L. Morales Robredo <sup>(1)</sup> , A. J. Nieto Quijorna <sup>(1)</sup> , J. M. Chicharro Higuera <sup>(1)</sup>	
<i>(1) University of Castilla-La Mancha, Spain</i>	
Modelling of the track supports with elements over elastic foundation together with dynamic internal degrees of freedom	3255
B. Blanco <sup>(1,2,3)</sup> , L. Kari <sup>(3)</sup> , N. Gil-Negrete <sup>(1,2)</sup> , A. Alonso <sup>(2,4)</sup>	
<i>(1) CEIT-IK4, Spain</i>	
<i>(2) University of Navarra, Spain</i>	
<i>(3) KTH Royal Institute of Technology, Sweden</i>	
<i>(4) CAF I+D, Spain</i>	
Enabling the optimisation of the primary suspension with passive components for an industrial railway vehicle model	3269
T. D. Lewis <sup>(1)</sup> , Y. Li <sup>(1)</sup> , J. Z. Jiang <sup>(1)</sup> , S. Neild <sup>(1)</sup> , G. Tucker <sup>(2)</sup> , S. Iwnicki <sup>(2)</sup> , R. Goodall <sup>(2)</sup> , M. Smith <sup>(3)</sup>	
<i>(1) University of Bristol, United Kingdom</i>	
<i>(2) University of Huddersfield, United Kingdom</i>	
<i>(3) University of Cambridge, United Kingdom</i>	

An investigation on the influence of pantograph friction on its interaction with a catenary using co-simulations	3283
P. Zdziebko <sup>(1)</sup> , A. Martowicz <sup>(1)</sup> , T. Uhl <sup>(1)</sup>	
<i>(1) University of Science and Technology AGH, Poland</i>	
Sensitivity of dynamic responses of railway prestressed concrete sleepers with under sleeper pads to impact energy	3295
C. Ngamkhanong <sup>(1)</sup> , K. Goto <sup>(1,2)</sup> , S. Kaewunruen <sup>(1)</sup>	
<i>(1) University of Birmingham, United Kingdom</i>	
<i>(2) Railway Technical Research Institute, Japan</i>	
Enhancing the dynamic performance of a pantograph-catenary system via inerter-based damping technology	3305
M. Zhu <sup>(1)</sup> , S. Y. Zhang <sup>(1)</sup> , J. Z. Jiang <sup>(1)</sup> , J. Macdonald <sup>(1)</sup> , S. Neild <sup>(1)</sup>	
<i>(1) University of Bristol, United Kingdom</i>	

---

## SEV

### Session Self-excited vibrations

Mitigation of friction-induced vibrations in braking systems: prediction of the mitigation limit	3315
B. Bergeot <sup>(1)</sup> , S. Bellizzi <sup>(2)</sup> , S. Berger <sup>(1)</sup>	
<i>(1) INSA Centre Val de Loire, France</i>	
<i>(2) LMA - Laboratoire de Mécanique et d'Acoustique, France</i>	
Structural modification of tool holder geometry as a chatter avoidance method	3331
T. J. Gibbons <sup>(1)</sup> , E. Ozturk <sup>(1)</sup> , L. Xu <sup>(2)</sup> , N. D. Sims <sup>(1)</sup>	
<i>(1) University of Sheffield, United Kingdom</i>	
<i>(2) The Boeing Company</i>	
Bifurcations and limit cycles due to self-excitation in nonlinear systems with joint friction: Phenomena and approximation schemes	3343
J. Kappauf <sup>(1)</sup> , H. Hetzler <sup>(1)</sup>	
<i>(1) University of Kassel, Germany</i>	
Flutter testing using ambient excitation	3353
J. Cooper <sup>(1)</sup>	
<i>(1) University of Bristol, United Kingdom</i>	

---

## SD

### Session Structural dynamics: methods and case studies

Developing and analysing an electromechanical model of a bio-inspired flapping wing mini UAV	3365
M. Park <sup>(1)</sup> , A. Abolfathi <sup>(1)</sup> , J. Biggs <sup>(2)</sup> , Y. Ventikos <sup>(1)</sup>	
<i>(1) University College London, United Kingdom</i>	
<i>(2) Politecnico di Milano, Italy</i>	
Dynamic behavior and vibration analysis of tensegrity - membrane structures	3373
P. Kurka <sup>(1)</sup> , V. Paiva <sup>(1)</sup> , L. Teixeira <sup>(1)</sup> , J. Izuka <sup>(1)</sup> , P. Gonzalez <sup>(1)</sup>	
<i>(1) Unicamp - University of Campinas, Brazil</i>	



- Contactless 3D manipulation of silicon wafers using acoustic levitation 3389  
I. Bucher <sup>(1)</sup>  
*(1) Technion, Israel*
- Squeal measurement with 3D scanning laser doppler vibrometer: handling of the time varying system behavior and analysis improvement using FEM expansion 3399  
G. Martin <sup>(1)</sup>, E. Balmes <sup>(1,3)</sup>, G. Vermot des Roches <sup>(1)</sup>, T. Chancelier <sup>(2)</sup>  
*(1) SDTools, France*  
*(2) Chassis Brakes International, France*  
*(3) ENSAM - École Nationale Supérieure d'Arts et Métiers, France*
- A periodic H2 state feedback controller for a rotor-blade system 3413  
J. F. Camino <sup>(1)</sup>, I. F. Santos <sup>(2)</sup>  
*(1) Unicamp - University of Campinas, Brazil*  
*(2) Technical University of Denmark, Denmark*
- Model-based analysis of the dynamic behaviour of the wing drive line of a robotic hummingbird 3427  
S. Timmermans <sup>(1)</sup>, D. Vandepitte <sup>(1)</sup>  
*(1) KU Leuven, Belgium*
- Focussing flexural waves for accretion removal from a beam 3443  
T. Waters <sup>(1)</sup>, P. Harris <sup>(1)</sup>, H. Mulchandani <sup>(1)</sup>, I. Stothers <sup>(2)</sup>  
*(1) University of Southampton, United Kingdom*  
*(2) Cambridge, UK.*
- Non-stationary random vibration modeling and analysis: kernel versus adaptable Functional Series TAR methods 3455  
C. N. Kapsalas <sup>(1)</sup>, S. D. Fassois <sup>(1)</sup>, J. S. Sakellariou <sup>(1)</sup>  
*(1) University of Patras, Greece*
- Numerical and experimental modal analysis of structures under gyroscopic influence in ALE formulation 3467  
T. Weidauer <sup>(1)</sup>, K. Willner <sup>(1)</sup>  
*(1) FAU Erlangen-Nürnberg, Germany*
- Electromagnetic vibration analysis of main transformer for railway 3483  
K. Fukui <sup>(1)</sup>, T. Noda <sup>(1)</sup>  
*(1) Mitsubishi Electric Corporation, Japan*
- Load and deflection estimation of a fast catamaran towingtank model via reduced order modeling and optimal natural observer 3495  
F. Saltari <sup>(1,2)</sup>, D. Dessi <sup>(1)</sup>, E. Faiella <sup>(1)</sup>, F. Mastroddi <sup>(2)</sup>  
*(1) CNR - National Research Council, Italy*  
*(2) Sapienza University of Rome, Italy*
- Characterization of reaction wheel micro-vibrations 3511  
W. De Munter <sup>(1)</sup>, T. Delabie <sup>(1)</sup>, D. Vandepitte <sup>(1)</sup>  
*(1) KU Leuven, Belgium*
- Simulation and experimental validation of gas-engine blade dynamics during milling 3527  
S. Nikolaev <sup>(1)</sup>, I. Kiselev <sup>(2)</sup>, V. Kuts <sup>(2)</sup>, S. Voronov <sup>(2)</sup>  
*(1) Skolkovo Institute of Science and Technology, Russia*  
*(2) Bauman Moscow State Technical University, Russia*

Pneumatic single hit test rig for analysis of the stress wave profile of non-uniform impacting rods	3535
J. Burgert <sup>(1)</sup> , C. Moilanen <sup>(2)</sup> , W. Seemann <sup>(1)</sup> , J. Montonen <sup>(3)</sup> , J. Miettinen <sup>(2)</sup> , P. Saarenrinne <sup>(2)</sup> <i>(1) Karlsruhe Institute of Technology, Germany</i> <i>(2) TUT - Tampere University of Technology, Finland</i> <i>(3) Robit Company, Finland</i>	
Simulation and digital twin for mechatronic product design	3547
H. Van der Auweraer <sup>(1,3)</sup> , S. Donders <sup>(1)</sup> , D. Hartmann <sup>(2)</sup> , W. Desmet <sup>(3,4)</sup> <i>(1) Siemens Industry Software NV, Belgium.</i> <i>(2) Siemens Corporate Technology, Germany.</i> <i>(3) KU Leuven, Belgium.</i> <i>(4) DMMS core lab, Flanders Make.</i>	
On the dynamic stiffness of air springs at medium-high frequencies	3567
N. Gil-Negrete <sup>(1,2)</sup> , A. J. Nieto Quijorna <sup>(1,2)</sup> , A. Pradera-Mallabiarrena <sup>(1)</sup> , J. Gonzalez-Prada <sup>(1)</sup> <i>(1) University of Navarra, Spain</i> <i>(2) CEIT, Spain</i>	
Dynamic optimization of an electro-spindle for robotic machining	3581
A. Mora <sup>(2)</sup> , G. Bianchi <sup>(1)</sup> , M. Leonesio <sup>(1)</sup> <i>(1) CNR - National Research Council, Italy</i> <i>(2) SUPSI University of Applied Sciences and Arts of Southern Switzerland, Switzerland</i>	
Experimental and numerical mode shape tracing from components to whole motorbike chassis	3597
E. Bonisoli <sup>(1)</sup> , D. Lisitano <sup>(1)</sup> , L. Dimauro <sup>(1)</sup> <i>(1) Politecnico di Torino, Italy</i>	
Accurate product model development for the simulation of the dynamic behaviour of deep drawn components	3605
F. Greco <sup>(1,2)</sup> , E. Deckers <sup>(1,2)</sup> , J. Stroobants <sup>(2)</sup> , S. Van Poppel <sup>(2)</sup> , F. Maurin <sup>(1,2)</sup> , W. Desmet <sup>(1,2)</sup> <i>(1) KU Leuven, Belgium</i> <i>(2) Flanders Make, Belgium</i>	
Transmission of vibrations between towed and towing agricultural machines	3617
J. Brunetti <sup>(2)</sup> , W. D'Ambrogio <sup>(2)</sup> , A. Fregolent <sup>(1)</sup> , G. Lacerra <sup>(1)</sup> <i>(1) Sapienza University of Rome, Italy</i> <i>(2) Università dell'Aquila, Italy</i>	
Modal analysis tools at V2i: improved pre- and post-processing with modified p-LSCF algorithm	3629
S. Hoffait <sup>(1)</sup> , S. Moschini <sup>(1)</sup> , J. Ligot <sup>(1)</sup> , D. Simon <sup>(1)</sup> <i>(1) V2i, Belgium</i>	
Towards an application of an active tendon in rotorcraft: A numerical and experimental study of coupled bending-torsion vibration of a beam-tendon system	3645
V. Ondra <sup>(1)</sup> , R. P. Dibble <sup>(1)</sup> , B. Titurus <sup>(1)</sup> <i>(1) University of Bristol, United Kingdom</i>	

Dynamics and control of adaptive airbags for UAV impact protection 3661  
 Z. Wolejsza <sup>(1)</sup>, J. Holnicki-Szulc <sup>(1)</sup>, C. Graczykowski <sup>(1)</sup>, K. Hinc <sup>(1)</sup>, R. Faraj <sup>(1)</sup>, T. Kowalski <sup>(2)</sup>,  
 G. Mikułowski <sup>(1)</sup>, K. Kazmierczak <sup>(1)</sup>, R. Wiszowaty <sup>(1)</sup>, P. Pawlowski <sup>(1)</sup>  
 (1) *Institute of Fundamental Technological Research Polish Academy of Sciences, Poland.*  
 (2) *Adaptronica sp. z o.o., Poland.*

Structural intensity on irregular shells 3671  
 F. Pires <sup>(1,2)</sup>, S. Vanlanduit <sup>(1,2)</sup>, J. Dirckx <sup>(1)</sup>  
 (1) *University of Antwerp, Belgium*  
 (2) *Vrije Universiteit Brussel, Belgium*

---

## SHM

### Session Structural health monitoring

A multi-level uncertainty integration strategy for forward model-driven SHM 3681  
 P. Gardner <sup>(1)</sup>, C. Lord <sup>(1)</sup>, R. J. Barthorpe <sup>(1)</sup>  
 (1) *University of Sheffield, United Kingdom*

Railway suspension fault detection under variable operating conditions via random vibration signals and the stochastic Functional Model based method 3693  
 T.-C. I. Aravanis <sup>(1)</sup>, J. S. Sakellariou <sup>(1)</sup>, S. D. Fassois <sup>(1)</sup>  
 (1) *University of Patras, Greece*

On the use of pseudo-damage to represent damage to structures in population-based Structural Health Monitoring 3709  
 S. Walker <sup>(1)</sup>, C. Lord <sup>(1)</sup>, N. Dervilis <sup>(1)</sup>, E. Papatheou <sup>(2)</sup>, K. Worden <sup>(1)</sup>  
 (1) *University of Sheffield, United Kingdom*  
 (2) *University of Exeter, United Kingdom*

Connecting nonlinearities: damage precursors detection and control methodology 3723  
 E. Habbour <sup>(1,2,3)</sup>, T. Dragman <sup>(2)</sup>, T. Masmijeje <sup>(2)</sup>, D. Di Maio <sup>(2)</sup>, R. Haynes <sup>(2)</sup>, A. Homborg <sup>(1)</sup>,  
 T. Tinga <sup>(1,2)</sup>  
 (1) *The Netherlands Defence Academy, The Netherlands*  
 (2) *University of Twente, The Netherlands*  
 (3) *U.S Army Research Laboratory*

Modal strain identification using sub-microstrain fiber-optic Bragg grating data for damage detection of prestressed concrete structures 3731  
 D. Anastasopoulos <sup>(1)</sup>, G. De Roeck <sup>(1)</sup>, E. Reynders <sup>(1)</sup>  
 (1) *KU Leuven, Belgium*

Relations between the quality of identified modal parameters and measured data obtained by structural monitoring 3747  
 S. Marwitz <sup>(1)</sup>, V. Zabel <sup>(1)</sup>  
 (1) *Bauhaus University Weimar, Germany*

Robust damage detection using Bayesian virtual sensing with noise reduction and environmental effect elimination capabilities 3759  
 J. Kullaa <sup>(1)</sup>  
 (1) *Metropolia University of Applied Sciences, Finland*

Application of H-infinity estimation and oblique projections for experimental damage identification by SP2E M. Vollmering <sup>(1)</sup> , A. Lenzen <sup>(1)</sup> <i>(1) Leipzig University of Applied Sciences, Germany</i>	3775
A wave-based optimization strategy of curved joints for improved defect detection in coupled waveguides V. Denis <sup>(1)</sup> , J.-M. Mencik <sup>(1)</sup> <i>(1) INSA Centre Val de Loire, France</i>	3791
Vibration integrity assessment on LNG process pipework using a combined experimental and analytical approach G. Wally <sup>(1)</sup> , C. McIlwraith <sup>(1)</sup> , M. Hutchinson <sup>(1)</sup> <i>(1) Wood PLC, United Kingdom</i>	3805
Virtual Distortion Method based optimal sensor placement for damage identification B. Blachowski <sup>(1)</sup> , A. Swiercz <sup>(1)</sup> , Ł. Jankowski <sup>(1)</sup> <i>(1) Institute of Fundamental Technological Research Polish Academy of Sciences, Poland</i>	3815
Pseudo-faults (or damage metaphors) for SHM: a discussion on their practical use E. Papatheou <sup>(1)</sup> , G. Manson <sup>(2)</sup> , K. Worden <sup>(2)</sup> <i>(1) University of Exeter, United Kingdom</i> <i>(2) University of Sheffield, United Kingdom</i>	3825
A methodology using health and usage monitoring system data for payload life prediction P. Nalliah <sup>(1)</sup> , A. Lewis <sup>(1)</sup> , C. Lomax <sup>(3)</sup> , C. Hawkins <sup>(2)</sup> <i>(1) University of Hertfordshire, United Kingdom</i> <i>(2) DSTL - Defence Science and Technology Laboratory, United Kingdom</i> <i>(3) MBDA UK Limited, United Kingdom</i>	3837
Multi-level damage identification in operational condition S. Milana <sup>(1)</sup> , G. Acunzo <sup>(2)</sup> , S. Gabriele <sup>(2)</sup> , A. Culla <sup>(1)</sup> , G. R. Argento <sup>(2)</sup> <i>(1) Sapienza University of Rome, Italy</i> <i>(2) University Roma Tre, Italy</i>	3849
Transmissibility based structural assessment using deep convolutional neural network S. Cofré <sup>(1)</sup> , P. Kobrich <sup>(1)</sup> , E. López Droguett <sup>(1)</sup> , V. Meruane <sup>(1)</sup> <i>(1) Universidad de Chile, Chile</i>	3859
Embedded optical sensors for vibration monitoring of large structures M. Pinto <sup>(1)</sup> , N. Roveri <sup>(1)</sup> , G. Pepe <sup>(1)</sup> , A. Nicoletti <sup>(2)</sup> , G. Balconi <sup>(3)</sup> , A. Carcaterra <sup>(1)</sup> <i>(1) Sapienza University of Rome, Italy</i> <i>(2) BASF, Italy</i> <i>(3) SIREG GEOTECH</i>	3875
Vibration-based structural damage identification using sparsity constrained Extended Kalman Filter concept C.-P. Fritzen <sup>(1)</sup> , D. Ginsberg <sup>(1)</sup> , O. Loffeld <sup>(1)</sup> <i>(1) University of Siegen, Germany</i>	3887
Transmissibility versus damage detection N. Maia <sup>(1)</sup> , M. M. Neves <sup>(1)</sup> , T. A. N. Silva <sup>(2)</sup> <i>(1) IDMEC - Instituto Superior Técnico, Portugal</i> <i>(2) NOVA UNIDEMI - Universidade NOVA de Lisboa, Portugal</i>	3901

On the quality of identified parameters of prestressed concrete catenary poles in existence of uncertainty using experimental measurements and different optimization methods F. Alkam <sup>(1)</sup> , T. Lahmer <sup>(1)</sup> <i>(1) Bauhaus University Weimar, Germany</i>	3913
Continuous wavelet transform for structural health monitoring of a pipe S. Milana <sup>(1)</sup> , N. Roveri <sup>(1)</sup> , A. Carcaterra <sup>(1)</sup> , A. Culla <sup>(1)</sup> <i>(1) Sapienza University of Rome, Italy</i>	3925
Damage phenomena characterization in RCF tests using image analysis and vibration-based machine learning M. Lancini <sup>(1)</sup> , I. Bodini <sup>(1)</sup> , C. Petrogalli <sup>(1)</sup> , L. Provezza <sup>(1)</sup> , M. Faccoli <sup>(1)</sup> , G. Sansoni <sup>(1)</sup> , L. Solazzi <sup>(1)</sup> , A. Mazzù <sup>(1)</sup> <i>(1) University of Brescia, Italy</i>	3935
Model-based optimization of axisymmetric wave motion in buried plastic water distribution pipes O. Scussel <sup>(1)</sup> , M. J. Brennan <sup>(1)</sup> , J. M. Muggleton <sup>(3)</sup> , F. C. L. de Almeida <sup>(2)</sup> , A. T. Paschoalini <sup>(1)</sup> <i>(1) UNESP - São Paulo State University, Ilha Solteira, Brazil</i> <i>(2) UNESP - São Paulo State University, Bauru, Brazil</i> <i>(3) University of Southampton, United Kingdom</i>	3947

---

## SC

### Session Substructuring and coupling

Substructuring approach and blocked forces method: application for structure-borne vibration prediction in heavy weight assemblies D. Miguez <sup>(1,2)</sup> , O. Farrell <sup>(1)</sup> , M. O. Bannister <sup>(1)</sup> , R. Arbabi <sup>(1)</sup> , A. T. Moorhouse <sup>(2)</sup> , A. S. Elliott <sup>(2)</sup> <i>(1) Farrat Isolevel, United Kingdom</i> <i>(2) University of Salford, United Kingdom</i>	3959
Characterization of dynamic forces generated by an active component: experimental validation of the Block Sensor Method X. Carniel <sup>(1)</sup> , J. Champain <sup>(1)</sup> , T. Gardin <sup>(1)</sup> , G. Pavic <sup>(2)</sup> <i>(1) CETIM - Centre Technique des Industries Mécaniques, France</i> <i>(2) INSA Lyon, France</i>	3973
Contact problems in the framework of dynamic substructuring J. Brunetti <sup>(1)</sup> , W. D'Ambrogio <sup>(1)</sup> , A. Fregolent <sup>(2)</sup> <i>(1) Università dell'Aquila, Italy</i> <i>(2) Sapienza University of Rome, Italy</i>	3987
Comparison of substructuring techniques for experimental identification of rubber isolators dynamic properties M. Haeussler <sup>(1)</sup> , S. Klaassen <sup>(1)</sup> , D. J. Rixen <sup>(1)</sup> <i>(1) Technical University of Munich, Germany</i>	3999
Vibration response of a solid volume of arbitrary shape using the Boundary Forming Approach G. Pavic <sup>(1)</sup> <i>(1) INSA, France</i>	4015

Experimental-analytical state-space synthesis of passenger car components A. Bylin <sup>(1,2)</sup> , M. Gibanica <sup>(1,2)</sup> , T. J. S. Abrahamsson <sup>(1)</sup> <i>(1) Chalmers University of Technology, Sweden</i> <i>(2) Volvo Car Corporation, Sweden</i>	4021
Application of System Equivalent Model Mixing (SEMM) to model the structural dynamic properties of a complex vehicle component using numerical and experimental data E. Pasma <sup>(1)</sup> , S. Klaassen <sup>(2)</sup> , L. Nieuwenhuijse <sup>(1,3)</sup> , M. van der Seijs <sup>(1,3)</sup> , D. Lennström <sup>(4)</sup> <i>(1) VIBES.technology, The Netherlands</i> <i>(2) Technical University of Munich, Germany</i> <i>(3) Technical University of Delft, The Netherlands</i> <i>(4) AB Volvo, Germany</i>	4037
Design of particle dampers for lightweight structures using frequency based substructuring J. Oltmann <sup>(1)</sup> , T. Hartwich <sup>(1)</sup> , D. Krause <sup>(1)</sup> <i>(1) Hamburg University of Technology, Germany</i>	4049
Reduced order modeling for forced response prediction of structures with large contact interfaces G. Battiato <sup>(1)</sup> , C. M. Firrone <sup>(1)</sup> <i>(1) Politecnico di Torino, Italy</i>	4063

---

## TPA

### Session Transfer path analysis

Use cases for vehicle TPA: from shock absorbers to electric drive J. Freund <sup>(1)</sup> , T. Vöhringer <sup>(1)</sup> <i>(1) ZF Friedrichshafen AG, Germany</i>	4075
Empirical formula for the vibration reduction index of junctions with different coplanar walls C. Crispin <sup>(1)</sup> , C. Mertens <sup>(1)</sup> , A. Dijckmans <sup>(1)</sup> <i>(1) BBRI - Belgian Building Research Institute, Belgium</i>	4085
A hybrid numerical and experimental approach for structural intensity analysis of stiffened lightweight structures J. Biedermann <sup>(1)</sup> , R. Winter <sup>(1)</sup> , M. Norambuena <sup>(1)</sup> , M. Böswald <sup>(1)</sup> <i>(1) DLR - German Aerospace Center, Germany</i>	4101
Application of operational test data and transfer path analysis to a test bench for optical systems C. Schedlinski <sup>(1)</sup> , C. Marzok <sup>(2)</sup> , U. Wiesendahl <sup>(2)</sup> <i>(1) ICS Engineering GmbH, Germany</i> <i>(2) Carl Zeiss SMT GmbH, Germany</i>	4115
Predicting vibration levels on an experimental test case by using invariant loads (e.g. blocked forces) as source characterization J. Ortega Almirón <sup>(1,2)</sup> , F. Bianciardi <sup>(1)</sup> , P. Corbeels <sup>(1)</sup> , W. Desmet <sup>(2,3)</sup> <i>(1) Siemens Industry Software NV</i> <i>(2) KU Leuven, Belgium</i> <i>(3) Flanders Make, Belgium</i>	4131

---

**TVD**
**Session Tuned vibration absorbers and dampers**

- Passive multi-mode piezoelectric shunt damping: an approach based on matrix inequalities 4147  
M. Berardengo <sup>(1)</sup>, S. Manzoni <sup>(2)</sup>, M. Vanali <sup>(1)</sup>, A. M. Conti <sup>(2)</sup>  
(1) *Università degli Studi di Parma, Italy*  
(2) *Politecnico di Milano, Italy*
- Optimization of tuned mass damper parameters based on numerical optimization and model reduction 4159  
M. Soubeyroux <sup>(2)</sup>, C. Dumoulin <sup>(1)</sup>, A. Deraemaeker <sup>(1)</sup>  
(1) *Université Libre de Bruxelles, Belgium*  
(2) *ENSTA ParisTech, France*
- Dynamics of torsional vibration damper (TVD) pulley: implementation of elastomeric constitutive law 4175  
C. A. F. SILVA <sup>(1)</sup>, L. MANIN <sup>(1)</sup>, R. G. RINALDI <sup>(1)</sup>, J. AMEIL <sup>(2)</sup>, E. Besnier <sup>(1)</sup>, M.-A. Andrianoely <sup>(1)</sup>  
(1) *Université de Lyon, France*  
(2) *AB Volvo, France*
- Effect of temperature on the tuning of a piezoelectric resonant shunt composed of variable inductance or variable capacitance 4187  
R. Darleux <sup>(1)</sup>, B. Lossouarn <sup>(1)</sup>, J.-F. Deü <sup>(1)</sup>  
(1) *CNAM - Conservatoire National des Arts et Métiers*
- Optimization of multi-modal targeted energy transfer performance of nonlinear passive vibration absorbers 4197  
K. Dekemele <sup>(1)</sup>, P. Van Torre <sup>(1)</sup>, M. Loccufer <sup>(1)</sup>  
(1) *Ghent University, Belgium*
- Modeling the the amplitude and magnetic dependency to the vibration isolation effect for magneto-sensitive rubber isolation system by assessing the energy flow 4211  
B. Wang <sup>(1)</sup>, L. Kari <sup>(1)</sup>  
(1) *KTH Royal Institute of Technology, Sweden*
- Suppression of the wind-induced vibration of high-rise buildings with inerter systems 4223  
Y. Xia <sup>(1)</sup>, R. Zhang <sup>(2)</sup>, M. I. Friswell <sup>(1)</sup>, Y. Cao <sup>(2)</sup>  
(1) *Swansea University, United Kingdom*  
(2) *Tongji University, People's Republic of China*

---

**NVH**
**Session Vehicle noise and vibration (NVH)**

- Uneven vane spacing design for reducing noise emission in a variable displacement vane oil pump 4235  
L. Benzoni <sup>(1)</sup>, F. Braghin <sup>(1)</sup>, L. Marchetti <sup>(2)</sup>, F. Tramaglia <sup>(2)</sup>  
(1) *Politecnico di Milano, Italy*  
(2) *Bosch VHIT SpA, Italy*

Estimation of steering gear running noise using simulated excitations and measured noise transfer functions	4247
A. Scholz <sup>(1)</sup> , P. Marinova <sup>(1)</sup> , N. Schmidt <sup>(1)</sup> , D. Vieker <sup>(1)</sup> , S. Orlando <sup>(2)</sup> , B. Van Genechten <sup>(2)</sup>	
(1) ZF Friedrichshafen AG, Germany	
(2) Siemens PLM Software, Belgium	
Towards a high-fidelity simulation approach for predicting coarse road dynamic tire/road contact forces using an ALE-formulation and a-priori nonlinear hyper-reduction	4259
D. De Gregoriis <sup>(1,2)</sup> , F. Naets <sup>(2,3)</sup> , P. Kindt <sup>(1)</sup> , W. Desmet <sup>(2,3)</sup>	
(1) Goodyear Innovation Center* Luxembourg, Luxembourg	
(2) KU Leuven, Belgium	
(3) Flanders Make, Belgium	
Analysis of experimental MT clunk with STFT and CWT to observe mode participation and reduction	4269
J. E. Furlich <sup>(1)</sup> , J. Blough <sup>(1)</sup> , D. L. Robinette <sup>(1)</sup>	
(1) Michigan Technological University, United States of America	
Optimising geometry and asymmetrical damping ratio to reduce vehicle vertical acceleration under stochastic road profile	4283
J. C. M. Fernandes <sup>(1)</sup> , M. Silveira <sup>(1)</sup>	
(1) UNESP - São Paulo State University, Brazil	
Validation experiment for structural power	4293
R. Ullmann <sup>(1,2)</sup> , S. Sicklinger <sup>(1)</sup> , G. Müller <sup>(2)</sup>	
(1) BMW Research, Innovations, New Technologies, Germany	
(2) Technical University of Munich, Germany	
Multiple-order excitation and response of centrifugal pendulum vibration absorbers	4305
E. R. Gomez <sup>(1,2)</sup> , I. L. Arteaga <sup>(2,3)</sup> , L. Kari <sup>(2)</sup>	
(1) Scania CV AB, The Royal Institute of Technology, Sweden.	
(2) KTH Royal Institute of Technology, Sweden.	
(3) Eindhoven University of Technology, The Netherlands.	
Structural power as an acoustic design criteria for the early phase of product design	4321
S. Sicklinger <sup>(1)</sup> , R. Ullmann <sup>(1)</sup>	
(1) BMW Research, New Technologies, Innovations, Germany	
A robust design approach to optimize the vibrational comfort of automotive seats	4329
R. Barbeau <sup>(1,2)</sup> , T. Weisser <sup>(1)</sup> , R. Dupuis <sup>(1)</sup> , E. Aubry <sup>(1)</sup> , S. Baudu <sup>(2)</sup>	
(1) Université de Haute-Alsace, France	
(2) Faurecia Automotive Seating, France	
Assessment of the potential of trim parts to reduce structure-borne noise in the interior of vehicles	4343
R. Stelzer <sup>(1)</sup> , T. Delpero <sup>(1)</sup> , R. D'Amico <sup>(1)</sup>	
(1) Autoneum Management AG, Switzerland	
Active damping of automotive driveline oscillations and its interactions with engine suspension	4359
A. Gaudin <sup>(1)</sup>	
(1) Groupe PSA, France	



- Investigation of the influence of DC-bus voltage on switched reluctance machines regarding noise and vibrations 4373  
Y. Mollet <sup>(1,2)</sup>, F. Chauvicourt <sup>(1,2,3)</sup>, J. Pelletier <sup>(2)</sup>, M. Sarrazin <sup>(1)</sup>, C. T. Faria <sup>(1)</sup>, H. Van der Auweraer <sup>(1)</sup>, J. C. Gyselinck <sup>(2)</sup>  
*(1) Siemens Industry Software NV, Belgium*  
*(2) Université Libre de Bruxelles, Belgium*  
*(3) KU Leuven, Belgium*
- Experimental applications of Bayesian Focusing in an industrial context 4389  
T. Le Magueresse <sup>(1)</sup>, O. Minck <sup>(1)</sup>, J. Antoni <sup>(2)</sup>  
*(1) MicrodB, France*  
*(2) Université de Lyon, INSA Lyon, France*
- MOR for friction induced self-excitation in jointed structures based on substructuring for nonlinear interfaces – a review of methods with application to brake squeal 4401  
M. Zacharczuk <sup>(1,2)</sup>, O. Stump <sup>(1)</sup>, H. Hetzler <sup>(2)</sup>  
*(1) Daimler AG, Germany*  
*(2) University of Kassel, Germany*
- Real-time assignment method of resonance frequency by change of coupling stiffness for improving road induced noise 4411  
M. Komada <sup>(1,2)</sup>, Y. Matsumura <sup>(2)</sup>, I. Kido <sup>(2)</sup>, E. Nakatsugawa <sup>(1)</sup>, H. Ozaki <sup>(2)</sup>  
*(1) Toyota Motor Corporation, Japan*  
*(2) Gifu University, Japan*
- Nonlinear modelling and simulation of impact events and validation with physical data 4427  
M. Bayani <sup>(1,2)</sup>, A. P. Székely <sup>(3)</sup>, N. Al Hanna <sup>(3)</sup>, H. Viktorsson <sup>(1)</sup>, C. Wickman <sup>(1,2)</sup>, R. Söderberg <sup>(2)</sup>  
*(1) Volvo Car Corporation, Sweden*  
*(2) Chalmers University of Technology, Sweden*  
*(3) KTH Royal Institute of Technology, Sweden*
- Alternative lamination stacking technique of stator cores for improved structural damping of electric machines 4443  
F. Chauvicourt <sup>(1,2,3)</sup>, C. T. Faria <sup>(1)</sup>, J. C. Gyselinck <sup>(3)</sup>, H. van der Auweraer <sup>(1,2)</sup>, W. Desmet <sup>(3)</sup>  
*(1) Siemens Industry Software NV, Belgium*  
*(2) KU Leuven*  
*(3) Université Libre de Bruxelles*
- Composite phononic crystals modelling and its application in vehicle noise control 4459  
C. Jin <sup>(1)</sup>, T. Zhang <sup>(1)</sup>  
*(1) Tongji University, People's Republic of China*
- Test and improvement of drive axle whine for a light bus 4469  
W. Shi <sup>(1)</sup>, G. Liu <sup>(1)</sup>, C. Gao <sup>(1)</sup>, H. Shi <sup>(1)</sup>, Z. Chen <sup>(1)</sup>  
*(1) Jilin University, People's Republic of China*
- Mechatronic suspension design for vehicle dynamic performance enhancement 4477  
H. Yuan <sup>(1)</sup>, Y. Li <sup>(1)</sup>, J. Z. Jiang <sup>(1)</sup>, P. H. Mellor <sup>(1)</sup>  
*(1) University of Bristol, United Kingdom*

---

**VAM****Session Vibro-acoustic modelling and prediction**

- A parametric study and modal analysis of an acoustic black hole on a beam 4489  
K. Hook <sup>(1)</sup>, J. Cheer <sup>(1)</sup>, S. Daley <sup>(1)</sup>  
*(1) University of Southampton, United Kingdom*
- Robust sound transmission modelling of finite-sized layered walls and floors 4499  
C. Decraene <sup>(1)</sup>, A. Dijckmans <sup>(2)</sup>, E. Reynders <sup>(1)</sup>  
*(1) KU Leuven, Belgium*  
*(2) BBRI - Belgian Building Research Institute, Belgium*
- Validity of the transfer matrix method for modeling trim components in vibro-acoustic applications 4511  
B. Van Antwerpen <sup>(1)</sup>, S. Corveleyn <sup>(1)</sup>, G. Lielens <sup>(1)</sup>, B. Van den Nieuwenhof <sup>(1)</sup>  
*(1) Free Field Technologies, MSC Software Company, Belgium*
- Determination and optimisation of the sound reduction index of ship bulkheads through the wave propagation approach 4527  
E. A. Piana <sup>(1)</sup>, U. Carlsson <sup>(2)</sup>, L. Feng <sup>(2)</sup>  
*(1) University of Brescia, Italy*  
*(2) KTH Royal Institute of Technology, Sweden*
- Assessment of the vibro-acoustic performance of an all-electric light aircraft based on ground and in-flight measurements 4543  
R. Hallel <sup>(1)</sup>, C. Colangeli <sup>(1)</sup>, J. Cuenca <sup>(1)</sup>, E. Di Lorenzo <sup>(1)</sup>, U. Musella <sup>(1)</sup>, J. Debille <sup>(1)</sup>  
*(1) Siemens Industry Software NV, Belgium*
- Damping enhancement of sheet-metal components through shot peening process to improve vibro-acoustic performance 4559  
V. K. Balla <sup>(1,2)</sup>, F. Greco <sup>(1,3)</sup>, E. Deckers <sup>(1,3)</sup>, B. Pluymers <sup>(1,3)</sup>, W. Desmet <sup>(1,3)</sup>, G. Vadakkel <sup>(1,2)</sup>  
*(1) KU Leuven, Belgium*  
*(2) TVS Motor Company*  
*(3) Flanders Make, Belgium*
- Reflections from elastic wedges of different thickness profiles 4571  
A. Karlos <sup>(1)</sup>, S. J. Elliott <sup>(1)</sup>, J. Cheer <sup>(1)</sup>  
*(1) University of Southampton, United Kingdom*
- Optimization of perforated plates in interaction with acoustic waves 4585  
V. Lukeš <sup>(1)</sup>, E. Rohan <sup>(1)</sup>  
*(1) University of West Bohemia, Czech Republic*
- Investigation of the effect of stamping process on dimpled beams 4597  
V. Pendse <sup>(1)</sup>, M. Ghazwani <sup>(1,2)</sup>, K. Naghshineh <sup>(1)</sup>  
*(1) Western Michigan University, United States of America*  
*(2) Jazan University, Kingdom of Saudi Arabia*
- Optimization of acoustic doors using laser-spectro-vibrometry and finite element methods 4609  
C. C. van Dijk <sup>(1)</sup>  
*(1) Alara-Lukagro, The Netherlands*

---

**VIPER****Session Vibro-acoustic of periodic media**

- Wave propagation in an auxetic core embedding resonators 4617  
M.-A. Campana <sup>(1)</sup>, F. Scarpa <sup>(1)</sup>, M. Ouisse <sup>(2)</sup>, E. Sadoulet-Reboul <sup>(2)</sup>  
*(1) University of Bristol, United Kingdom*  
*(2) FEMTO-ST Institute, France*
- Wavenumber identification technique for axial-symmetric structures 4627  
G. Tufano <sup>(1,2)</sup>, C. Droz <sup>(1,2)</sup>, O. Bareille <sup>(1)</sup>, A.-M. Zine <sup>(1)</sup>, B. Pluymers <sup>(2,3)</sup>, W. Desmet <sup>(2,3)</sup>, M. Ichchou <sup>(1)</sup>  
*(1) Ecole Centrale de Lyon, France*  
*(2) KU Leuven, Belgium*  
*(3) Flanders Make, Belgium*
- Diffusion based homogenization method for one dimensional locally resonant system 4637  
S. Ahsani <sup>(1,2)</sup>, R. F. Boukadia <sup>(1,2)</sup>, C. Droz <sup>(3)</sup>, C. Claeys <sup>(1,2)</sup>, E. Deckers <sup>(1,2)</sup>  
*(1) KU Leuven, Belgium*  
*(2) Flanders Make, Belgium*  
*(3) Ecole Centrale de Lyon, France*
- Modeling and experimental measurements of the sound transmission loss for multi-layer core topology systems 4653  
N. Guenfoud <sup>(1,2)</sup>, C. Droz <sup>(1)</sup>, M. Ichchou <sup>(1)</sup>, O. Bareille <sup>(1)</sup>, B. Pluymers <sup>(2,3)</sup>, E. Deckers <sup>(2,3)</sup>  
*(1) Ecole Centrale de Lyon, France*  
*(2) KU Leuven, Belgium*  
*(3) Flanders Make, Belgium*
- Model order reduction in unit cell modeling and its application to complex structures 4663  
R. F. Boukadia <sup>(1,2,3)</sup>, C. Claeys <sup>(1,2)</sup>, C. Droz <sup>(3)</sup>, M. Ichchou <sup>(3)</sup>, E. Deckers <sup>(1,2)</sup>  
*(1) KU Leuven, Belgium*  
*(2) Flanders Make, Belgium*  
*(3) Ecole Centrale de Lyon, France*
- Investigation for the analysis of the vibrations of quasi-periodic structures 4679  
S. Timorian <sup>(1,2)</sup>, F. Franco <sup>(1)</sup>, M. Ouisse <sup>(2)</sup>, S. De Rosa <sup>(1)</sup>, N. Bouhaddi <sup>(2)</sup>  
*(1) University of Naples Federico II, Italy*  
*(2) Université Bourgogne Franche-Comté, France*
- Inverse characterization method of viscoelastic materials using dispersion analysis 4691  
T. Bourgana <sup>(1,2,4)</sup>, R. F. Boukadia <sup>(1,3,4)</sup>, S. Jonckheere <sup>(1,4)</sup>, C. Claeys <sup>(1,4)</sup>, G. Chevallier <sup>(2)</sup>, M. Ouisse <sup>(2)</sup>, E. Deckers <sup>(1,4)</sup>  
*(1) KU Leuven, Belgium*  
*(2) FEMTO-ST Institute, France*  
*(3) Ecole Centrale de Lyon, France*  
*(4) Flanders Make, Belgium*
- Design of a multi-scale reinforced sandwich panel with enhanced vibroacoustics performances 4707  
R. Palumbo <sup>(1,2)</sup>, D. Ivanov <sup>(1)</sup>, C. Droz <sup>(2)</sup>, O. Bareille <sup>(2)</sup>, M. Ichchou <sup>(2)</sup>, F. Scarpa <sup>(1)</sup>  
*(1) University of Bristol, United Kingdom*  
*(2) Ecole Centrale de Lyon, France*

A load approximation for the vibroacoustic analysis of periodic structures to fluid excitation F. Errico <sup>(1,2)</sup> , M. Ichchou <sup>(1)</sup> , S. De Rosa <sup>(2)</sup> , O. Bareille <sup>(1)</sup> , F. Franco <sup>(2)</sup> <i>(1) Ecole Centrale Lyon, France</i> <i>(2) University of Naples Federico II, Italy</i>	4721
A study of structured uncertainties in wave characteristic of one-dimensional periodic structures R. P. Singh <sup>(1,2)</sup> , C. Droz <sup>(2)</sup> , S. De Rosa <sup>(1)</sup> , F. Franco <sup>(1)</sup> , O. Bareille <sup>(2)</sup> , M. Ichchou <sup>(2)</sup> <i>(1) University of Naples Federico II, Italy</i> <i>(2) Ecole Centrale de Lyon, France</i>	4731
Computation of wave dispersion characteristics in periodic porous materials modeled as equivalent fluids D. Magliacano <sup>(1,2)</sup> , M. Ouisse <sup>(1)</sup> , A. Khelif <sup>(1)</sup> , S. De Rosa <sup>(2)</sup> , F. Franco <sup>(2)</sup> , N. Atalla <sup>(3)</sup> <i>(1) Université Bourgogne Franche-Comté, France</i> <i>(2) University of Naples Federico II, Italy</i> <i>(3) Université de Sherbrooke, Canada</i>	4741
Interlocked hybrid-cell Kirigami inspired cellular structures and their vibroacoustic performance S. Del Broccolo <sup>(1)</sup> , M. Ouisse <sup>(1)</sup> , E. Foltete <sup>(1)</sup> , F. Scarpa <sup>(2)</sup> <i>(1) FEMTO-ST Institute, France</i> <i>(2) University of Bristol, United Kingdom</i>	4753

---

## WIND

### Session Wind turbine dynamics

Integrated dynamic testing and analysis approach for model validation of an innovative wind turbine blade design M. M. Luczak <sup>(1)</sup> , B. Peeters <sup>(2)</sup> , S. Manzato <sup>(2)</sup> , E. Di Lorenzo <sup>(2)</sup> , P. Z. Csurcsia <sup>(2,5)</sup> , K. Reck-Nielsen <sup>(3)</sup> , P. Berring <sup>(1)</sup> , P. U. Haselbach <sup>(1)</sup> , K. Branner <sup>(1)</sup> , V. Ruffini <sup>(4)</sup> <i>(1) Technical University of Denmark, Denmark</i> <i>(2) Siemens Industry Software NV, Belgium</i> <i>(3) CEKO Sensors ApS, Denmark</i> <i>(4) University of Bristol, United Kingdom</i> <i>(5) Vrije Universiteit Brussel, Belgium</i>	4767
Virtual prototyping of an actuator-based structural health monitoring system of wind turbine blades D. Garcia <sup>(1)</sup> , D. Tcherniak <sup>(2)</sup> , K. Branner <sup>(3)</sup> <i>(1) University of Strathclyde, United Kingdom</i> <i>(2) Brüel &amp; Kjær Sound &amp; Vibration Measurement A/S, Denmark</i> <i>(3) Technical University of Denmark, Denmark</i>	4783
Experimental damage detection on small wind turbines through vibration and acoustic analysis F. Castellani <sup>(1)</sup> , D. Astolfi <sup>(1)</sup> , M. Becchetti <sup>(1)</sup> , F. Berno <sup>(1)</sup> <i>(1) University of Perugia, Italy</i>	4793
Gear tooth crack detection in a wind turbine drive train C. V. H. Gayatri <sup>(1)</sup> , A. S. Sekhar <sup>(1)</sup> <i>(1) Indian Institute of Technology, India</i>	4809

- 
- Passive vibration control of offshore wind turbines using structure-immittance approach 4821  
Y.-Y. Li <sup>(1)</sup>, S. Y. Zhang <sup>(1)</sup>, J. Z. Jiang <sup>(1)</sup>, S. Neild <sup>(1)</sup>, I. Ward <sup>(2)</sup>  
*(1) University of Bristol, United Kingdom*  
*(2) SNC-Lavalin Atkins, United Kingdom*
- Novel phase-bound magnetic vibration absorber for improved NVH performance of a wind turbine gearbox 4833  
B. Mrak <sup>(1,2)</sup>, R. Adduci <sup>(1,2)</sup>, S. Weckx <sup>(1)</sup>, W. Driesen <sup>(2)</sup>, W. Desmet <sup>(1,2)</sup>  
*(1) KU Leuven, Belgium*  
*(2) Flanders Make, Belgium*
- Fatigue stress estimation of offshore wind turbine using a Kalman filter in combination with accelerometers 4847  
N. Noppe <sup>(1)</sup>, K. Tatsis <sup>(2)</sup>, E. N. Chatzi <sup>(2)</sup>, C. Devriendt <sup>(1)</sup>, W. Weijtjens <sup>(1)</sup>  
*(1) Vrije Universiteit Brussel, Belgium*  
*(2) ETH Zürich, Switzerland*

# USD2018 PAPERS

---

## USDA

### Session USD – applications

- Experimental measurement of value and associated uncertainty of wave speed in Hopkinson bars with an accurate and robust method 4857  
D. Brizard <sup>(1)</sup>  
*(1) Université de Lyon – IFSTTAR, France*
- Experimental study of vibration uncertainty of multilayered timber beams assembled through wood dowels 4867  
T. A. Bui <sup>(1)</sup>, P. Lardeur <sup>(2)</sup>, M. Oudjene <sup>(1)</sup>  
*(1) Université de Lorraine, France*  
*(2) Université de Technologie de Compiègne, France*
- Fatigue analysis of wind excited structures with structural parameters affected by uncertainties described by interval variables 4881  
F. Giunta <sup>(1)</sup>, G. Muscolino <sup>(1)</sup>, A. Sofi <sup>(2)</sup>  
*(1) University of Messina, Italy*  
*(2) University "Mediterranea" of Reggio Calabria, Italy*
- Efficient bolted joint modeling for industrial applications - empirical and analytical approaches 4897  
K.-A. H. Hoppe <sup>(1)</sup>, P. Langer <sup>(1)</sup>, S. Marburg <sup>(1)</sup>  
*(1) Technical University of Munich, Germany*
- Experimental application of random matrix theory to quantify modal uncertainty in aircraft t-tails 4909  
A. Vishwanathan <sup>(1)</sup>, G. A. Vio <sup>(1)</sup>  
*(1) University of Sydney, Australia*
- Catastrophic event prediction associated with road vehicle dynamic responses and randomly uncertain suspension parameters 4921  
J. A. Gonzalez Anaya <sup>(1)</sup>, J. F. Dunne <sup>(1)</sup>  
*(1) University of Sussex, United Kingdom*
- The influence of the uncertainty on dynamic soil properties on the prediction of railway induced vibration 4931  
M. Germonpré <sup>(1)</sup>, M. Papadopoulos <sup>(1)</sup>, G. Degrande <sup>(1)</sup>, G. Lombaert <sup>(1)</sup>  
*(1) KU Leuven, Belgium*
- Spectral and statistical evaluation of the properties of the vibration measured at the base of an automotive seat for non-Gaussian random noise synthesis 4947  
D. González <sup>(1)</sup>, R. López-Valcarce <sup>(2)</sup>  
*(1) CTAG - Automotive Technology Centre of Galicia, Spain*  
*(2) University of Vigo, Spain*

## USDM

### Session USD – methods

Uncertain quantification in nonlinear dynamics with an high-dimensional computational model	4963
E. Capiez-Lernout <sup>(1)</sup> , C. Soize <sup>(1)</sup>	
<i>(1) Université Paris-Est, France</i>	
Vibration analysis of a structure with an attachment at an uncertain location using parametric model order reduction with Krylov subspaces	4975
S. Li <sup>(1)</sup> , B. R. Mace <sup>(1)</sup> , J. S. Dhupia <sup>(1)</sup>	
<i>(1) The University of Auckland, New Zealand</i>	
Outlier analysis under uncertainty: applications to structural health monitoring	4985
R. Fuentes <sup>(1)</sup> , N. Dervilis <sup>(1)</sup> , D. Tcherniak <sup>(2)</sup> , K. Worden <sup>(1)</sup> , E. J. Cross <sup>(1)</sup>	
<i>(1) University of Sheffield, United Kingdom</i>	
<i>(2) Brüel &amp; Kjær Sound &amp; Vibration Measurement A/S, Denmark</i>	
A stochastic multidomain approach for mid-frequency vibration problems	5001
S. Adhikari <sup>(1)</sup> , M. I. Friswell <sup>(1)</sup>	
<i>(1) Swansea University, United Kingdom</i>	
Efficient random vibration analysis of nonlinear systems with long short-term memory networks for uncertainty quantification	5011
D. A. Najera-Flores <sup>(1)</sup> , A. R. Brink <sup>(2)</sup>	
<i>(1) ATA Engineering</i>	
<i>(2) Sandia National Laboratories, United States of America</i>	
Multilevel Monte Carlo applied to a structural engineering model with random material parameters	5027
P. Blondeel <sup>(1)</sup> , P. Robbe <sup>(1)</sup> , C. Van hoorickx <sup>(1)</sup> , G. Lombaert <sup>(1)</sup> , S. Vandewalle <sup>(1)</sup>	
<i>(1) KU Leuven, Belgium</i>	
On the non-parametric modelling of uncertain elastic joints in periodic structures	5043
A. Fabro <sup>(1)</sup> , J.-M. Mencik <sup>(2)</sup>	
<i>(1) University of Brasília, Brazil</i>	
<i>(2) INSA Centre Val de Loire, France</i>	
Vehicle model likelihood computation using a probabilistic complex FRF matrix statistical reduction	5059
J. Reyes <sup>(1,2)</sup> , C. Soize <sup>(1)</sup> , L. Gagliardini <sup>(2)</sup> , G. Brogna <sup>(2,3)</sup>	
<i>(1) Université Paris-Est Marne-La-Vallée, France</i>	
<i>(2) Groupe PSA, France</i>	
<i>(3) Université de Lyon, France</i>	
High dimensional dependence via pair constructions for interval finite models	5071
M. Faes <sup>(1)</sup> , D. Moens <sup>(1)</sup>	
<i>(1) KU Leuven, Belgium</i>	
A multi-fidelity approach for possibilistic uncertainty analysis	5081
M. Mäck <sup>(1)</sup> , M. Hanss <sup>(1)</sup>	
<i>(1) University of Stuttgart, Germany</i>	

A sensitivity-based approach for the dynamic analysis of structures with uncertain-but-bounded parameters	5095
F. Giunta <sup>(1)</sup> , G. Muscolino <sup>(1)</sup> , A. Sofi <sup>(2)</sup>	
<i>(1) University of Messina, Italy</i>	
<i>(2) University "Mediterranea" of Reggio Calabria, Italy</i>	
A twin-mesh approach for random field analysis in highdimensional dynamic models	5111
S. Ghosh Dastidar <sup>(1)</sup> , M. Faes <sup>(1)</sup> , D. Moens <sup>(1)</sup>	
<i>(1) KU Leuven, Belgium</i>	
Unstructured uncertainty modeling for coupled vibration systems	5125
B. Dogančić <sup>(1)</sup> , N. Alujević <sup>(1)</sup> , M. Jokić <sup>(1)</sup> , H. Wolf <sup>(1)</sup>	
<i>(1) University of Zagreb, Croatia</i>	
An efficient strategy to describe the propagation of variation through multi-stage metal forming processes	5133
B. M. de Gooijer <sup>(1)</sup> , J. Hazrati-Marangalou <sup>(1)</sup> , H. J. M. Geijselaers <sup>(1)</sup> , A. H. van den Boogaard <sup>(1)</sup>	
<i>(1) University of Twente, The Netherlands</i>	

---

## USDUIQ

### Session USD – uncertainty identification and quantification

On inverse fuzzy arithmetical problems in uncertainty analysis	5143
D. Hose <sup>(1)</sup> , M. Hanss <sup>(1)</sup>	
<i>(1) University of Stuttgart, Germany</i>	
Bayesian model updating using stochastic distances as uncertainty quantification metrics	5157
S. Bi <sup>(1)</sup> , M. Broggi <sup>(1)</sup> , M. Beer <sup>(1)</sup> , Y. Zhang <sup>(2)</sup>	
<i>(1) Leibniz University Hannover, Germany</i>	
<i>(2) Beijing Institute of Technology, People's Republic of China</i>	
Identification of a stochastic model for bolted joints	5169
H. Jalali <sup>(1)</sup> , H. Haddad Khodaparast <sup>(1)</sup> , M. I. Friswell <sup>(1)</sup>	
<i>(1) Swansea University</i>	
A Bayesian filtering approach to operational modal analysis with recovery of forcing signals	5181
T. J. Rogers <sup>(1)</sup> , K. Worden <sup>(1)</sup> , G. Manson <sup>(1)</sup> , U. T. Tygesen <sup>(2)</sup> , E. J. Cross <sup>(1)</sup>	
<i>(1) University of Sheffield, United Kingdom</i>	
<i>(2) Ramboll Energy, Denmark</i>	
Fuzzy Model Updating: covariance updating to estimate the interval radii of the updated parameters	5195
D. Ricardo <sup>(1)</sup> , T. A. N. Silva <sup>(1)</sup>	
<i>(1) NOVA UNIDEMI - Universidade NOVA de Lisboa, Portugal</i>	
Bayesian estimation of interval bounds based on limited data	5207
M. Imholz <sup>(1)</sup> , D. Vandepitte <sup>(1)</sup> , D. Moens <sup>(1)</sup>	
<i>(1) KU Leuven, Belgium</i>	



---

Stochastic analysis of the natural frequencies of rectangular plates under random temperature distributions	5215
R. A. Borges <sup>(1)</sup> , L. F. F. Rodvalho <sup>(2)</sup> , D. A. Rade <sup>(3)</sup>	
<i>(1) Federal University of Goiás, Brazil</i>	
<i>(2) Federal University of Uberlândia, Brazil</i>	
<i>(3) Aeronautics Institute of Technology, Brazil</i>	
Robust identification of parameters uncertainty in stochastic finite element model updating	5231
N. Sharma <sup>(1)</sup> , S. V. Modak <sup>(1)</sup>	
<i>(1) IIT Delhi, India</i>	
On the efficacy of random matrix theory to quantify uncertainty in topology optimisation	5247
A. Vishwanathan <sup>(1)</sup> , G. A. Vio <sup>(1)</sup>	
<i>(1) University of Sydney, Australia</i>	