

SPE ANTEC 2018

Orlando, Florida, USA
7-10 May 2018

Volume 1 of 4

ISBN: 978-1-7138-0197-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2018) by the Society of Plastics Engineers
All rights reserved.

Printed with permission by Curran Associates, Inc. (2020)

For permission requests, please contact the Society of Plastics Engineers
at the address below.

Society of Plastics Engineers
100 Reserve Road, Suite B-310
Danbury, CT 06810 USA

Phone: (203) 740-5400

Fax: (203) 740-5405

info@4spe.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

M01-064 : MODIFICATION OF PLA FOR IMPROVED LAYER-TO-LAYER ADHESION IN 3-D PRINTED PARTS	1
<i>Michael Thompson</i>	
M01-116 : INFLUENCE OF THE LAYER TIME ON THE RESULTING PART PROPERTIES IN THE FUSED DEPOSITION MODELING PROCESS	5
<i>Frederick Knoop</i>	
M01-171 : EFFECTS OF POLYMER RHEOLOGY ON PREDICTED DIE SWELL AND FIBER ORIENTATION IN LARGE SCALE POLYMER COMPOSITE ADDITIVE MANUFACTURING	12
<i>Zhaogui Wang</i>	
M01-240 : 3D PRINTED CAPSULES FOR ON-SITE FORMULATIONS	17
<i>Derrick Smith</i>	
M01-287 : MECHANICAL PROPERTIES OF REINFORCED COMPOUNDS FOR LARGE FORMAT ADDITIVE MANUFACTURING (LFAM)	24
<i>Rabeh Elleithy</i>	
M01-549 : THE INFLUENCE OF MELT FLOW RATE AND NOZZLE TEMPERATURE IN FUSED FILAMENT FABRICATION	36
<i>Nicole Hoekstra</i>	
M01-572 : MECHANICAL PROPERTIES OF 3D PRINTED POLYLACTIDE/MICROFIBRILLATED POLYAMIDE COMPOSITES	41
<i>Nahal Aliheidari</i>	
M02-033 : POLYCAPROLACTONE NANOFIBERS CONTAINING VASCULAR ENDOTHELIAL GROWTH FACTOR-ENCAPSULATED GELATIN PARTICLES ENHANCE MESENCHYMAL STEM CELL DIFFERENTIATION TO ENDOTHELIAL CELLS AND ANGIOGENESIS OF ENDOTHELIAL CELLS	46
<i>Yong-Chao Jiang</i>	
M02-122 : TRANSAMIDATION OF CORN OIL SIDE-STEAM PRODUCT FROM BIOETHANOL INDUSTRY AS STRATEGY TO DEVELOP SUSTAINABLE POLYESTERAMIDES	51
<i>Manjusri Misra</i>	
M02-294 : FULLY BIOBASED DEGRADABLE PLASTIC WITH INSECTICIDE FUNCTIONALITY	55
<i>Cindu Annand</i>	
M02-361 : EFFECT OF SHISH MATERIAL ON THE FORMATION OF SELF INDUCED SHISH-KEBAB STRUCTURE	61
<i>Xiaofeng Wang</i>	
M02-524 : ON THE USE OF HIGH-THROUGHPUT ELECTROSPINNING TO PRODUCE OPTIMIZED PACKAGING FILMS FROM POLYHYDROXYALKANOATES	66
<i>Sergio Torres-Giner</i>	
M02-539 : NANOCELLULOSE AS A SIZING AGENT FOR GLASS FIBER TOWARDS AN ENHANCED GLASS FIBER – EPOXY INTERPHASE	70
<i>Joyanta Goswami</i>	
M03-170 : MELT-MASTICATION OF ISOTACTIC POLYPROPYLENE FOR IMPROVED THERMAL AND PHYSICAL PROPERTIES	76
<i>Brian Cromer</i>	
M03-218 : ANALYSIS OF NEWLY-DEVELOPED TEXTURED PTFE GASKETS SUBJECTED TO CREEP RELAXATION	82
<i>Ali Gordon</i>	
M03-313 : COMPOSITION DEPENDENT CHARGE STORAGE AND EMI SHIELDING PERFORMANCE OF THERMOPLASTIC ELASTOMER NANOCOMPOSITES CONTAINING MWNTS	88
<i>Uttandaraman Sundararaj</i>	
M03-412 : INNOVATION IN MATURE MARKETS: UNDERSTANDING GLOBAL TRENDS ACROSS THE VALUE CHAIN KEY AND ACCELERATING DEVELOPMENT	93
<i>Narayan Ramesh</i>	
M03-453 : WAYS TO ENHANCE THERMOELECTRIC PROPERTIES OF MELT MIXED POLYPROPYLENE-CARBON NANOTUBE COMPOSITES	94
<i>Petra Pötschke</i>	

M03-618 : TECHNIQUES TO MEASURE IMPACT PROPERTIES OF POLYMERS	100
<i>Stuart Brown</i>	
M04-271 : FLOW, MIXING AND REACTION FOR POLYMER REACTIVE BLENDING IN A TWIN SCREW EXTRUDER	104
<i>Cai-Liang Zhang</i>	
M04-325 : NEW INVOLUTE EXTRUDER SCREW ELEMENTS FOR IMPROVED PRODUCTIVITY AND QUALITY	109
<i>Paul Andersen</i>	
M04-348 : EXPERIMENTAL VALIDATION OF FILL RATIO, RESIN PRESSURE, RESIN TEMPERATURE OBTAINED FROM THE 2.5D HELE-SHAW MODEL IN FLOW OF COROTATING TWIN SCREW EXTRUDER	114
<i>Masatoshi Ohara</i>	
M04-493 : DESIGNING AND COMPUTATIONAL VALIDATION OF EXTENSIONAL MIXING ELEMENTS (EMES) FOR IMPROVED DISPERSIVE MIXING IN EXTRUSION OPERATIONS	121
<i>Vivek Pandey</i>	
M04-497 : EFFECT OF HIGH SPEED TWIN AND QUAD SCREW COMPOUNDING ON THE MOLECULAR WEIGHT, MOLECULAR WEIGHT DISTRIBUTION, AND MECHANICAL PROPERTIES OF POLYETHYLENE COMPOSITES	126
<i>Carol Barry</i>	
M04-588 : CHARACTERIZATION OF STRESS IN A TWIN-SCREW EXTRUDER FOR PROCESSING AND EXTRUSION OF EXTRINSICALLY SELF-HEALING THERMOPLASTICS	133
<i>Connor Armstrong</i>	
M04-643 : IMPROVED NANOCLAY DISPERSION IN ETHYLENE VINYL ALCOHOL VIA SUB-CRITICAL GAS-ASSISTED PROCESSING	138
<i>Thomas Ellingham</i>	
M05-076 : HIGH PERFORMANCE FILLERS - WIDE RANGE OF IMPROVEMENT WITH SMALL PARTICLES!	143
<i>Peter Sebo</i>	
M05-086 : 3M™ GLASS BUBBLES - NEW PRODUCTS FOR PLASTIC COMPOSITES	163
<i>Steve Amos</i>	
M05-153 : DEVELOPMENT OF MOLECULAR DIFFUSION MODELS FOR ULTRASONIC WELDING OF PLA	176
<i>Karla Lebron</i>	
M05-191 : RESEARCH ON TEMPERATURE FIELD OF LASER TRANSMISSION WELDING POLYCARBONATE BASED ON 3D REAL SURFACE TOPOGRAPHY	188
<i>Zhong Hongqiang</i>	
M05-192 : TEMPERATURE FIELD AND FLUID FIELD SIMULATION OF LASER TRANSMISSION WELDING POLYCARBONATE	192
<i>Yan Tingpei</i>	
M05-480 : CORRELATING ULTRASONIC WELD QUALITY WITH MELT LAYER THICKNESS	198
<i>Alex Savitski</i>	
M05-483 : EFFECTS OF BUILD ORIENTATION AND FILL-LEVEL ON MECHANICAL PROPERTIES OF FUSED DEPOSITION MODELING PLA	205
<i>Avraham Benatar</i>	
M05-563 : METHODS OF POLYMER WELD QUALITY EVALUATION	210
<i>Miranda Marcus</i>	
M05-715 : UNDERSTANDING MELTDOWN DURING QUASI-SIMULTANEOUS LASER TRANSMISSION WELDING	217
<i>Philip Bates</i>	
M06-211 : EFFECTS OF PRIMER ON MECHANICAL BEHAVIOR OF CPVC PIPE	220
<i>Bingjun Chen</i>	
M06-268 : INNOVATIVE MILLIMETER WAVES TECHNOLOGY FOR MEASURING DIAMETER, OVALITY, WALL THICKNESS AND SAGGING OF LARGE PLASTIC PIPES	226
<i>Harry Prunk</i>	
M06-362 : PIPE QUICK BURST PRESSURE INVESTIGATIONS OF SAMPLE LENGTH ON TWO PLASTICS	229
<i>Bryan Hauger</i>	
M06-363 : FRACTURE MECHANIC PRINCIPLES FOR MULTI-LAYER PIPE-WALL DESIGN	239
<i>Florian Arbeiter</i>	
M06-388 : PERFORMANCE OF PE PIPE RESINS IN CHLORINE DIOXIDE CONTAINING AQUEOUS SOLUTION	243
<i>Márton Bredács</i>	

M06-415 : ASSESSMENT OF POLYBUTYLENE PLUMBING INSTALLATIONS AFTER LONG-TERM SERVICE	249
<i>Dale Edwards</i>	
M06-422 : QUANTIFYING OXIDATIVE DEGRADATION IN POLYOLEFIN PIPE BY IR SPECTROSCOPY	254
<i>Don Duvall</i>	
M07-062 : VALVE GATE OPEN LAG TIME IN CONVENTIONAL HOT RUNNER SYSTEM	264
<i>Jinsu Gim</i>	
M07-249 : INJECTION MOLDING SETUP BY MEANS OF MACHINE LEARNING BASED ON SIMULATION AND EXPERIMENTAL DATA	269
<i>Christian Hopmann</i>	
M07-256 : ADDITIVE MANUFACTURING OF LARGE, TEMPERATURE-CONTROLLED INJECTION MOLDING TOOLS USING ARC WELDING AND DIFFUSION BONDING	275
<i>Johannes Ullrich</i>	
M07-286 : CHARACTERIZATION OF FILLING PERFORMANCES AND MECHANICAL PROPERTIES OF MICRO MOLDED FEATURES	282
<i>Jiang Jing</i>	
M07-374 : CONTROLLING THE LOCAL PART PROPERTIES USING A SEGMENTED TEMPERATURE CONTROL IN INJECTION MOLDING	287
<i>Mauritius Schmitz</i>	
M07-384 : STUDY ON AN OPTICAL EVALUATION OF SURFACE ADHESION IN THE MULTILAYER INJECTION MOLDING PROCESS	292
<i>Byungohk Rhee</i>	
M07-654 : MODELING OF THE ULTRASOUND-ASSISTED EJECTION IN MICRO INJECTION MOLDING	297
<i>Giovanni Lucchetta</i>	
M08-360 : NEW INSIGHTS FROM TAILORED DISPERSION OF MULTI-WALLED CARBON NANOTUBES THROUGH THE OPTIMIZATION OF MELT MIXING PARAMETERS DURING PRODUCTION OF POLYPROPYLENE-BASED NANOCOMPOSITES	302
<i>Valérie Lison</i>	
M08-376 : ACRYLONITRILE BUTADIENE STYRENE (ABS)/MICA COMPOSITES: PREPARATION AND CHARACTERIZATION	310
<i>Mohammed Alghamdi</i>	
M08-445 : STATISTICAL OPTIMIZATION OF ADDITIVES FOR GLASS FILLED POLYPROPYLENE STABILIZATION	315
<i>Syed Hassan</i>	
M08-515 : A NEW CARBON BLACK FOR HIGH JETNESS AND EASY DISPERSION	322
<i>Marc Delvaux</i>	
M08-655 : MECHANICAL REINFORCEMENT WITH CELLULOSE FILAMENTS	333
<i>Helen Lentzakis</i>	
M09-146 : FACING COMPOUNDING CHALLENGES OF THE FUTURE WITH THE RINGEXTRUDER RE[®] - FACING COMPOUNDING CHALLENGES OF THE FUTURE	339
<i>Michael Erdmann</i>	
M09-174 : DEVELOPMENT OF ELONGATIONAL MIXING GEOMETRIES FOR TWIN-SCREW COMPOUNDING EXTRUDERS	351
<i>Adam Dreiblatt</i>	
M09-442 : S-MAX SERIES SCREENLESS GRANULATOR TECHNOLOGY	367
<i>Bridgette McGann</i>	
M09-477 : ENERGY EFFICIENT DRYING WITH AUTOMATIC VFD & FLOW CONTROL FOR YOUR MOLDING PROCESS	374
<i>Nicholas Paradiso</i>	
M09-542 : ADVANCED EXTRUSION CONTROL	382
<i>Ben Freckmann</i>	
M09-607 : TWW MICRO (TM) EXTRUDER FOR 3D PRINTING	388
<i>Timothy Womer</i>	
M09-648 : NEW EXTRUDER DESIGN AND FEATURES	403
<i>Bill Kramer</i>	
M09-718 : COPERION PELLETIZING TECHNOLOGY UPDATE - WHAT'S NEW AND WHY?	416
<i>Mike Bickley</i>	
M10-087 : 3D PRINTING FEEDSTOCK FROM RECYCLED MATERIALS	433
<i>Nicole Zander</i>	

M10-115 : ASSESSING THE PERFORMANCE OF CONTINUOUSLY REINFORCED ACRYLONITRILE BUTADIENE STYRENE WITH A THERMOTROPIC LIQUID CRYSTALLINE POLYMER IN FUSED FILAMENT FABRICATION.....	439
<i>Mubashir Ansari</i>	
M10-185 : HIGH IMPACT STRENGTH POLYCARBONATE FILAMENT FOR ADDITIVE MANUFACTURING.....	444
<i>Sarah Grieshaber</i>	
M10-193 : BONDING STRENGTH IN ADDITIVELY MANUFACTURED MULTI-MATERIAL PLASTICS PARTS.....	454
<i>Jakob Onken</i>	
M10-391 : PROCESSING CONSIDERATIONS: CELLULOSE NANOCRYSTAL THERMOPLASTIC URETHANE FILAMENT PRODUCTION.....	460
<i>Jacob Fallon</i>	
M10-392 : STRUCTURE AND PROPERTY RELATIONSHIPS OF ADDITIVELY MANUFACTURED POLYPHENYLENE SULFIDE WITH CARBON FIBER REINFORCEMENT.....	465
<i>Peng Liu</i>	
M10-459 : RHEOLOGICAL CHARACTERIZATION AND QUALITY ASSESSMENT OF COMMERCIAL ABS FILAMENTS FOR FUSED DEPOSITION MODELING.....	469
<i>Cybele Lotti</i>	
M10-499 : STRENGTH ANALYSIS OF FUSED FILAMENT FABRICATED CONTINUOUS CARBON FIBER COMPOSITE TEST SAMPLES.....	474
<i>Rogelio Herrera</i>	
M10-579 : IMPROVING THE ELECTRICAL CONDUCTIVITY OF PC/ABS PRINTING FILAMENT FOR FUSED FILAMENT FABRICATION USING CARBON NANOSTRUCTURES.....	482
<i>Nicole Hoekstra</i>	
M10-604 : CRYSTALLIZATION KINETICS DURING MATERIALS EXTRUSION BASED ADDITIVE MANUFACTURING OF POLYCAPROLACTONE.....	487
<i>Kalman Migler</i>	
M11-022 : RELATIONSHIP OF DIFFERENT GRADES OF TITANIUM DIOXIDE WITH THE DECAY OF POLYPROPYLENE GLOSS UNDER ACCELERATED EXPOSURE CONDITIONS.....	491
<i>Philipp Niedenzu</i>	
M11-215 : OPTIMIZING COLOR: A PIGMENT- AND SURFACE-CHEMISTRY PERSPECTIVE.....	499
<i>Christopher Beier</i>	
M11-260 : EXTENDING THE BOUNDARIES: BISMUTH-BASED PIGMENTS FOR THE PLASTICS INDUSTRY.....	503
<i>Cristina Zanzottera</i>	
M11-486 : VOC REDUCING ADDITIVES FOR MASTERBATCHES AND FINAL POLYMER ARTICLES.....	509
<i>Rob Lorenzini</i>	
M11-595 : KEYNOTE - GLOBAL AUTOMOTIVE COLOR TREND, POPULARITY AND WHO'S DRIVING.....	513
<i>Ann Smeltzer</i>	
M11-626 : UNDERSTANDING WARPAGE IN INJECTION-MOLDED THERMOPLASTICS; CAUSES AND THE LATEST PIGMENTARY SOLUTIONS.....	514
<i>Brian Coleman</i>	
M12-141 : REDUCED DENSITY POLYAMIDE 66 COMPOUNDS FOR EXTRUSION APPLICATIONS.....	525
<i>Ying Shi</i>	
M12-168 : EFFECT OF RESIN SELECTION ON PORE FORMATION OF POLYETHYLENE FILMS.....	530
<i>Wenyi Huang</i>	
M12-267 : CLEAR IMPACT CO-POLYMERS FOR THERMOFORMING.....	538
<i>Kevin Herrington</i>	
M12-308 : ACTIVE PACKAGING FILM TO EXTEND SHELF-LIFE OF FRESH POULTRY.....	547
<i>Ankush Gokhale</i>	
M12-359 : VISCOSITY AND DISPERSION ENHANCEMENTS IN POLYETHYLENE TEREPHTHALATE COMPOUNDING.....	558
<i>Prakash Hadimani</i>	
M12-488 : SELF-STERILIZING PACKAGING FOR MEDICAL DEVICES.....	563
<i>Rishabh Jain</i>	

M12-508 : THE RELATIONSHIP BETWEEN STRUCTURE AND THERMAL AND MECHANICAL PROPERTIES OF THERMOPLASTIC POLYESTER MATERIALS	572
<i>Jeffrey Jansen</i>	
M12-519 : IMPACT OF PLASTICS PACKAGING ON LIFE CYCLE IMPACTS IN THE U. S. AND CANADA SUBSTITUTION ANALYSIS	579
<i>Emily Tipaldo</i>	
M12-578 : EFFECT OF ANNEALING ON THE VISCOELASTIC BEHAVIOR OF POLY(ETHER-ETHER-KETONE)	597
<i>Zhiyuan Jiang</i>	
M12-693 : MODELING FILM BEHAVIOR IN PALLET UNITIZATION APPLICATIONS	601
<i>Pavan Valavala</i>	
M13-276 : TRANSITION METAL DICHALCOGENIDE THERMOPLASTIC COMPOSITES PREPARED USING LAB SCALE EXTRUSION	614
<i>Joshua Orlicki</i>	
M13-295 : 3D NUMERICAL SIMULATION OF MULTIPHASE FLOW IN PARTIALLY FILLED TWIN SCREW EXTRUDERS	619
<i>H. M. Metwally</i>	
M13-330 : MECHANICAL PROPERTIES OF ULTRA-HIGH MOLECULAR WEIGHT POLYETHYLENE NASCENT FIBERS AT DIFFERENT SCREW SPEEDS	624
<i>Fangke Liu</i>	
M13-398 : ENHANCING THERMAL CONDUCTIVITY OF PVDF/GRAPHENE NANOCOMPOSITES BY WATER-ASSISTED MIXING EXTRUSION	628
<i>Han-Xiong Huang</i>	
M13-476 : EFFECTS OF NOVEL EXTENSIONAL MIXING ELEMENTS ON FIBER LENGTH DISTRIBUTION IN COMPOSITE EXTRUSION	633
<i>Molin Guo</i>	
M14-238 : MICROINJECTION MODLING OF POLYPROPYLENE/GRAPHITE COMPOSITES	639
<i>Shengtai Zhou</i>	
M14-326 : STUDYING OF VISCOELASTICITY ON WARPAGE VALIDATION	646
<i>Rujing Jhang</i>	
M14-333 : FOAMING UNIFORMITY CONTROL OF HIGH WEIGHT REDUCTION MICROCELLULAR INJECTION MOLDED THERMOPLASTIC ELASTOMER USING GAS COUNTER PRESSURE	652
<i>Chang Che-Wei</i>	
M14-336 : EVALUATING THE THROUGH-PLANE CONDUCTIVITY OF MOLDED PARTS VIA MAGNETIC FIELD IN THE INJECTION MOLDING PROCESS	659
<i>Chiu Min-Chi</i>	
M14-341 : MECHANICAL PROPERTIES OF POLYAMIDE 6/ZEOLITE COMPOSITES	665
<i>Davoud Jahani</i>	
M14-345 : EFFECT OF STRESS RELAXATION ON SHRINKAGE AND WARPAGE OF INJECTION MOLDED PARTS	671
<i>Zhiliang Fan</i>	
M14-367 : EFFECTS OF PROCESSING PARAMETERS ON FIBER LENGTH DISTRIBUTION AND TENSILE STRENGTH OF LONG GLASS FIBER REINFORCED NYLON66 COMPOSITES MOLDED PARTS	676
<i>Hsin-Shu Peng</i>	
M14-458 : MECHANICAL AND RHEOLOGICAL CHARACTERISTICS OF PP/PET BLEND WITH MALEIC ANHYDRIDE AND JUTE FIBRE	682
<i>Abul Saifullah</i>	
M14-649 : IMPROVED PROCESSABILITY OF ULTRA-HIGH MOLECULAR WEIGHT POLYETHYLENE VIA SUPERCRITICAL NITROGEN AND CARBON DIOXIDE IN INJECTION MOLDING	687
<i>Galip Yilmaz</i>	
M17-036 : QUALITY MONITORING OF ROTATIONAL MOLDED PARTS USING A NONDESTRUCTIVE TECHNIQUE	693
<i>Felipe Gomes</i>	
M17-324 : ROTATIONAL MOLDING OF HYBRID COMPOSITES BASED ON LINEAR LOW DENSITY POLYETHYLENE/GROUND TIRE RUBBER/MAPLE WOOD FIBERS	698
<i>Denis Rodrigue</i>	
M17-344 : MECHANICAL CHARACTERIZATION OF POLYETHYLENE/CARBON NANOFIBER COMPOSITES PREPARED BY ROTATIONAL MOLDING	704
<i>Milton Vazquez Lepe</i>	

M17-461 : MORPHOLOGY AND MECHANICAL PROPERTIES OF POLY(LACTIC ACID)/POLYETHYLENE BLENDS PRODUCED BY ROTATIONAL MOLDING	709
<i>Eduardo Ruiz Silva</i>	
M17-479 : 3D CHARACTERIZATION AND MECHANICAL ANALYSIS OF POLYETHYLENE FOAMS PROCESSED IN RAPID ROTATIONAL FOAM MOLDING	716
<i>Wing Yi Pao</i>	
M17-496 : OPTIMIZATION OF THE ROTATIONAL MOLDING PROCESSING OF AGAVE FIBER / LMDPE COMPOSITE MATERIALS	721
<i>Rosa Gabriela López Gonzaleznúñez</i>	
M17-506 : 3-DIMENSIONAL CHARACTERIZATION OF THE QUALITY OF FOAM-TO-SKIN BONDING OF RAPID ROTATIONALLY FOAM MOLDED INTEGRAL-SKIN CELLULAR COMPOSITES	726
<i>I. Raktim Utkarsh</i>	
M17-556 : SURFACE TREATMENT OF AGAVE FIBERS AND ITS COMPATIBILIZATION WITH PLA TO PRODUCE ROTATIONAL MOLDED BIOCOMPOSITES	731
<i>Jorge Robledo-Ortíz</i>	
M17-681 : NEW SOLUTIONS FOR LIGHT STABILITY OF PE IN ROTOMOLDING - VER. 2 - 9TH JAN 2018	736
<i>Enrico Costantini</i>	
M18-046 : ADVANCEMENTS IN FIBER LASER WORKSTATIONS FOR PLASTIC WELDING APPLICATIONS	755
<i>Ben Campbell</i>	
M18-147 : TAKING INJECTION MOLD COOLING TO THE NEXT LEVEL	765
<i>Kenneth Johnson</i>	
M18-312 : COOLING-FREE VALVE GATING	779
<i>Joerg Schmidt</i>	
M18-450 : INTRODUCING STRIDE, A COLLABORATIVE APPROACH TO CONSULTING AND CONTRACT R&D	791
<i>Debora Massouda</i>	
M18-469 : NEW OVERMOLDING TPES IN APPLICATIONS WITH UNIQUE REQUIREMENTS	800
<i>Kushal Bahl</i>	
M18-505 : MICROPOWER COMBIMOULD - THE NEW STANDARD FOR MAXIMUM FLEXIBILITY	810
<i>Brian Heugh</i>	

VOLUME 2

M18-546 : INNOVATIONS IN PLASTIC WELDING TECHNOLOGIES: HOT GAS WELDING	824
<i>Anthony Verdesca</i>	
T01-109 : NEW METHODS OF METAL 3D PRINTING	838
<i>Ben Arnold</i>	
T01-527 : HP MULTI JET FUSION FOR MANUFACTURING	839
<i>David Tucker</i>	
T01-561 : WARP AND DISTORTION OF FIBER-REINFORCED THERMOPLASTIC PARTS – THE EFFECT OF LAYUP AND PLY ORIENTATIONS ON RESIDUAL STRESS AND DIMENSIONAL ACCURACY OF PARTS MADE BY THE FDM PROCESS	840
<i>Vittorio Jaker</i>	
T02-041 : BIODEGRADATION OF BIODEGRADABLE AND COMPOSTABLE PLASTICS UNDER INDUSTRIAL COMPOST, MARINE, AND ANAEROBIC DIGESTION	841
<i>Joseph Greene</i>	
T02-126 : STUDY OF BIODEGRADABLE POLYBUTYLENE SUCCINATE/POLY(BUTYLENE ADIPATE-CO-TEREPHTHALATE) BLENDS	849
<i>Manjusri Misra</i>	
T02-272 : TUNABLE DEGRADATION OF POLY(BUTYLENE SUCCINATE) BY COPOLYMERIZATION AND CATALYSTS	853
<i>Siwen Bi</i>	
T02-299 : LOW TEMPERATURE SOLUTION DEPOLYMERIZATION OF PLA	857
<i>John Campanelli</i>	

T02-582 : MECHANICAL BEHAVIOR AND ANAEROBIC BIODEGRADATION OF A POLY(LACTIC ACID) BLEND CONTAINING A POLY(LACTIC ACID)-CO-POLY(GLYCOLIC ACID) COPOLYMER	862
<i>Christopher Lewis</i>	
T03-101 : EXPERIMENTAL STUDY ON FIBER MATRIX SEPARATION DURING COMPRESSION MOLDING OF FIBER REINFORCED RIB STRUCTURES	867
<i>Christoph Kuhn</i>	
T03-124 : EFFECTS OF DIFFERENT FILLERS ON THE THERMO-MECHANICAL PROPERTIES AND COEFFICIENT OF LINEAR THERMAL EXPANSION OF POLYPROPYLENE COMPOSITES	876
<i>Manjusri Misra</i>	
T03-357 : UV LIGHT IRRADIATION OF FIBERS IN TERMOPLASTIC PULTRUSION FOR HIGHER SURFACE ENERGY	880
<i>Christian Kahl</i>	
T03-468 : PROPERTY CHARACTERIZATION OF INJECTION MOLDED HYBRID COMPOSITES	885
<i>Gangjian Guo</i>	
T03-617 : ACOUSTIC AND FLAME RETARDANT LIGHT WEIGHT REINFORCED COMPOSITE	890
<i>Ruomiao Wang</i>	
T03-T3K : KEYNOTE: EVOLUTION OF THERMOPLASTIC COMPOSITES IN PORTABLE ELECTRONICS	895
<i>Nicholas Abbatiello</i>	
T04-028 : MECHANICAL CHARACTERIZATION OF POLYCARBONATE REINFORCE WITH WOVEN GLASS FIBER	896
<i>Omar Solorza-Nicolas</i>	
T04-044 : CORRELATION OF CHAIN DYNAMICS TO MECHANICAL PROPERTIES OF HIGH PERFORMANCE CROSSLINKED SYSTEMS?	916
<i>Shaw Hsu</i>	
T04-050 : CHASING THE BOTTOM OF THE ENERGY LANDSCAPE: VAPOR DEPOSITED AMORPHOUS FLUOROCARBONS	917
<i>Gregory McKenna</i>	
T04-225 : QUANTITATIVE EVALUATION OF MAR VISIBILITY RESISTANCE OF POLYMER FILMS	919
<i>Shuang Xiao</i>	
T04-309 : DEVELOPMENT OF A FILM CONFORMABILITY TESTER	924
<i>Haiying Zhang</i>	
T04-481 : UNDERSTANDING THE DEFORMATION BEHAVIOR OF NANOCOMPOSITES WITH DISCRETE CARBON NANOTUBES	938
<i>Clive Bosnyak</i>	
T05-021 : INFRARED WELDING OF CONTINUOUS GLASS FIBER-REINFORCED THERMOPLASTICS – APPROACHES TO USE THE FIBERS IN THE JOINT	943
<i>Marios Constantinou</i>	
T05-138 : INFRARED WELDING OF HIGHLY FILLED GRAPHITE COMPOSITES	951
<i>Martin Facklam</i>	
T05-181 : DIRECT-FRICTION RIVETING OF METAL-CFRP OVERLAP JOINTS	959
<i>Natascha Zocoller Borba</i>	
T05-187 : EXPERIMENTAL INVESTIGATION OF AMPLITUDE TRANSMISSION IN ULTRASONIC WELDING OF THERMOPLASTIC COMPOSITES	967
<i>Genevieve Palardy</i>	
T05-212 : IMPROVEMENT ON FATIGUE PERFORMANCE OF METAL-COMPOSITE FRICTION SPOT JOINTS BASED ON THE WELD-BONDING CONCEPT	972
<i>Natalia Manente Andre</i>	
T05-303 : TIME-DEPENDENT VIBRATION WELDING BEHAVIOR OF FOAM INJECTION MOLDED PARTS IN CONSIDERATION OF VARIOUS FIBER REINFORCEMENTS AND JOINT TYPES	980
<i>Dario Heidrich</i>	
T05-315 : ADHESIVE FREE BONDING OF PINE BY VIBRATIONAL WELDING	986
<i>Curtis Covelli</i>	
T06-502 : MICRO MOLDING DRUG DELIVERY DEVICES TO MICRON TOLERANCES	990
<i>Donna Bibber</i>	

T06-668 : PART PROCESS - DEVELOPMENT AND VALIDATION FOR MULTIPLE MACHINES	994
<i>Matthew Therrien</i>	
T06-690 : 3D PRINTING ON POLYMERS FOR DRUG DELIVERY	1000
<i>Roger Narayan</i>	
T07-018 : DETERMINING CRITICAL STRESS FOR DUCTILE-BRITTLE TRANSITION OF POLYETHYLENE PIPE UNDER CREEP LOADING	1019
<i>Ben Jar</i>	
T07-172 : FRACTURE MECHANICAL CHARACTERIZATION OF NON-VIRGIN PIPE MATERIALS	1024
<i>Andreas Frank</i>	
T07-177 : PROPOSED ALLOWABLE SCRATCH DEPTH FOR HIGH-DENSITY POLYETHYLENE (HDPE) PIPES IN SAFETY-RELATED NUCLEAR APPLICATIONS	1031
<i>Prabhat Krishnaswamy</i>	
T07-365 : APPLICATION OF J-INTEGRAL METHODS TO TOUGH PIPE MATERIALS	1042
<i>Anja Gosch</i>	
T07-381 : COMPARISON OF REAL AND SIMULATED FAILURE TIMES BASED ON THE SLOW CRACK GROWTH BEHAVIOR OF ELECTROFUSION SOCKETS MADE OF POLYETHYLENE	1048
<i>Isabelle Berger</i>	
T07-451 : EXAMINING DESIGN CHANGES POTENTIALLY INFLUENCING THE LIFETIME OF ELECTROFUSION SOCKET	1054
<i>Jan Poduska</i>	
T08-104 : THERMAL INVESTIGATION BETWEEN PRESSURE CONDITIONING AND THERMAL ANNEALING IN AGING STUDIES OF GLASSY THERMOSETS	1059
<i>Brendan Ondra</i>	
T08-243 : OBSERVED PARTICLE MIGRATION DURING PROCESSING OF POLYPROPYLENE WITH GLASS BEADS	1064
<i>Jose Luis Colon Quintana</i>	
T08-291 : ANALYTICAL CHARACTERIZATION OF COMMERCIAL PRODUCTS: COOL COMFORT TECHNOLOGIES FOR BEDDING PRODUCTS	1070
<i>Praveenkumar Boopalachandran</i>	
T08-379 : TGA-FTIR UNLEASHED AT LAST - INTRODUCING A FULLY-INTEGRATED, TRANSFER LINE-FREE COUPLING FOR EVOLVED GAS ANALYSIS OF POLYMERS	1075
<i>Bob Fidler</i>	
T08-435 : ROLE OF FUNCTIONALIZATION OF NANOCCLAY PARTICLES ON DIFFUSION PROPERTIES OF COMMERCIAL GASOLINE THROUGH POLYMER MEMBRANES	1076
<i>James Sloan</i>	
T08-583 : POLYETHERETHERKETONE (PEEK) EXPOSURE TO ZNBR2 COMPLETION FLUIDS AT HIGH TEMPERATURES AND PRESSURES: IDENTIFICATION AND QUANTIFICATION OF SMALL MOLECULAR DECOMPOSITION PRODUCTS	1081
<i>Joseph Baker</i>	
T09-123 : ADVANCED MATERIALS FOR INCREASING OUTPUT AND REDUCING ENERGY	1091
<i>Will Johnson</i>	
T09-201 : SMART LIGHT AND ENERGY MANAGEMENT WITH ACRYLIC GLASS	1106
<i>Péter Sebő</i>	
T09-278 : STRESS-INDUCED CRYSTALLIZATION IN POLYPROPYLENE	1125
<i>Pierre Donaldson</i>	
T09-396 : USE AND UTILITY OF METAL SOAPS IN POLYOLEFINS	1126
<i>Robert Sherman</i>	
T09-528 : NUCLEATION OF SEMI-CRYSTALLINE POLYMERS WITH MINERALS	1131
<i>Saied Kochesfahani</i>	
T09-544 : PARTICLE ADDITIVES FOR SIMULTANEOUS ENHANCEMENT OF DEGRADATION AND TOUGHENING IN POLY(LACTIC ACID) FOR ADDITIVE MANUFACTURING	1146
<i>Caroline Multari</i>	
T09-558 : A CHARACTERIZATION OF SOY ADDITIVES IN BIOBASED POLYETHYLENE FILMS	1150
<i>Peter Perez</i>	
T10-142 : DESIGNING FOR INDUSTRIAL 3D PRINTING	1155
<i>Thomas Davis</i>	

T10-234 : HOW TO APPROACH MATERIAL VALIDATION FOR PRODUCTION PARTS	1156
<i>Mike Vasquez</i>	
T10-306 : ENSURING MECHANICAL RELIABILITY OF ADDITIVELY MANUFACTURED PARTS THROUGH TESTING AND SIMULATION	1157
<i>Mark Oliver</i>	
T10-310 : 3 YOUR MIND: TO PRINT OR NOT TO PRINT, THAT IS THE ADDITIVE MANUFACTURING QUESTION	1158
<i>Jim Allen</i>	
T10-329 : EFFECTIVE SUBTRACTION BEFORE ADDITIVE MANUFACTURING: THE ART OF LEVERAGING CONSTRAINTS	1159
<i>Ravi Kunju</i>	
T10-386 : BEST PRACTICES FOR DESIGN OF PLASTIC 3D PRINTED PARTS	1161
<i>Ashley Eckhoff</i>	
T10-525 : CASE STUDY: THE HP PRINTER THAT PRINTS ITSELF	1162
<i>Michael Shannon</i>	
T10-547 : THE OPPORTUNITY WITH DIRECT DIGITAL MANUFACTURING	1163
<i>Tomeo Wise</i>	
T11-251 : EFFECT OF MOLECULAR WEIGHT ON DYNAMICS OF LINEAR ISOTACTIC POLYPROPYLENE MELT AT VERY HIGH SHEAR RATES	1164
<i>Martin Zatloukal</i>	
T11-372 : INFLUENCE OF OSCILLATING SURFACES ON THE RHEOLOGICAL BEHAVIOR OF THERMOPLASTIC MELT	1168
<i>Julius Geis</i>	
T11-426 : MOLECULAR WEIGHT DISTRIBUTION PREDICTION OF RHEOLOGY AGAINST GEL PERMEATION CHROMATOGRAPHY FOR FILM GRADE POLYPROPYLENE	1172
<i>Hoda Bayazian</i>	
T11-432 : RHEOLOGY AS A TOOL TO UNDERSTAND ANTI-DRIP PROPERTIES IN FLAME RETARDANT POLYCARBONATE RESINS	1177
<i>Manojkumar Chellamuthu</i>	
T11-443 : EFFECT OF SALT ADDITION ON DYNAMIC MECHANICAL PROPERTIES FOR POLY(METHYL METHACRYLATE)	1181
<i>Masayuki Yamaguchi</i>	
T11-457 : SYNERGISTIC ABSORPTION OF MICROWAVE RADIATION IN PVDF HYBRID NANOCOMPOSITES CONTAINING MULTIWALL CARBON NANOTUBES AND FERRITE PARTICLES	1183
<i>Uttandaraman Sundararaj</i>	
T11-566 : NONLINEAR VISCOELASTIC FLUID MODELS WITH FRACTAL TIME DERIVATIVE	1191
<i>Donggang Yao</i>	
T11-633 : DMA – THE OTHER SIDE OF RHEOLOGY	1196
<i>Kevin Menard</i>	
T12-081 : EXTRUSION PERFORMANCE ANALYSIS PROTOCOL	1197
<i>David Kazmer</i>	
T12-100 : COST ANALYSIS FOR INSTALLING NEW AND OPTIMIZED SCREWS FOR SINGLE-SCREW EXTRUSION LINES	1203
<i>Mark A. Spalding</i>	
T12-134 : USE OF PRESSURE AND TEMPERATURE PROFILE INSIDE AN EXTRUDER FOR OPTIMIZING/TROUBLESHOOTING EXTRUSION PROCESSES	1208
<i>John W. S. Lee</i>	
T12-236 : A SIMPLE SYSTEM ANALYSIS FOR THE SMALL EXTRUSION SCREW AND DIE	1213
<i>Jingyi Xu</i>	
T12-346 : INVESTIGATION ON THE EFFECTS OF THE PROCESSING PARAMETERS ON THE REPLICATION QUALITY OF MICRO-STRUCTURES IN THE EXTRUSION EMBOSsing OF POLYCARBONATE FILMS	1220
<i>Florian Petzinka</i>	
T12-371 : A NETWORK-ANALYSIS-BASED COMPARATIVE STUDY OF THE THROUGHPUT BEHAVIOR IN DOUBLE WAVE SCREW GEOMETRIES	1226
<i>Hans-Juergen Luger</i>	
T12-400 : MELTING AND RESIDENCE TIME IN THE SINGLE SCREW EXTRUSION	1232
<i>Clemens Martin Grosskopf</i>	

T12-569 : EXAMINATION OF POWER CONSUMPTION ON MELT SPINNING: MONO AND BI-COMPONENT FIBERS	1239
<i>Javier Vera Sorroche</i>	
T12-585 : EFFECT OF SCALE UP ON THERMAL HOMOGENEITY AND ENERGY EFFICIENCY IN SINGLE SCREW EXTRUSION	1243
<i>Javier Vera Sorroche</i>	
T13-031 : INVESTIGATION OF THE EFFECT OF STABILIZER SYSTEM, MEDIUM AND TEMPERATURE ON THE FATIGUE CRACK GROWTH RESISTANCE OF POLYPROPYLENE FOR A PROPER MATERIAL SELECTION	1249
<i>Joerg Fischer</i>	
T13-055 : TAN DELTA - THE DIMENSIONLESS PROPERTY THAT TELLS YOU ALMOST EVERYTHING YOU NEED TO KNOW ABOUT A POLYMERIC MATERIAL	1254
<i>Michael Sepe</i>	
T13-080 : FRACTOGRAPHY: THE SCIENCE & ART OF DETERMINING HOW PLASTICS BREAK	1255
<i>Farzana Ansari</i>	
T13-090 : ANY BULDGING OR PANELING ISSUES FOR YOUR PACKAGES?	1256
<i>Jay Yuan</i>	
T13-283 : FATIGUE RESISTANCE AND FAILURE CHARACTERIZATION OF GLASS FIBER REINFORCED PA GRADES	1260
<i>Patrick R. Bradler</i>	
T13-380 : RAMAN SPECTROSCOPIC DETECTION OF MICROSCOPIC STRUCTURAL CHANGES IN POLYETHYLENE DURING PHOTODEGRADATION	1265
<i>Yusuke Hiejima</i>	
T13-428 : HOW TO USE THERMOANALYTICAL METHODS FOR FAILURE ANALYSIS	1270
<i>Tobias Pflock</i>	
T13-475 : FRACTURE PROPERTIES OF HDPE EXPOSED TO CHLORINATED WATER	1271
<i>Susan Mantell</i>	
T14-016 : DETERMINATION OF FLAME RETARDANT MATERIALS IN PLASTICS USING A COMBINATION OF ANALYTICAL TECHNIQUES	1276
<i>Yanika Schneider</i>	
T14-052 : EFFECTS OF BIODEGRADABLE ADDITIVES ON THE NUCLEATION INTENSITY AND GROWTH RATE OF ISOTACTIC POLYPROPYLENE SPHERULITES	1279
<i>Yousef Mubarak</i>	
T14-301 : RHEOLOGICAL METHODS FOR CHARACTERIZING THE DEGREE OF LONG CHAIN BRANCHING IN POLYETHYLENE	1285
<i>Greg Kamykowski</i>	
T14-402 : EFFECT OF HNTS DISPERSION IN PVDF ON MORPHOLOGY AND ITS FORMATION MECHANISM OF TENSILE FRACTURED SURFACES	1293
<i>Han-Xiong Huang</i>	
T14-423 : PELLET SHAPE CLASSIFICATION USING DEEP NEURAL NETWORKS	1298
<i>Brenda Colegrove</i>	
T14-433 : OPEN-CELL FOAMING OF PP/PDPTFE FIBRILLATED COMPOSITES	1305
<i>Yu Guang Chen</i>	
T14-619 : CORE/SHELL STRUCTURE OF ELECTROSPUN POLYCARBONATE NANOFIBERS	1307
<i>Yiyang Xu</i>	
T14-664 : CRYSTALLIZATION BEHAVIOR OF SHEARED POLYAMIDE 66	1312
<i>Anne Gohn</i>	
T15-001 : ESTABLISHING POLYMER EQUIVALENCY PROCESS FOR MEDICAL DEVICE APPLICATION	1316
<i>Shantanu Shivdekar</i>	
T15-151 : OPPORTUNITIES AND OBSTACLES FOR PLASTIC PRIMARY PACKAGING IN DRUG DELIVERY DEVICES	1321
<i>Sarah Clark</i>	
T15-163 : PROCESSING OF TPUS FOR MEDICAL APPLICATIONS	1323
<i>Ian Pierson</i>	
T15-183 : CHEMICAL AND THERMAL ANALYSIS OF THE SURFACE EXTRACTIVES OF MEDICAL TUBING OF A POLY(ETHER-B-AMIDE) COPOLYMER USING FTIR, GPC, AND DSC METHODS	1331
<i>Xiaoping Guo</i>	
T15-518 : ELASTOMERIC TO ENGINEERED THERMOPLASTIC POLYURETHANES	1337
<i>Anthony Walder</i>	

T15-567 : EVA POLYMER AS A PLATFORM FOR ADVANCED DRUG DELIVERY	1342
<i>Don Loveday</i>	
T15-574 : ANTIMICROBIAL BI-LAYER CATHETERS – EXTRUSION AND PERFORMANCE	1354
<i>Timothy Largier</i>	
T15-666 : HIGH PERFORMANCE POLYMERS FOR MEDICAL DEVICES	1357
<i>Marissa Tierno</i>	
T15-682 : SMART MATERIAL SELECTION FOR QUIET, SMOOTH-SLIDING MEDICAL DEVICES INCLUDING NEW COLOR CONCEPT	1372
<i>Kirsten Markgraf</i>	
T16-077 : PREVENTING PLASTIC PRODUCT FAILURE	1375
<i>Paul Tres</i>	
T16-149 : HOW POOR DESIGN CAN SEVERELY LIMIT MATERIALS, TOOLING AND PROCESSING CAPABILITIES	1380
<i>Vikram Bhargava</i>	
T16-404 : EFFECT OF HNTS DISPERSION IN PVDF ON MORPHOLOGY AND ITS FORMATION MECHANISM OF TENSILE FRACTURED SURFACES	1381
<i>Min Wu</i>	
T16-538 : THE STRATEGIC VALUE OF DESIGNING FOR COST	1386
<i>Laurel Bougie</i>	
T16-552 : HOW OVER THE WALL ENGINEERING AFFECTS PROCESS CAPABILITY AND PROCESS ROBUSTNESS	1387
<i>Suhas Kulkarni</i>	
T17-019 : NOVEL APPLICATIONS OF BETA NUCLEATED POLYPROPYLENE IN FILM, THERMOFORMING, AND INJECTION MOLDING APPLICATIONS	1388
<i>Philip Jacoby</i>	
T17-035 : NANOLAYERED NEXT GENERATION HIGH ENERGY DENSITY CAPACITORS FOR ELECTRIC VEHICLES	1406
<i>Michel Ponting</i>	
T17-060 : IMPROVE THE PERFORMANCE OF YOUR FLEXIBLE RETORT FILM	1423
<i>Sergi Salva Saez</i>	
T17-078 : THERMALLY PURIFIED CARBONS FOR FOOD CONTACT APPLICATIONS – A CASE STUDY ON EU COMPLIANCE	1439
<i>Rijo Jacob Robin</i>	
T17-089 : BIOPOLYMER COMPOUNDS FOR APPLICATIONS REQUIRING MARINE DEGRADATION	1450
<i>Stanley Dudek</i>	
T17-220 : SCHULAMID® HIGH PERFORMANCE NYLON FOR FUEL SYSTEM APPLICATIONS	1464
<i>Ying Shi</i>	
T17-223 : ADVANCES IN WEAR AND FRICTION SOLUTIONS	1474
<i>Edward Williams</i>	
T17-235 : COPOLYESTER BASED WPC(WOOD PLASTIC COMPOSITES ; WPC FROM ECOZEN®, BIO-COPOLYESTER MADE BY SK CHEMICALS	1481
<i>Tae Young Kim</i>	
T17-509 : EXTENDING THE USE AND PROPERTIES OF PVDF POLYMER	1492
<i>Jason Pomante</i>	
T19-394 : NEW PLASTICS JOINING TECHNOLOGIES	1507
<i>Jason Dornbos</i>	
T19-482 : DUKANE'S RECENT ADVANCEMENTS IN PLASTIC WELDING TECHNOLOGY	1525
<i>Alex Savitski</i>	
T19-523 : BENEFITS OF VIBRATION WELDING WITH IR PREHEAT	1546
<i>John Paul Kurpiewski</i>	
T19-555 : LASER WELDING PLASTICS: RAPID PROTOTYPING TO MASS PRODUCTION USING QUASI-SIMULTANEOUS MULTIDIMENSIONAL MASK WELDING	1555
<i>Andrew Geiger</i>	
T19-651 : ULTRASONIC WELDING 20 KHZ VS. 15 KHZ - CHALLENGES POSED BY HIGHLY CRYSTALLINE MATERIAL	1572
<i>Dave Krysiak</i>	
TH01-145 : ONE-STEP ELECTROCHEMICAL TREATMENT OF METAL INSERTS FOR TIGHT POLYMER-METAL HYBRID APPLICATIONS	1587
<i>Tobias Kleffel</i>	

TH01-273 : THERMOELECTRIC PROPERTIES OF OPEN CELLULAR POLYMER TEMPLATES COATED WITH 1D AND 2D CARBON-BASED NANOPARTICLES	1595
<i>Siu Ning (Sunny) Leung</i>	
TH01-385 : EFFECTS OF PROCESSING VARIABLES ON CRYSTALLIZATION PHASES OF P(VDF-TRFE-CFE) THIN FILMS	1600
<i>Hao Pan</i>	
TH01-390 : NEW TRANSPARENT HIGH HEAT POLYCARBONATE COPOLYMER RESINS FOR THERMO-OPTICAL APPLICATIONS	1604
<i>Mark Van Der Mee</i>	
TH01-446 : HIGH TEMPERATURE DIELECTRIC FILM	1608
<i>Matthew Niemeyer</i>	
TH01-658 : HIGHLY FILLED BIOCHAR/ULTRA-HIGH MOLECULAR WEIGHT POLYETHYLENE/LINEAR LOW DENSITY POLYETHYLENE COMPOSITES FOR ELECTROMAGNETIC INTERFERENCE SHIELDING	1617
<i>Suiyi Li</i>	
TH02-068 : RECYCLED AND WASTE MATERIALS IN SELECTED AUTOMOTIVE APPLICATIONS	1622
<i>Karnik Tarverdi</i>	
TH02-132 : INNOVATIONS IN AUTOMOTIVE PLASTICS “APPLICATIONS” - BASED ON SPE AWARDS	1627
<i>Suresh Shah</i>	
TH02-205 : AERODYNAMIC OPTIMIZATION OF A DAY-CAB FAIRING	1653
<i>Carlos Pereira</i>	
TH02-210 : INTELLIGENT AUTOMOTIVE DESIGN WITH PLASTICS	1659
<i>Michael Ruby</i>	
TH02-327 : HYBRID PEDESTRIAN-SAFE SOLUTION FOR THE AUTOMOTIVE INDUSTRY	1670
<i>Pavan Puranik</i>	
TH02-342 : CHEMICAL RESISTANCE OF PMMA, ASA AND ASA+PC FOR AUTOMOTIVE EXTERIOR TRIM APPLICATIONS	1675
<i>Tom Pickett</i>	

VOLUME 3

TH02-370 : COMPUTATIONAL MODELING OF IMPEDANCE TUBE AND VALIDATION FOR TUNING THE ACOUSTIC TRANSMISSION LOSS OF POLYMERIC MATERIALS	1679
<i>Vasudev Nilajkar</i>	
TH03-263 : INFLUENCE OF THE FIBER-MATRIX-INTERACTION ON THE FRACTURE BEHAVIOR OF REGENERATED CELLULOSE FIBER REINFORCED POLYPROPYLENE	1684
<i>Jan-Christoph Zarges</i>	
TH03-328 : CRYSTALLIZATION BEHAVIOR OF POLY(LACTIC ACID) COMPOSITE NANOFIBERS BY ANNEALING	1690
<i>Jian-Hua Hou</i>	
TH03-397 : THE INFLUENCE OF HYGROTHERMAL AGING ON THE MATERIAL PROPERTIES OF ENDLESS FIBER-REINFORCED THERMOPLASTICS	1695
<i>Matthias Huettner</i>	
TH03-454 : EFFECT OF FREEZE-DRYING ON THE MORPHOLOGY OF DRIED CELLULOSE NANOCRYSTALS (CNCS) AND TENSILE PROPERTIES OF POLY(LACTIC) ACID-CNC COMPOSITES	1701
<i>Nicole Stark</i>	
TH03-580 : EFFECTS OF TRIS(NONYLPHENYL) PHOSTITE ON MECHANICAL PROPERTY OF POLY(3-HYDROXYBUTYRATE-CO-3-HYDROXYHEXANOATE)	1706
<i>Takashi Kuboki</i>	
TH03-591 : DAMAGE INDUCED SURFACE TEXTURING OF SHORT FIBER PDMS COMPOSITE MATERIALS	1711
<i>Reza Rizvi</i>	
TH03-622 : POTENTIAL OF BIOCARBON AS REINFORCEMENT FOR PBT IN AUTOMOTIVE APPLICATIONS	1716
<i>Manjusri Misra</i>	
TH05-227 : DIGITAL INKJET FOR DIRECT TO OBJECT PRINTING	1721
<i>Jeff Peterson</i>	

TH05-228 : DIGITAL PRINTING TECHNOLOGIES FOR PLASTICS – FOCUS ON COLOR INKJET AND LASER MARKING	1726
<i>Jeff Peterson</i>	
TH05-491 : CARBON BLACK SELECTION FOR SUCCESSFUL THROUGH TRANSMISSION LASER WELDING AND JOINING	1733
<i>Avraham Benatar</i>	
TH05-685 : ROBOTIC USE IN PAD PRINTING	1738
<i>Chris Demell</i>	
TH05-721 : APPLICATIONS FOR LOW ENERGY EBEBAM CURING TECHNOLOGY IN CONSUMER PRODUCT FLEXIBLE PACKAGING APPLICATIONS	1739
<i>Anthony Carignano</i>	
TH05-722 : EFFECTS OF SURFACE TREATMENT ON HARD TO BOND PLASTICS	1762
<i>Matthew Miner</i>	
TH06-025 : ALL ENCOMPASSING EXTRUSION TECHNOLOGY FOR PRODUCING A WIDE SPECTRUM OF SIMULTANEOUSLY BIORIENTED FILMS	1766
<i>Adolfo Edgar</i>	
TH06-088 : COMPARISON OF ATOMSPHERIC PLASMA AND CORONA TREATMENTS IN PROMOTING SEAL STRENGTH	1773
<i>Rory Wolf</i>	
TH06-393 : CHANGEOVER TIME FOR A LAB-SCALE BLOWN FILM LINE	1780
<i>Christopher Thurber</i>	
TH06-434 : BIAXIALLY ORIENTED BARRIER FILM (BOPP) WITH NANOSTRUCTURED ADDITIVES	1787
<i>Krishnamurthy Jayaraman</i>	
TH06-449 : TRANSPORTATION AND STORAGE FILM	1794
<i>Tom Stalun</i>	
TH06-494 : BIAXIALLY ORIENTED POLYETHYLENE (BOPE) FILMS FABRICATED VIA TENTER FRAME PROCESS AND APPLICATIONS THEREOF	1809
<i>Lin Yijian</i>	
TH06-640 : METHOD TO MEASURE OXYGEN PERMEANCE IN SEALED FLEXIBLE PACKAGING	1814
<i>Alejandro Serna</i>	
TH07-085 : HOW TO USE CAE TO DIAGNOSE THE UNDER-PERFORMANCE PROBLEM OF THE EXISTED MACHINE IN INJECTION MOLDING TO FACE AUTOMATION CHALLENGE	1819
<i>Chao-Tsai Huang</i>	
TH07-095 : DEEP LEARNING ON CAE BASED ON THE INTEGRATION OF THE TAGUCHI METHOD AND NEURAL NETWORK	1824
<i>Wen-Ren Jong</i>	
TH07-096 : SIMULATION STUDY OF INJECTION COMPRESSION MOULDING PROCESS FOR A 0.6MM THIN POLYMERIC MICROFLUIDIC CHIP	1830
<i>Ge Chen</i>	
TH07-196 : USING NEW ANISOTROPIC ROTATIONAL DIFFUSION MODEL TO IMPROVE PREDICTION OF SHORT FIBERS IN THERMOPLASTIC INJECTION MOLDING	1835
<i>Alexander Bakharev</i>	
TH07-214 : DEFORMATION AND STRESS PREDICTION OF INJECTION MOLDED COMPONENTS AFTER BEING MOUNTED INTO DESIGNED POSITION	1840
<i>Zhiliang Fan</i>	
TH07-265 : EMPIRICAL MODELING AND SIMULATION OF THE MICROSTRUCTURE REPLICATION IN INJECTION MOLDING	1845
<i>Torben Fischer</i>	
TH07-543 : MOLDFLOW OPTIMIZATION OF MICRO-CAVITIES FILLING DURING INJECTION MOLDING PROCESS	1852
<i>Ali Rajhi</i>	
TH08-275 : EFFECT OF DIFFERENT MOLD COATINGS ON FLOW RESISTANCE IN THIN-WALL INJECTION MOLDING OF POLYSTYRENE PARTS	1858
<i>Marco Sorgato</i>	
TH08-424 : ADVANTAGES OF CT SCANNING FOR INDUSTRIAL APPLICATIONS	1863
<i>Melissa Butrie</i>	
TH08-606 : THE R&D TAX CREDIT ENCOURAGES INNOVATION FOR PLASTICS PROCESSORS	1872
<i>Michael Devereux</i>	

TH08-670 : CHANGE MOLDS FOR EFFICIENT CUSTOMER DEVELOPMENT / PROTOTYPE	1876
<i>Tom Worcester</i>	
TH08-696 : STANDARDIZED COMPONENTS ECONOMICALLY IN LARGE MOLDS	1885
<i>Brenda Clark</i>	
TH09-105 : EFFECT OF FOAM DENSITY ON ELASTOMERIC NANOCOMPOSITE FOAMS BASED ON POLYISOPRENE RUBBER	1901
<i>Ali Vahidifar</i>	
TH09-254 : EFFECT OF SOFT SEGMENTS AND NUCLEATION AGENTS ON THE PROPERTIES OF THERMOPLASTIC POLYURETHANE FOAM	1905
<i>Shu-Kai Yeh</i>	
TH09-548 : THEORETICAL AND EXPERIMENTAL INVESTIGATION OF BUBBLE GROWTH IN HIGH-PRESSURE FOAM INJECTION MOLDING	1910
<i>Chongda Wang</i>	
TH09-593 : STRAIN HARDENING OF LINEAR POLYMER ENHANCED BY HEAT SHRINKING FIBERS	1911
<i>Eric S. Kim</i>	
TH09-594 : IN-SITU VISUALIZATION OF CRYSTAL NUCLEATION AND GROWTH BEHAVIORS OF POLYLACTIC-ACID (PLA) UNDER HIGH PRESSURE CO₂	1916
<i>Sandra Romero</i>	
TH09-632 : MODELING OF CELL GROWTH EFFECTS ON THE PERCOLATION THRESHOLD OF ROD-LIKE FILLERS IN CONDUCTIVE POLYMER COMPOSITE FOAMS	1921
<i>Sai Wang</i>	
TH09-635 : IN-SITU PP/PET NANO-FIBRILLATED COMPOSITES: THE EFFECT OF VISCOSITY RATIO ON FIBRILLATION AND FOAMING BEHAVIOR	1922
<i>Chongxiang Zhao</i>	
TH10-208 : AUTOMOTIVE LIGHTWEIGHTING WITH REDUCED DENSITY POLYAMIDE BLENDS	1924
<i>Ying Shi</i>	
TH10-305 : XENOY™ ENH2900 FOR HIGH CHEMICAL RESISTANCE & NON-BR/CL FR APPLICATIONS	1936
<i>Emily He</i>	
TH10-321 : A NOVEL DESIGN OF FUNCTIONALIZED ORGANO-MODIFIED SILOXANES FOR SURFACE TREATMENT OF PARTICLES AND FILLERS	1941
<i>Ido Offenbach</i>	
TH10-431 : IMPACT PP COPOLYMERS FOR HOME APPLIANCE APPLICATIONS	1952
<i>Timothy Farrell</i>	
TH10-437 : DESIGN AND OPERATIONAL CHALLENGES OF WEARABLE DRUG DELIVERY SYSTEMS	1959
<i>Hossam Metwally</i>	
TH10-586 : CHAMELEON - AN UNIQUE MULTISCALE MODELING TOOL	1974
<i>Lalitha Subramanian</i>	
TH10-603 : THERMOPLASTIC HEATSINK SOLUTION FOR LED LUMINAIRE	1991
<i>Remesh Kuzhikkali</i>	
TH10-609 : REALISTIC SIMULATION SOLUTIONS USING FEA FOR DESIGN, OPTIMIZATION, AND FABRICATION OF PLASTICS	1998
<i>Arindam Chakraborty</i>	
TH11-004 : HOW PLASTICS HELPS TO CONQUER THE NEW CHALLENGES OF VEHICLE ELECTRIFICATION	2018
<i>Werner Posch</i>	
TH11-067 : CONNECTING RHEOLOGY OF POLYOLEFIN ELASTOMERS TO DISPERSION IN A POLYPROPYLENE MATRIX VIA MODELING AND EXPERIMENTS WITH SIMPLE FLOW FIELDS	2019
<i>Jeff Munro</i>	
TH11-130 : DEVELOPMENT OF LOW EMISSION POLYOLEFIN COMPOSITES FOR AUTOMOTIVE INTERIORS	2025
<i>Tanmay Pathak</i>	
TH11-173 : DYNAMIC WATER PENETRATION PREDICTION FOR PUSH-BACK PROCESS IN WATER-ASSISTED INJECTION MOLDING	2030
<i>Jim Hsu</i>	
TH11-262 : A NOVEL GLASS FILLER REINFORCED COMPOUND FOR AUTOMOTIVE INTERIOR PARTS	2036
<i>Cheolhee Park</i>	

TH11-297 : EFFECT OF GRAIN PATTERN AND TALC CONTENT ON SCRATCH AND MAR BEHAVIORS OF TEXTURED THERMOPLASTIC OLEFINS	2040
<i>Shuoran Du</i>	
TH11-298 : VEHICLE LIGHTWEIGHTING AND IMPROVED CRASHWORTHINESS - PLASTICS AND HYBRID SOLUTIONS	2045
<i>Fred Chang</i>	
TH11-331 : CORE-BACK TECHNOLOGY FOR AUTOMOTIVE BODY INTERIOR APPLICATIONS	2054
<i>Steve McClintock</i>	
TH11-529 : BUMPER TO BUMPER - REMOVING CONTAMINANTS FROM MOLDED PLASTIC PARTS WITH DRY ICE	2066
<i>Steve Wilson</i>	
TH12-137 : SYNTHESIS, CHARACTERIZATION AND WATER APPLICATION OF MICROCELLULAR INJECTION MOLDED PPGMA/MMT NANOCOMPOSITES	2070
<i>Shyh-Shin Hwang</i>	
TH12-204 : PREPARATION OF POLYPROPYLENE SINGLE-POLYMER COMPOSITES WITH GRAPHENE NANOPATELETS BY FILM-STACKING	2074
<i>Mingwang Shao</i>	
TH12-282 : ISOLATING THE EFFECT OF POLYMER-FILLER INTERACTION ON POLYMER COMPOSITE PROPERTY ENHANCEMENT: THE EXAMPLE OF POLYPROPYLENE/HALLOYSITE HYBRIDS	2079
<i>Tong Wei</i>	
TH12-401 : IN-SITU VITAMIN C REDUCTION OF GRAPHENE OXIDE FOR PREPARING FLEXIBLE TPU NANOCOMPOSITES WITH HIGH DIELECTRIC PERMITTIVITY	2084
<i>Han-Xiong Huang</i>	
TH12-407 : NUMERICAL AND EXPERIMENTAL STUDIES ON FLOW AND WARPAGE DURING RESIN TRANSFER MOLDING PROCESS	2089
<i>Sejin Han</i>	
TH12-590 : HIGH FRACTURE RESISTANCE, FILLER ADHESION AND DISPERSION IN EPOXY CARBON NANOFIBER COMPOSITES	2095
<i>Muhammad Anwer</i>	
TH12-611 : DEVELOPING ULTRASONIC PROCESSING OF CNT NANOPAPER/SOLVENTLESS EPOXY PREPREG	2099
<i>Dan Zhang</i>	
TH13-419 : INJECTION MOLDING PARTS WITH INTEGRATED ALL-INKJET PRINTED STRAIN GAUGE FOR CONDITON MONITORING	2104
<i>Thomas Mitterlehner</i>	
TH13-436 : GET THE WEAR OUT	2110
<i>Steve Wilson</i>	
TH13-440 : ARE YOUR LINEAR ROBOTS PROPERLY SIZED FOR YOUR INJECTION MOLDING MACHINE AND PROJECT?.....	2119
<i>Robert Arsenault</i>	
TH13-463 : INDUCTION HEAT COOL WITH SABIC RESINS: AN INTRO TO HIGH DEFINITION PLASTICS™	2136
<i>Jos Van Gisbergen</i>	
TH13-464 : WITTMANN 4.0 - INDUSTRY 4.0 IN THE WITTMANN GROUP	2146
<i>Markus Klaus</i>	
TH13-557 : INTEGRATED, TRACEABLE, AUTOMATIC FLOW CONTROL FOR YOUR TOOLING AND PROCESS	2167
<i>Edgar Sanchez</i>	
TH13-663 : IMPROVING ACCURACY OF MOLD FILLING SIMULATIONS WITH EXPERIMENTAL DATA FROM FAST SCANNING CHIP CALORIMETRY	2168
<i>Anne Gohn</i>	
TH15-098 : KNOWLEDGE-BASED PRODUCT PLANNING AND DESIGNING OF INJECTION-MOLDED PARTS	2172
<i>Rene Andrae</i>	
TH15-119 : MODELING DOMING DEFLECTION OF CAPS & CLOSURES WITH FINITE ELEMENT METHOD	2178
<i>Wenbo Xu</i>	
TH15-148 : YES, YOU CAN BREAK CERTAIN DESIGN RULES AND STILL HAVE A SUCCESSFUL PRODUCT - A LOGICAL LOOK AT THE IMPLICATIONS	2184
<i>Vikram Bhargava</i>	

TH15-316 : INFLUENCE OF THERMAL TREATMENT ON THE MECHANICAL PROPERTIES OF THERMOPLASTIC COMPOSITES OBTAINED BY LARGE-FORMAT 3D PRINTING PROCESS.....	2185
<i>Miguel A. Hidalgo Salazar</i>	
TH15-366 : DESIGN FOR MANUFACTURABILITY – 3D-CAD DESIGN METHODOLOGY FOR SPIRAL MILLED POLYMER PROCESSING TOOLS.....	2191
<i>Phil Hungenberg</i>	
TH15-503 : POLYPROPYLENE/ POLYVINYLIDENE FLUORIDE FIBROUS WATER/FUEL FILTERS PRODUCED BY A UNIQUE MULTILAYER CO-EXTRUSION PROCESS	2196
<i>Cong Zhang</i>	
TH15-537 : UTILIZING SHOULD COSTS TO ENGAGE MILLENNIALS IN THE WORKPLACE.....	2202
<i>Laurel Bougie</i>	
TH15-625 : TECHNICAL EVALUATION OF LOCTITE® HY 4060GY™: THE IDEAL REPLACEMENT FOR TRADITIONAL 2K 5-MINUTE EPOXIES.....	2203
<i>Matthew Miner</i>	
TH15-650 : QUASI-STATIC, NON-LINEAR, EXPLICIT FINITE ELEMENT ANALYSIS OF SMALL PET BOTTLES.....	2215
<i>Naser Imran Hossain</i>	
TH17-099 : HIGHLY VISCOUS POLYAMIDES MADE OF CAST POLYAMIDE 6 RECYCLATES.....	2221
<i>Benjamino Rocco Formisano</i>	
TH17-107 : INFLUENCE OF THE COMPOUNDING PROCESS PARAMETERS ON THE DISPERSION AND MATERIAL PROPERTIES OF GRAPHENE-BASED PP COMPOSITES USING A TWIN-SCREW EXTRUDER UNDER INDUSTRY RELATED CONDITIONS	2226
<i>Maximilian Adamy</i>	
TH17-500 : OPEN-CELL FOAMING OF PP/PTFE FIBRILLATED COMPOSITES	2233
<i>Yuhui Qiao</i>	
TH17-511 : AN APPLICATION OF THERMOPLASTIC POLYURETHANE FOAMING IN HANDRAIL EXTRUSION.....	2234
<i>Qingping Guo</i>	
TH17-541 : FLEXURAL TESTING OF PET-NANOFIBER AND PP FOAMED COMPOSITES	2238
<i>Lun Howe Mark</i>	
TH17-550 : PROTECTED BIOFILM GROWTH IN MACROPOROUS POLYVINYLIDENE FLUORIDE CARRIERS FOR BIOLOGICAL ORGANIC REMOVAL FROM MUNICIPAL WASTEWATER.....	2251
<i>Pardis Ghahramani</i>	
TH17-592 : IMPACT MANAGEMENT AND PROTECTION FOR PLAYING SURFACES USING EXPANDED POLYOLEFIN PARTICLE FOAM – NEW MATERIALS AND DESIGNS	2256
<i>Steven Sopher</i>	
TH17-596 : A SYSTEM FOR VISUALIZING AND MEASURING STRESS OF PLASTIC FLOWS UNDER SHEAR CONDITIONS.....	2264
<i>Taylor Ducharme</i>	
TH17-599 : ULTA-LOW DENSITY FOAMS OF NANOCRYSTALLINE CELLULOSE REINFORCED WITH POLYVINYLE ALCOHOL.....	2269
<i>Nahal Aliheidari</i>	
TH17-691 : MINING THE VALUE FROM OIL SANDS TAILINGS PONDS.....	2274
<i>Pavani Cherukupally</i>	
TH18-111 : COPOLYESTERS AS HEAT DISTORTION TEMPERATURE MODIFIERS IN RIGID PVC.....	2287
<i>Robert Young</i>	
TH18-351 : INNOVATIVE AND USEFUL CHARACTERISTIC VALUES FOR THE PROCESSING OF THERMOSETTING MOLDING COMPOUNDS.....	2298
<i>Thomas Scheffler</i>	
TH18-354 : SIMULATION OF MOLD FILLING CHARACTERIZATION OF PHENOLIC INJECTION MOLDING COMPOUNDS WITH SLIP BOUNDARY CONDITION	2306
<i>Ngoc Tu Tran</i>	
TH18-462 : NON-ISOCYANATE POLYURETHANE NETWORKS CAN BE MELT-REPROCESSED WITH FULL PROPERTY RECOVERY ASSOCIATED WITH CROSS-LINK DENSITY: THE CASE OF POLYHYDROXYURETHANE NETWORKS.....	2313
<i>John Torkelson</i>	

TH18-709 : TEMPERATURE CONTROL IN ACCELERATED LABORATORY WEATHERING TESTING OF PLASTICS.....	2316
<i>Andy Francis</i>	
TH18-710 : A NEW METHOD TO DETERMINE TF AND CLASH BERG STIFFNESS (ASTM D1043), USING A ROTATIONAL RHEOMETER	2330
<i>Greg Kamykowski</i>	
TH19-054 : NYLON6,6 RICH CO- AND TERPOLYMERS: HOW TUNING THERMAL BEHAVIOR ENHANCES FUNCTIONALITY AND ENABLES NEW APPLICAITON SPACES.....	2341
<i>Jacob Ray</i>	
TH19-314 : BIODEGRADABLE PHA FOR USE IN FASHION TEXTILES	2361
<i>Molly Morse</i>	
TH19-339 : SABIC THERMOCOMP™ HIGH MODULUS DUCTILE (HMD) PORTFOLIO	2369
<i>Emily He</i>	
TH19-409 : TAILOR-MADE UHMWPE BY HIGH SHEAR POLYMER MODIFICATION	2374
<i>Binay Patel</i>	
TH19-410 : ENHANCEMENT OF PROTECTIVE PACKAGING FILMS WITH CYCLIC OLEFIN COPOLYMERS (COC)	2383
<i>Paul Tatarka</i>	
TH19-587 : A NEW GRADE OF HIGH MELT STRENGTH POLYSTYRENE FOR THE XPS FOAM MARKET	2394
<i>Ted Harris</i>	
TH19-645 : NEW DEVELOPMENTAL COPOLYESTER.....	2401
<i>Katherine Hofmann</i>	
TH19-665 : DEVELOPING HIGH-TEMPERATURE POLYAMIDES TO RESIST PROLONGED HEAT STRESS, WHILE MAINTAINING AESTHETIC PROPERTIES AND EASE OF PROCESSING	2412
<i>Robert Zappa</i>	
TH21-102 : STYLIGHT - NEW MATERIAL SOLUTION FOR LIGHTWEIGHT DESIGN.....	2421
<i>Brian Haggart</i>	
TH21-241 : VOLUMETRIC TO GRAVIMETRIC CONVERSION	2440
<i>Riley Wittmann</i>	
TH21-266 : INFLUENCE OF GAS-COUNTER PRESSURE ON THE FOAMING BEHAVIOR AND THE CELL MORPHOLOGY OF FLEXIBLE POLYURETHANE FOAM.....	2441
<i>Daniel Schneider</i>	
TH21-421 : NEW GENERATION HDPE FOR PRESSURIZED APPLICATIONS – BEYOND PE100.....	2446
<i>Jonathan Rabiei Tabriz</i>	
TH21-526 : SABIC SOLUTIONS FOR PERSONAL HYGIENE APPLICATIONS: INDUSTRY TRENDS AND SABIC OFFERINGS, AND DEVELOPMENTS.....	2457
<i>Jelena Bozovic-Vukic</i>	
TH21-600 : KEPITAL® H100.....	2469
<i>Jim Divita</i>	
TH21-638 : SUPER HIGH FLOW VALOX FOR CONNECTORS.....	2474
<i>Kenneth Thiel</i>	
W01-231 : SEMICONDUCTIVE LLDPE POWER CABLE INSULATION SHIELD.....	2483
<i>Jason Zhang</i>	
W01-244 : STRUCTURE-PROPERTY RELATIONSHIPS OF MICROPOROUS MEMBRANES PRODUCED BY BIAXIAL ORIENTATION OF COMPATIBILIZED PP/NYLON 6 BLENDS.....	2490
<i>Jingxing Feng</i>	
W01-257 : INVESTIGATION OF DROPLET BEHAVIOR UNDER REAL MIXING CONDITIONS	2495
<i>Oguz Celik</i>	
W01-302 : INFLUENCE OF PROCESSING AND FORMULATION ON THE PROPERTIES OF PP-PET-BLENDS	2500
<i>Christoph Burgstaller</i>	
W01-517 : NYLON 12/PMMA/SAN ALLOYS FOR TRANSLUCENT MEDICAL CATHETERS.....	2506
<i>Timothy Largier</i>	
W01-531 : DESIGN OF EXTENSIONAL FLOW STATIC MIXERS FOR BLENDING OF TERNARY NANOPARTICLE-POLYMER-POLYMER BLENDS.....	2509
<i>Matthew Thompson</i>	
W02-139 : LOW BIREFRINGENT CELLULOSE ACETATE PROPIONATES FOR PLASTIC DISPLAY LENS COVERS	2517
<i>Laura Weaver</i>	

VOLUME 4

W02-218 : THE EVOLUTION & CONTINUED GROWTH OF TPO APPLICATIONS.....	2527
<i>Mark Barrera</i>	
W02-304 : INTRODUCTION TO THE USAGE OF THERMALLY CONDUCTIVE COMPOUNDS IN AUTOMOTIVE LIGHTING	2542
<i>Paul Kruger</i>	
W02-387 : NEW RESIN FOR LIQUID COOLED MODULES IN ELECTRIC VEHICLE BATTERY PACKS (EVBPS)	2549
<i>Rudy Gorny</i>	
W02-652 : PLASTIC RESINS FOR SENSORS AND ELECTRONIC COMPONENTS TO MINIMIZE LONG TERM CORROSION.....	2557
<i>Josh McIlvaine</i>	
W02-653 : NEXT GENERATION IN HYDROLYSIS RESISTANCE POLYESTER (PBT) FOR ELECTRICAL CONNECTORS AND COMPONENTS	2566
<i>Josh McIlvaine</i>	
W03-110 : WHEAT PROTEIN AS A PARTICIPANT IN THE SULFUR-CURING OF ISOPRENE RUBBER	2573
<i>Barbara Debutts</i>	
W03-117 : STUDY OF BIOCOMPATIBILIZER FOR NEW RENEWABLE BLENDS OF POLYPROPYLENE CARBONATE AND POLYBUTYLENE SUCCINATE.....	2579
<i>Barbara Calderon</i>	
W03-349 : MECHANICAL PROPERTIES AND EFFECTS OF MICROFIBRILLATION OF 100 % BIOMASS SISAL-PLA COMPOSITE	2585
<i>Hiroyuki Nishimura</i>	
W03-373 : SYNTHESIS OF HIGH HARDNESS POLYESTER RESIN FOR POWDER COATINGS.....	2592
<i>Junseop Im</i>	
W03-408 : EFFECTS OF MOLDING CONDITIONS ON MECHANICAL BEHAVIOR OF DIRECT INJECTION MOLDED PLA/WOOD-FIBER COMPOSITES.....	2597
<i>Gangjian Guo</i>	
W03-620 : HIERARCHICAL MICRO/NANOSTRUCTURES OF POLY (LACTIC ACID) SCAFFOLDS FOR MEDICAL APPLICATIONS	2602
<i>Shujie Yan</i>	
W03-641 : PHYSICAL FOAMING USING HIGH PRESSURE GAS SATURATION FOR BIOPOLYMER APPLICATIONS.....	2608
<i>Juan Fernando Campuzano Vallejo</i>	
W04-094 : DEVELOPMENT OF A RAPID THERMAL CYCLING BLOW MOLDING TECHNOLOGY AND MOLD HEATING SYSTEM OPTIMIZATION	2613
<i>Cheng-Long Xiao</i>	
W04-203 : SIMULATIVE PREFORM OPTIMIZATION FOR IMPROVED TOPLOAD BEHAVIOR OF PET-BOTTLES MANUFACTURED IN THE TWO STAGE STRETCH BLOW MOLDING PROCESS.....	2619
<i>Benjamin Twardowski</i>	
W04-274 : EBM WITH A #1	2625
<i>Scott Steele</i>	
W04-389 : A SIMULATION FRAMEWORK FOR BLOW-MOLDING: A PRELIMINARY CASE STUDY ON INJECTION STRETCH BLOW MOLDING FOR BULB COVERS	2627
<i>Raghavendra Janiwarad</i>	
W04-711 : NUMERICAL SIMULATION OF SHRINKAGE AND WARPAGE DEFORMATION OF AN INTERMITTENT-EXTRUSION BLOW MOLDED PART: VALIDATION CASE STUDY.....	2635
<i>Zohir Benrabah</i>	
W05-489 : FLOW PROBLEMS THAT COULD ARISE FROM ADDING BIOMASS MATERIALS TO PLASTICS.....	2644
<i>Carrie Hartford</i>	
W05-495 : PREDICTION OF FIBER REINFORCED PLASTICS CONSIDERING LOCAL FIBER LENGTH AND ORIENTATION.....	2649
<i>Fabian Willems</i>	
W05-520 : CRYSTALLIZATION MECHANISM OF POLYVINYLIDENE FLUORIDE VIA NON- ISOTHERMAL CRYSTALLIZATION AND SUPERCRITICAL CO2 PROCESSING	2656
<i>Ji Eun Lee</i>	

W05-577 : PRACTICAL SIMULATION OF LIQUID CRYSTAL POLYMER DIRECTIONALITY DURING PROCESSING	2661
<i>Anthony Sullivan</i>	
W05-584 : MACROMOLECULAR SPECTROSCOPY FOR DETERMINING MECHANICAL PROPERTIES OF POLYDIMETHYLSILOXANE (PDMS)	2667
<i>Ahmed Anwer</i>	
W05-680 : FOAM STRUCTURE AND THERMAL COMFORT IN POLYURETHANE MATTRESS FOAMS	2671
<i>Douglas Brune</i>	
W05-713 : ROTOMOLDING PROCESSES FOR POLY(ARYL KETONES) AND OTHER HIGH TEMPERATURE POLYMERS	2676
<i>Manuel Garcia-Leiner</i>	
W06-252 : EFFECT OF DIE EXIT STRESS STATE, DEBORAH NUMBER AND EXTENSIONAL RHEOLOGY ON NECK-IN PHENOMENON	2681
<i>Martin Zatloukal</i>	
W06-485 : ROLE OF INTERFACIAL CRYSTALLIZATION IN DESIGNING POLYOLEFIN BLENDS FROM MIXED STREAM RECYCLE FEEDS	2689
<i>Alex Jordan</i>	
W06-512 : EVALUATION OF THERMOPLASTIC POLYURETHANE (TPU) RESINS AS POSSIBLE SUBSTITUTES OF CURRENT RESINS FOR ESCALATOR HANDRAILS	2692
<i>Qingping Guo</i>	
W06-630 : PRELIMINARY STUDY OF BIREFRINGENCE DISTRIBUTION IN BLOWN FILM	2697
<i>Jin Wang</i>	
W06-647 : ENERGY GAP METHOD (EGM) APPLIED TO IMPROVE EXTRUSION ENERGY PERFORMANCE: SUCCESSFUL CASE STUDIES	2704
<i>Juan Carlos Ortiz Pimienta</i>	
W06-702 : MICRO-LAYERED TUBING AND PIPES VIA MULTI-LAYER CO-EXTRUSION	2711
<i>Tyler Schneider</i>	
W07-289 : AUXETIC FOAM SENSOR WITH SILVER NANOWIRE	2716
<i>Changchun Zeng</i>	
W07-296 : PIEZOELECTRIC FOAMS WITH HIGH THERMAL STABILITY AND FLEXIBILITY	2721
<i>Changchun Zeng</i>	
W07-601 : ENHANCING ELECTROMAGNETIC SHIELDING PERFORMANCE OF PVDF/MWCNT COMPOSITES THROUGH FOAMING	2728
<i>Chenyinxia Zuo</i>	
W07-605 : AEROGEL NANO-NETWORK STRUCTURAL ASSEMBLY AND ITS CORRELATION WITH THE THERMAL PROPERTIES	2732
<i>Mohammed Alshrah</i>	
W07-634 : POLY(VINYLDENE FLUORIDE)/ GRAPHENE NANOPATELETS COMPOSITES WITH MICROCELLULAR STRUCTURE TO ENHANCE ELECTROMAGNETIC SHIELDING PROPERTIES	2746
<i>Biao Zhao</i>	
W08-015 : INOVIA FLAME RETARDANTS BASED ON IONIC LIQUIDS	2758
<i>Yanjie "Jeff" Xu</i>	
W08-229 : SURFACE ENHANCEMENT VIA POLYPROPYLENE METALLIC COMPOUNDS	2762
<i>Tanmay Pathak</i>	
W08-292 : NOVEL APPROACH TO CONTROLLED MIGRATION OF ANTIFOG ADDITIVES IN MULTILAYER PACKAGING FILMS	2776
<i>Evgeni Zelikman</i>	
W08-323 : NEW TECHNOLOGY FOR IMPROVING HALOGEN FREE FLAME RETARDANT PERFORMANCE IN POLYMER APPLICATION	2788
<i>Ido Offenbach</i>	
W08-369 : TUBALL™ SINGLE WALL CARBON NANOTUBES FOR THERMOPLASTICS	2803
<i>Maus Christian</i>	
W08-378 : A NOVEL SYNERGIST FOR HALOGEN FREE FLAME RETARDANTS	2806
<i>Amit Paul</i>	
W09-167 : THERMO-RHEOLOGICAL MODELING AND SIMULATION OF HEAT SEALING PROCESS FOR MULTI-LAYER FLEXIBLE PACKAGING APPLICATIONS	2817
<i>Vinod Kumar Konaganti</i>	
W09-239 : HEAT TRANSFER MODELLING IN MULTILAYER FILMS USED FOR FLEXIBLE PACKAGING	2825
<i>Dan Ward</i>	

W09-288 : BARRIER MATERIALS HAVING LAYER-LIKE MORPHOLOGY FOR PACKAGING USE:EXTRUDED FILM AND ORIENTED FILM.....	2831
<i>Guojun Zhang</i>	
W10-226 : ELASTIC RECOVERY AND ACTUATION IN POLYOLEFIN THERMOPLASTIC ELASTOMERS	2836
<i>Justin Barone</i>	
W10-660 : FROM RECYCLED TIRES TO PLASTIC PARTS: MICRONIZED RECYCLED RUBBERS IN THERMOPLASTIC POLYOLEFINS	2840
<i>Haikun Xu</i>	
W10-714 : SHIFTING MARKETPLACE DYNAMICS AND POSITIONING TPES FOR FUTURE PROFITABILITY, DIVERSIFICATION AND GROWTH.....	2846
<i>Robert Eller</i>	
W11-133 : A CLOSED FORM SOLUTION FOR PREDICTING FINAL PART STRENGTH OF FUSED DEPOSITION MODELING.....	2851
<i>Steven Devlin</i>	
W11-200 : 3D PRINTED METAL TOOL FOR EFFICIENT INJECTION MOLDING.....	2857
<i>N. Venkatesha</i>	
W11-350 : 3D PRINTING PROCESS SIMULATIONS AND THEIR APPLICATIONS.....	2876
<i>Prasad Dasappa</i>	
W11-364 : MATERIAL SELECTION, TESTING AND VALIDATION OF ADDITIVELY MANUFACTURED COMPONENTS	2882
<i>Johannes Wiener</i>	
W11-405 : CRITICAL CAPILLARY NUMBER IN A HYPERBOLIC CONVERGING NOZZLE FOR POLYMER BASED ADDITIVE MANUFACTURING	2886
<i>Aditya N Sangli</i>	
W11-467 : PROCESS IMPACT OF ELLIPTIC SMOOTHNESS AND POWDER SHAPE FACTORS ON ADDITIVE MANUFACTURING WITH LASER SINTERING.....	2893
<i>Marc Vetterli</i>	
W11-473 : FUNDAMENTAL CHARACTERIZATION OF CLIP 3D PRINTED MATERIALS	2901
<i>Danielle L. Grolman</i>	
W11-521 : CHARACTERIZATION AND MECHANICAL BEHAVIOR OF SLS PROCESSES PA-11/CB NANOCOMPOSITES	2905
<i>Gabrielle Esposito</i>	
W11-522 : INVESTIGATION OF SELECTIVE LASER SINTERING PARAMETERS ON THE TENSILE PROPERTIES OF POLYAMIDE-11	2910
<i>Gabrielle Esposito</i>	
W11-540 : INVESTIGATION OF A NOVEL ADDITIVE MANUFACTURING TECHNIQUE “4D-RHEOPRINTING” FOR THE MANUFACTURE OF ENHANCED POLYMERIC PRODUCTS	2914
<i>Alaauldeen Duhduh</i>	
W11-637 : 3D PRINTED TOOLING SOLUTIONS	2919
<i>Venkatesha N</i>	
W12-128 : RHEOLOGY OF POLYMER NANOCOMPOSITES.....	2927
<i>Avraam I. Isayev</i>	
W12-144 : THE IMPORTANCE OF HOW ONLINE RHEOMETERS ACCURATELY INDICATE MELT FLOW RATE IN AN EXTRUDER.....	2928
<i>Catherine Lindquist</i>	
W12-198 : INVESTIGATION ON THE VISCOSITY CHARACTERIZATION OF THE GLASS MAT THERMOPLASTICS (GMT) IN COMPRESSION MOLDING SYSTEM.....	2937
<i>Chien Tse-Yu</i>	
W12-264 : VISUALIZATION OF THE FLOW PATHS IN A TANGENTIAL INTERNAL MIXER TO OPTIMIZE THE MIXING BEHAVIOR.....	2943
<i>Annika Lipski</i>	
W12-416 : RHEOLOGICAL METHOD DEVELOPMENT: POLYMER DESIGNS FOR BLOW-MOLDED, AUTOMOTIVE SEATBACKS	2949
<i>Mary Ann Jones</i>	
W12-474 : ROOT CAUSE ANALYSIS OF POLYOLEFIN-BASED WIRE AND CABLE FORMULATION DIE BUILD-UP	2955
<i>Kurt Koppi</i>	
W12-564 : MODIFICATION OF RHEOLOGICAL AND CRYSTALLIZATION PROPERTIES OF HIGH PERFORMANCE POLYMERS FOR THERMOPLASTIC COMPOSITE APPLICATIONS	2959
<i>Sarah Morgan</i>	

W12-570 : THE EFFECTS OF METAL STEARATES ON THE RHEOLOGICAL PROPERTIES OF POWDER INJECTION MOLDING FEEDSTOCKS AND RESULTING MOLDED GREEN PARTS.....	2962
<i>Michael Shone</i>	
W12-573 : A MECHANISTIC MODEL FOR NANOCAVITY FILLING.....	2967
<i>Donggang Yao</i>	
W13-061 : GEOMETRICAL EFFECTS ON FIBER MICRO-STRUCTURE VARIATIONS AND THE INFLUENCES ON LONG FIBER REINFORCED THERMOPLASTICS (FRT) PARTS	2972
<i>Chao-Tsai Huang</i>	
W13-113 : FUNDAMENTAL UNDERSTANDING OF TRIBOLOGICAL BEHAVIOR OF MULTIPHASE POLYMERIC SYSTEMS USING FEM MODELING.....	2978
<i>Mohammad Hossain</i>	
W13-135 : EXPERIMENTAL VERIFICATION ON MOLDEX3D FIBER ORIENTATION PREDICTION IN HIGH FIBER CONCENTRATIONS.....	2985
<i>Huan-Chang Tseng</i>	
W13-247 : AN INVESTIGATION OF RHEOLOGICAL PROPERTIES OF POLYPROPYLENE SINGLE-POLYMER COMPOSITES	2990
<i>Mingxing Yu</i>	
W13-270 : SUPPRESSION OF NECKING IN LLDPE/SEPS RUBBER BILAYER LAMINATES.....	2994
<i>Sachin Velankar</i>	
W13-347 : HIGH CONFIDENCE PERFORMANCE PREDICTIONS FOR HYBRID THERMOPLASTIC COMPOSITE APPLICATIONS.....	3000
<i>Subhransu Mohapatra</i>	
W13-384 : STUDY ON AN OPTICAL EVALUATION OF SURFACE ADHESION IN THE MULTILAYER INJECTION MOLDING PROCESS.....	3005
<i>Bongju Kim</i>	
W13-444 : DRAPING BEHAVIOR OF UNI-DIRECTIONAL TAPE LAMINATES – EXPERIMENTAL AND NUMERICAL STUDIES	3010
<i>Sandeep Kulkarni</i>	
W13-510 : IN-SITU SYNTHESIS OF POLY(ETHYLENE TEREPHTHALATE) GRAPHENE NANOCOMPOSITES.....	3019
<i>Vahid Shabafrooz</i>	
W13-514 : VIRTUAL CHARACTERIZATION OF PREPREG PLATELET LENGTH EFFECT ON TENSILE PROPERTIES OF COUPONS WITH STOCHASTIC MORPHOLOGY.....	3026
<i>Sergey Kravchenko</i>	
W14-129 : THERMAL CONDUCTIVITY ENHANCEMENT THROUGH STRETCHING OF POLYETHYLENE-GRAPHENE NANOCOMPOSITES	3033
<i>Brian Grady</i>	
W14-178 : NUMERICAL MODELLING OF COMPLEX PARISON AND SHEET FORMATION IN BLOW MOLDING PROCESSES USING BLOWVIEW SOFTWARE	3034
<i>Zohir Benrabah</i>	
W14-281 : PROCESSING PARAMETERS EFFECT ON BARRIER PROPERTIES OF NITRILE BASED NANOCOMPOSITE MEMBRANE.....	3035
<i>Mohamed Zemzem</i>	
W14-425 : SYNERGISTIC REINFORCING AND TOUGHENING HIGH DENSITY POLYETHYLENE BY INTRODUCING DYNAMIC SHEAR FORCE FIELD AND ULTRAHIGH MOLECULAR WEIGHT POLYETHYLENE.....	3041
<i>Tong Liu</i>	
W14-472 : EXPLOITING CAPILLARY FORCES IN FILLED PLASTICS: ELECTRICALLY CONDUCTIVE PLASTICS BY BONDING COPPER FILLER WITH MOLTEN SOLDER	3045
<i>Sachin Velankar</i>	
W14-501 : CHARACTERIZATION OF SCRATCH BEHAVIORS OF MULTILAYER AUTOMOTIVE COATINGS FOR VARIOUS SCRATCH CONDITIONS.....	3050
<i>Sung Wook Moon</i>	
W14-554 : BIOMIMETIC NANOCOATINGS WITH EXCEPTIONAL MECHANICAL, BARRIER, AND FLAME RETARDANT PROPERTIES FROM LARGE SCALE ONE-STEP CO-ASSEMBLY.....	3054
<i>Jingjing Liu</i>	
W14-581 : EFFECTS OF EXTRUDER SCREW CONFIGURATION ON THERMAL PROPERTIES OF GLASS FIBER REINFORCED POLYAMIDE 6 COMPOSITES THROUGHOUT THE DIRECT LONG-FIBER-REINFORCED THERMOPLASTICS PROCESS.....	3055
<i>Takashi Kuboki</i>	

W14-616 : ARCHITECTURE OF MICRO- AND NANO-LAYER STRUCTURE AND ITS FUNCTIONAL PROPERTIES OF POLYMERS	3062
<i>Shaoyun Guo</i>	
W14-712 : MICROCAPILLARY FILM MEMBRANES BASED ON POLYVINYLIDENE FLUORIDE	3063
<i>Gerald Billoviits</i>	
W15-006 : OPTIMIZING FLUTED MIXERS.....	3070
<i>John Perdikoulis</i>	
W15-065 : MODELLING THE CONTAMINATION BEHAVIOR OF POLYMER MELT FILTERS AND PRESSURE LOSS SIMULATIONS OF FILTRATION MEDIA	3075
<i>Peter Meilwes</i>	
W15-175 : EXPERIMENTAL STUDY ON THE MELT ENCAPSULATION: AN ANALYSIS OF DIE PRESSURE AND REARRANGEMENT EFFECTS.....	3081
<i>Christopher Höfs</i>	
W15-179 : THE EFFECT OF CHANNEL CURVATURE ON THE FLOW RATE AND VISCOUS DISSIPATION OF POWER-LAW FLUIDS.....	3087
<i>Wolfgang Roland</i>	
W15-206 : A HEURISTIC MODEL FOR PREDICTING THREE-DIMENSIONAL NON-NEWTONIAN FLOWS IN METERING CHANNELS	3094
<i>Christian Marschik</i>	
W15-237 : UNIFIED SIMULATION OF EXTRUDATE DISTORTION DUE TO NON-UNIFORM EXIT VELOCITY AND COOLING SHRINKAGE	3100
<i>Mahesh Gupta</i>	
W15-255 : MODELING THE OPERATING PERFORMANCE OF MELT FILTRATION IN POLYMER RECYCLING.....	3105
<i>Sophie Pachner</i>	
W15-269 : MODELING OF A SIMPLE NUMERICAL CALCULATION METHODOLOGY TO IMPLEMENT CROSS FLOWS IN EXTRUSION DIE DESIGN BASED ON NETWORK THEORY.....	3110
<i>Bianka Jacobkersting</i>	
W16-180 : USING MAGNETO-ARCHIMEDES LEVITATION FOR NON-INVASIVE CHARACTERIZATION OF INJECTION MOLDED PARTS	3115
<i>Peng Zhao</i>	
W16-195 : MULTILAYER INJECTION MOLDING OF THICK-WALLED OPTICS USING DYNAMIC MOLD TEMPERING AND OPTIMIZED LAYER THICKNESS DISTRIBUTION	3120
<i>Malte Röbig</i>	
W16-259 : INFLATION BEHAVIOR OF PREFORMS IN THE SPECIAL INJECTION MOLDING PROCESS GITBLOW COMBINING GAS ASSISTED INJECTION MOLDING AND BLOW MOLDING	3124
<i>Björn Landgräber</i>	
W16-335 : VERIFICATION OF NUMERICAL AND PRACTICAL APPROACH IN IMPLEMENTING PVT PROPERTIES OF POLYMER TO CONTROL TO CONTROL SHRINKAGE QUALITY OF MOLDED	3131
<i>Tzu-Hsiang Wei</i>	
W16-353 : EFFECT OF INJECTION MOLDING CONDITION ON MOLD ADHESION DURING THERMOPLASTIC POLYURETHANE INJECTION MOLDING.....	3138
<i>Jian-Yu Chen</i>	
W16-368 : ZERO DEFECT MANUFACTURING IN INJECTION COMPRESSION MOLDING OF POLYMER FRESNEL LENSES	3145
<i>Dario Loaldi</i>	
W16-382 : 3D SURFACE CHARACTERIZATION OF ETCHED, INJECTION MOLDED PARTS BEFORE A FOLLOW UP ELECTROPLATING PROCESS	3150
<i>Jens P. Siepmann</i>	
W16-395 : STABILIZATION OF BMC INJECTION MOLDING BY PROCESS CONTROL MEASURES.....	3155
<i>Nicolina Topic</i>	
W16-430 : AUTOMATIC ANOMALY DETECTION AND ROOT CAUSE ANALYSIS FOR HOLISTIC PROCESS MONITORING AND CONTROL IN INJECTION MOLDING	3162
<i>Alexander Schulze Struchtrup</i>	
W17-106 : ACCELERATED AGING OF MEDICAL-GRADE RESINS: Q10 FACTORS AND MATERIAL AGING MODELS.....	3167
<i>Rob Klein</i>	

W17-154 : EFFECTS OF THE BIOLOGICAL ENVIRONMENT ON THERMOPLASTIC POLYURETHANES	3172
<i>Ajay Padsalgikar</i>	
W17-456 : ACCOUNTING FOR DIFFERENCES IN MODULUS AND STRESS RELAXATION BEHAVIOR IN PLASTICS UNDERGOING CHEMICAL RESISTANCE TESTING	3178
<i>Mark Yeager</i>	
W17-602 : SYSTEMS ENGINEERING FOR MEDICAL DEVICE DEVELOPMENT: APPLICATION TO INSULIN PUMPS	3183
<i>Marc Horner</i>	
W17-631 : DEGRADATION PRODUCTS OF MEDICAL DEVICES IN COMPLEX BIOLOGICAL ENVIRONMENTS: RISK ASSESSMENT STRATEGIES	3188
<i>Adam Kozak</i>	
W17-636 : THE REGULATION OF MICRO-SUPER-HYDROPHOBIC SILICONE RUBBER TO THE BEHAVIOR OF HUMAN LENS EPITHELIAL CELLS	3204
<i>Liuxueying Zhong</i>	
W17-688 : SUPERCRITICAL CARBON DIOXIDE ASSISTED EXTRUSION OF GRAPHENE NANOFILLER REINFORCED POLYMERS FOR BIOMEDICAL APPLICATIONS	3213
<i>Austin Coffey</i>	
W17-689 : NEW GENERATION PHARMACEUTICAL PACKAGING SOLUTIONS	3220
<i>Prakash Iyer</i>	
W18-112 : 3D LINE CONFOCAL IMAGING: NEW HIGH-RESOLUTION SENSOR TECHNOLOGY FOR CHALLENGING ONLINE & OFFLINE PLASTIC MEASUREMENT APPLICATIONS	3229
<i>Juha Saily</i>	
W18-216 : LABORATORY WEATHERING FOR PLASTICS	3252
<i>Andy Francis</i>	
W18-217 : LEVERAGING ADVANCED EDGE ANALYTICS FOR IMPROVED FAULT DETECTION IN DISCRETE MANUFACTURING PROCESSES	3275
<i>Andrew Wilson</i>	
W18-224 : ACCELERATED WEATHERING INSIGHTS INTO ASA POLYMER UV RESISTANCE: XENON VS QUV VS FLORIDA AND ARIZONA	3291
<i>Steven Blazey</i>	
W18-317 : CHARACTERIZATION OF CURE OF POLYMERIC MATERIAL BY DIELECTRIC ANALYSIS (DEA)	3304
<i>Yanxi Zhang</i>	
W18-429 : THE NEW DISCOVERY DMA850 FROM TA INSTRUMENTS	3321
<i>Greg Kamykowski</i>	
W18-438 : 75% OF ERP FAIL - HOW TO AVOID IT	3340
<i>Pierre Maillet</i>	
W18-439 : OPTICAL METROLOGY FOR STRESS DETERMINATION	3348
<i>Steven Danyluk</i>	
W20-066 : FILM TECHNOLOGIES FOR ADVANCING BUILDING SKIN FEATURES	3359
<i>Sebastian Zehentmaier</i>	
W20-250 : CORROSION INHIBITION MODEL FOR ALUMINIUM BY SODIUM CABOXY METHYL CELLULOSE (POLYMER) IN ACIDIC SOLUTION	3360
<i>Macdenis Egbuhuzor</i>	
Author Index	